

DATA SUMMARY POSTING

Station: Midwest Generation Joliet #29 Generating Station

Regulated Unit(s): Pond 2 (IEPA ID No. W1970450047-02)

In accordance with the new Ill. Adm. Code Title 35, Part 845: Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments (State CCR Rule) groundwater monitoring was completed during the 2nd quarter 2022 which includes the entire list of parameters specified under Section 845.600(a)(1) and (b). Table 1 is a summary table of all available CCR monitoring data to date including any data generated previously as part of the Federal CCR Rule monitoring. In addition, Table 2 provides a summary of turbidity data which was collected as part of State CCR Rule requirements which is a data parameter that was not required under the Federal CCR Rule.

No background statistics or proposed Groundwater Protection Standards are included on these tables. The background statistics and Proposed Groundwater Protection Standards were submitted to Illinois Environmental Protection Agency (EPA) as part of the Application for Initial Operating Permit submitted October 31, 2021. Upon Illinois EPA approval of the Operating Permit and Proposed Groundwater Protection Standards, the approved comparison values will be included on the tables for subsequent data comparisons/evaluations.

Table 1. Groundwater Analytical Results - Midwest Generation, LLC, Joliet Station #29, Joliet, IL.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228	Selenium	Thallium	
MW-10 up-gradient	10/28/2015	0.47	100	200	0.41	7.04	84	790	< 0.003	< 0.001	0.041	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	0.0060	0.2981	< 0.0025	< 0.002	
	2/10/2016	0.41	100	210	0.44	7.17	120	820	< 0.003	< 0.001	0.043	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0067	< 0.438	< 0.0025	< 0.002	
	5/12/2016	0.29	100	300	0.42	7.02	110	920	< 0.003	< 0.001	0.046	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0051	< 0.414	< 0.0025	< 0.002	
	8/31/2016	0.36	89	170	0.46	6.95	100	760	< 0.003	< 0.001	0.059	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.010	< 0.0002	0.0077	< 0.394	< 0.0025	< 0.002	
	11/2/2016	0.48	100	130	0.45	6.99	95	720	< 0.003	< 0.0018	0.035	^ < 0.001	< 0.0005	< 0.005	< 0.001	0.0014	0.011	< 0.0002	0.0061	< 0.626	< 0.0025	< 0.002	
	2/6/2017	0.44	120	190	0.36	6.99	88	820	< 0.003	0.0011	0.048	^ < 0.001	< 0.0005	< 0.005	< 0.001	0.00086	0.014	< 0.0002	0.0056	< 0.389	< 0.0025	< 0.002	
	4/26/2017	0.35	120	200	0.35	7.27	87	760	< 0.003	0.0015	0.046	^ < 0.001	< 0.0005	< 0.005	< 0.001	0.0012	< 0.01	< 0.0002	0.006	< 0.34	< 0.0025	< 0.002	
	6/14/2017	0.29	91	160	0.43	7.48	75	690	< 0.003	< 0.001	0.034	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0072	< 0.356	< 0.0025	< 0.002	
	8/2/2017	0.45	97	170	0.38	7.23	110	750	< 0.003	0.0011	0.036	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0079	< 0.429	< 0.0025	< 0.002	
	10/18/2017	0.61	120	140	0.41	7.11	130	820	< 0.003	0.0012	0.04	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.00059	0.013	< 0.0002	0.0066	< 0.422	< 0.0025	^ < 0.002	
	4/24/2018	0.4	110	260	0.39	7.28	120	910	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/17/2018	0.63	120	180	0.42	7.30	110	810	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/24/2018 R	0.44	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/7/2019	0.56	130	410	0.39	7.17	95	1,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/3/2019 R	NA	NA	230	NA	NA	NA	830	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/7/2019	0.35	90	130	0.36	7.40	59	650	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/20/2020	0.85	120	250	0.41	6.90	100	960	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/11/2020 R	0.26	NA	NA	NA	NA	NA	770	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/22/2020	0.34	110	230	0.41	7.11	93	850	< 0.003	0.001	0.043	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0057	NA	< 0.0025	< 0.002	
	5/18/2021	0.33	140	350	0.39	7.16	210	1,200	< 0.003	0.0014	0.06	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.015	< 0.0002	0.0055	< 0.4800	< 0.0025	< 0.002	
	6/29/2021 R	NA	160	420	NA	7.32	190	1,300	NA	NA	0.06	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.015	< 0.0002	0.0055	< 0.4800	< 0.0025	< 0.002	
	8/30/2021	0.28	120	330	0.37	7.56	170	990	< ^+ 0.003	0.0012	0.051	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0065	0.51	< 0.0025	< 0.002	
	11/16/2021	0.39	120	260	0.38	7.01	150	1,000	< 0.003	0.0012	0.049	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0066	0.692	< 0.0025	< 0.002	
	3/3/2022	0.47	120	280	0.41	7.05	190	1,000	< 0.003	0.0014	0.055	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	0.0066	< 0.4	< 0.0025	< 0.002	
	5/26/2022	0.39	120	280	0.41	6.90	160	1,000	< 0.003	0.0013	0.046	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.0064	< 0.593	< 0.0025	< 0.002	
MW-03 down-gradient	10/28/2015	0.34	110	230	0.41	7.11	110	960	< 0.003	0.0015	0.100	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	< 0.0050	0.41	< 0.0025	< 0.002	
	2/10/2016	0.49	100	220	0.44	7.31	130	790	< 0.003	0.0017	0.100	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	< 0.0060	< 1.68	< 0.0045	< 0.002	
	5/10/2016	0.48	95	240	0.44	7.07	130	800	< 0.003	0.0011	0.095	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0062	< 0.326	0.030	< 0.002	
	8/31/2016	0.49	100	250	0.45	7.18	120	920	< 0.003	0.0013	0.095	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0086	< 0.373	0.0051	< 0.002	
	11/2/2016	0.34	190	87	0.44	7.45	99	780	< 0.003	0.0019	0.082	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0002	0.0059	< 0.965	0.0022	< 0.002	
	2/6/2017	0.40	97	140	0.39	7.35	77	720	< 0.003	0.0019	0.093	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0066	< 0.356	0.0028	< 0.002	
	4/26/2017	0.54	100	210	0.36	7.03	120	820	< 0.003	0.0017	0.11	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.010	< 0.0002	0.0088	< 0.411	0.0052	< 0.002	
	6/14/2017	0.45	88	190	0.44	7.43	75	760	< 0.003	0.0014	0.09	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0072	< 0.358	0.0037	< 0.002	
	8/2/2017	0.41	99	200	0.40	7.34	110	850	< 0.003	0.0022	0.10	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0065	0.414	0.005	< 0.002	
	10/18/2017	0.35	93	160	0.42	7.11	100	850	< 0.003	0.0015	0.088	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.0055	< 0.417	0.0026	^ < 0.002	
	4/24/2018	0.52	100	220	0.42	7.2	150	930	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/31/2018 R	NA	NA	NA	NA	NA	110	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/17/2018	0.25	100	250	0.4	7.04	110	870	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/7/2019	0.43	120	280	0.4	7.27	140	880	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/3/2019 R	NA	NA	NA	NA	NA	65	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/7/2019	0.34	100	150	0.4	7.32	65	660	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/20/2020	0.38	100	230	0.42	7.56	78	960	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	6/11/2020 R	NA	NA	NA	NA	NA	NA	920	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/22/2020	0.32	110	180	0.43	7.23	99	770	< 0.003	0.0014	0.1	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.01	< 0.0002	< 0.005	NA	< 0.0025	< 0.002	
	5/18/2021	0.28	130	290	0.4	7.13	190	1,200	< 0.003	0.0016	0.14	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.014	< 0.0002	< 0.0050	1.1000	< 0.0025	< 0.002	
	6/29/2021 R	NA	NA	NA	NA	7.34	210	1,300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	8/30/2021	0.23	120	290	0.36	7.32	140	800	< ^+ 0.003	0.0018	0.12	^ < 0.001	< 0.0005	< 0.005	0.0014	< 0.0005	0.012	< 0.0002	< 0.005	0.641	< 0.0025	< 0.002	
	11/16/2021	0.3	130	280	0.37	7.11	150	1,000	< 0.003	0.0018	0.14	^ < 0.001	< 0.0005	< 0.005	0.0018	< 0.0005	0.011	< 0.0002	< 0.005	1.15	< 0.0025	< 0.002	
	3/3/2022	0.3	130	270	0.4	7.05	180	1,300	< 0.003	0.0019	0.14	^ < 0.001	< 0.0005	< 0.005	0.0014	< 0.0005	0.012	< 0.0002	< 0.005	< 0.672			

Table 2. Turbidity Measurement Data, Midwest Generation, LLC, Joliet #29 Generating Station

Well ID	Date	Turbidity (NTU)
MW-03	3/2/2021	0.45
	4/10/2021	22.9
	4/25/2021	2.40
	5/18/2021	2.53
	6/11/2021	2.34
	6/29/2021	2.86
	7/19/2021	37.40
	8/9/2021	2.71
	8/30/2021	5.70
	9/27/2021	10.27
	11/16/2021	0.80
	3/3/2022	0.00
	5/26/2022	4.26
MW-04	3/2/2021	81.89
	4/10/2021	5.96
	4/25/2021	3.02
	5/18/2021	2.52
	6/11/2021	2.80
	6/29/2021	3.34
	7/19/2021	47.4
	8/9/2021	4.13
	8/30/2021	18.3
	9/27/2021	1.76
	11/16/2021	4.20
	3/3/2022	0.00
	5/26/2022	1.23
MW-05	2/25/2021	1.57
	4/10/2021	8.36
	4/25/2021	2.42
	5/17/2021	5.20
	6/11/2021	14.22
	6/29/2021	5.33
	7/19/2021	26.9
	8/9/2021	3.69
	8/27/2021	8.70
	9/27/2021	14.92
	11/16/2021	8.84
	3/3/2022	3.25
	5/26/2022	1.28
MW-10	3/2/2021	26.07
	4/10/2021	7.31
	4/25/2021	5.21
	5/18/2021	3.73
	6/11/2021	6.65
	6/29/2021	9.49
	7/19/2021	14.5
	8/9/2021	10.08
	8/30/2021	9.3
	9/27/2021	16.3
	11/16/2021	5.59
	3/3/2022	2.86
	5/26/2022	2.08

ANALYTICAL REPORT

Eurofins Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

Laboratory Job ID: 500-217282-1
Client Project/Site: Joliet #29 CCR Q2
Sampling Event: Quarterly MWG Joliet #29 CCR

For:
Midwest Generation EME LLC
1800 Channahon Road
Joliet, Illinois 60436

Attn: John Niedzwiecki



Authorized for release by:
6/14/2022 9:42:07 AM

Diana Mockler, Project Manager I
(219)252-7570

Diana.Mockler@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	11
QC Association	12
QC Sample Results	14
Chain of Custody	18
Receipt Checklists	19
Chronicle	20

Case Narrative

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Job ID: 500-217282-1

Laboratory: Eurofins Chicago

Narrative

**Job Narrative
500-217282-1**

Comments

No additional comments.

Receipt

The samples were received on 5/27/2022 10:05 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.5° C and 4.4° C.

Receipt Exceptions

The following sample(s) was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): "Trip Blank" however no VOCs were received for any of the samples.


Metals

Method 6020A: The low level continuing calibration verification (CCVL) associated with batch 500-660498 recovered above the upper control limit for Beryllium. The samples associated with this CCVL were non-detects for the affected analyte; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Method	Method Description	Protocol	Laboratory
6020A	Metals (ICP/MS)	SW846	TAL CHI
7470A	Mercury (CVAA)	SW846	TAL CHI
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL CHI
SM 4500 Cl- E	Chloride, Total	SM	TAL CHI
SM 4500 F C	Fluoride	SM	TAL CHI
SM 4500 SO4 E	Sulfate, Total	SM	TAL CHI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL CHI
7470A	Preparation, Mercury	SW846	TAL CHI

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-217282-1	MW-03	Water	05/26/22 15:03	05/27/22 10:05
500-217282-2	MW-04	Water	05/26/22 12:50	05/27/22 10:05
500-217282-3	MW-05	Water	05/26/22 16:50	05/27/22 10:05
500-217282-4	MW-10	Water	05/26/22 11:32	05/27/22 10:05
500-217282-5	Duplicate	Water	05/26/22 00:00	05/27/22 10:05

1

2

3

4

5

6

7

8

9

10

11

12

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-03
Date Collected: 05/26/22 15:03
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-1
Matrix: Water

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 03:08	1
Arsenic	0.0020		0.0010		mg/L		06/07/22 08:40	06/09/22 03:08	1
Barium	0.13		0.0025		mg/L		06/07/22 08:40	06/09/22 03:08	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 03:08	1
Boron	0.39		0.050		mg/L		06/07/22 08:40	06/09/22 03:08	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:08	1
Calcium	120		0.20		mg/L		06/07/22 08:40	06/09/22 03:08	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:08	1
Cobalt	0.0011		0.0010		mg/L		06/07/22 08:40	06/09/22 03:08	1
Lead	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:08	1
Lithium	<0.010		0.010		mg/L		06/07/22 08:40	06/09/22 03:08	1
Molybdenum	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:08	1
Selenium	0.0042		0.0025		mg/L		06/07/22 08:40	06/09/22 03:08	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 03:08	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 10:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			06/02/22 02:17	1
Chloride	280		20		mg/L			06/01/22 09:00	10
Fluoride	0.41		0.10		mg/L			06/12/22 00:15	1
Sulfate	160		50		mg/L			06/02/22 09:40	10

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-04
Date Collected: 05/26/22 12:50
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-2
Matrix: Water

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 03:11	1
Arsenic	0.0019		0.0010		mg/L		06/07/22 08:40	06/09/22 03:11	1
Barium	0.10		0.0025		mg/L		06/07/22 08:40	06/09/22 03:11	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 03:11	1
Boron	0.26		0.050		mg/L		06/07/22 08:40	06/09/22 03:11	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:11	1
Calcium	110		0.20		mg/L		06/07/22 08:40	06/09/22 03:11	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:11	1
Cobalt	0.0036		0.0010		mg/L		06/07/22 08:40	06/09/22 03:11	1
Lead	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:11	1
Lithium	<0.010		0.010		mg/L		06/07/22 08:40	06/09/22 03:11	1
Molybdenum	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:11	1
Selenium	<0.0025		0.0025		mg/L		06/07/22 08:40	06/09/22 03:11	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 03:11	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 10:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			06/02/22 02:19	1
Chloride	290		20		mg/L			06/01/22 09:00	10
Fluoride	0.44		0.10		mg/L			06/12/22 00:18	1
Sulfate	150		50		mg/L			06/02/22 09:41	10

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-05

Lab Sample ID: 500-217282-3

Date Collected: 05/26/22 16:50

Matrix: Water

Date Received: 05/27/22 10:05

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 03:15	1
Arsenic	0.0030		0.0010		mg/L		06/07/22 08:40	06/09/22 03:15	1
Barium	0.082		0.0025		mg/L		06/07/22 08:40	06/09/22 03:15	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 03:15	1
Boron	0.55		0.050		mg/L		06/07/22 08:40	06/09/22 03:15	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:15	1
Calcium	120		0.20		mg/L		06/07/22 08:40	06/09/22 03:15	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:15	1
Cobalt	<0.0010		0.0010		mg/L		06/07/22 08:40	06/09/22 03:15	1
Lead	0.0018		0.00050		mg/L		06/07/22 08:40	06/09/22 03:15	1
Lithium	0.015		0.010		mg/L		06/07/22 08:40	06/09/22 03:15	1
Molybdenum	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:15	1
Selenium	0.0029		0.0025		mg/L		06/07/22 08:40	06/09/22 03:15	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 03:15	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 10:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			06/02/22 02:22	1
Chloride	320		20		mg/L			06/01/22 09:00	10
Fluoride	0.31		0.10		mg/L			06/12/22 00:21	1
Sulfate	140		50		mg/L			06/02/22 09:41	10

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-10
Date Collected: 05/26/22 11:32
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-4
Matrix: Water

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 03:18	1
Arsenic	0.0013		0.0010		mg/L		06/07/22 08:40	06/09/22 03:18	1
Barium	0.046		0.0025		mg/L		06/07/22 08:40	06/09/22 03:18	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 03:18	1
Boron	0.39		0.050		mg/L		06/07/22 08:40	06/09/22 03:18	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:18	1
Calcium	120		0.20		mg/L		06/07/22 08:40	06/09/22 03:18	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:18	1
Cobalt	<0.0010		0.0010		mg/L		06/07/22 08:40	06/09/22 03:18	1
Lead	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:18	1
Lithium	<0.010		0.010		mg/L		06/07/22 08:40	06/09/22 03:18	1
Molybdenum	0.0064		0.0050		mg/L		06/07/22 08:40	06/09/22 03:18	1
Selenium	<0.0025		0.0025		mg/L		06/07/22 08:40	06/09/22 03:18	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 03:18	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 10:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1000		10		mg/L			06/02/22 03:19	1
Chloride	280		20		mg/L			06/01/22 09:35	10
Fluoride	0.41		0.10		mg/L			06/12/22 00:24	1
Sulfate	160		50		mg/L			06/02/22 09:42	10

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: Duplicate
Date Collected: 05/26/22 00:00
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-5
Matrix: Water

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 03:22	1
Arsenic	0.0014		0.0010		mg/L		06/07/22 08:40	06/09/22 03:22	1
Barium	0.047		0.0025		mg/L		06/07/22 08:40	06/09/22 03:22	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 03:22	1
Boron	0.39		0.050		mg/L		06/07/22 08:40	06/09/22 03:22	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:22	1
Calcium	120		0.20		mg/L		06/07/22 08:40	06/09/22 03:22	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 03:22	1
Cobalt	<0.0010		0.0010		mg/L		06/07/22 08:40	06/09/22 03:22	1
Lead	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 03:22	1
Lithium	<0.010		0.010		mg/L		06/07/22 08:40	06/09/22 03:22	1
Molybdenum	0.0064		0.0050		mg/L		06/07/22 08:40	06/09/22 03:22	1
Selenium	<0.0025		0.0025		mg/L		06/07/22 08:40	06/09/22 03:22	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 03:22	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 10:15	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			06/02/22 03:26	1
Chloride	280		20		mg/L			06/01/22 09:35	10
Fluoride	0.41		0.10		mg/L			06/12/22 00:40	1
Sulfate	160		50		mg/L			06/02/22 09:42	10

Definitions/Glossary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Qualifiers

Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.

General Chemistry

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Metals

Prep Batch: 660074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total Recoverable	Water	3005A	
500-217282-2	MW-04	Total Recoverable	Water	3005A	
500-217282-3	MW-05	Total Recoverable	Water	3005A	
500-217282-4	MW-10	Total Recoverable	Water	3005A	
500-217282-5	Duplicate	Total Recoverable	Water	3005A	
MB 500-660074/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-660074/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 660300

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	7470A	
500-217282-2	MW-04	Total/NA	Water	7470A	
500-217282-3	MW-05	Total/NA	Water	7470A	
500-217282-4	MW-10	Total/NA	Water	7470A	
500-217282-5	Duplicate	Total/NA	Water	7470A	
MB 500-660300/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-660300/13-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 660498

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total Recoverable	Water	6020A	660074
500-217282-2	MW-04	Total Recoverable	Water	6020A	660074
500-217282-3	MW-05	Total Recoverable	Water	6020A	660074
500-217282-4	MW-10	Total Recoverable	Water	6020A	660074
500-217282-5	Duplicate	Total Recoverable	Water	6020A	660074
MB 500-660074/1-A	Method Blank	Total Recoverable	Water	6020A	660074
LCS 500-660074/2-A	Lab Control Sample	Total Recoverable	Water	6020A	660074

Analysis Batch: 660533

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	7470A	660300
500-217282-2	MW-04	Total/NA	Water	7470A	660300
500-217282-3	MW-05	Total/NA	Water	7470A	660300
500-217282-4	MW-10	Total/NA	Water	7470A	660300
500-217282-5	Duplicate	Total/NA	Water	7470A	660300
MB 500-660300/12-A	Method Blank	Total/NA	Water	7470A	660300
LCS 500-660300/13-A	Lab Control Sample	Total/NA	Water	7470A	660300

General Chemistry

Analysis Batch: 659384

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	SM 4500 CI- E	
500-217282-2	MW-04	Total/NA	Water	SM 4500 CI- E	
500-217282-3	MW-05	Total/NA	Water	SM 4500 CI- E	
500-217282-4	MW-10	Total/NA	Water	SM 4500 CI- E	
500-217282-5	Duplicate	Total/NA	Water	SM 4500 CI- E	
MB 500-659384/16	Method Blank	Total/NA	Water	SM 4500 CI- E	
MB 500-659384/52	Method Blank	Total/NA	Water	SM 4500 CI- E	
LCS 500-659384/17	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
LCS 500-659384/53	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	

Eurofins Chicago

QC Association Summary

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

General Chemistry (Continued)

Analysis Batch: 659384 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-5 MS	Duplicate	Total/NA	Water	SM 4500 CI- E	
500-217282-5 MSD	Duplicate	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 659458

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	SM 2540C	
500-217282-2	MW-04	Total/NA	Water	SM 2540C	
500-217282-3	MW-05	Total/NA	Water	SM 2540C	
MB 500-659458/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-659458/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 659459

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-4	MW-10	Total/NA	Water	SM 2540C	
500-217282-5	Duplicate	Total/NA	Water	SM 2540C	
MB 500-659459/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-659459/2	Lab Control Sample	Total/NA	Water	SM 2540C	
500-217282-4 MS	MW-10	Total/NA	Water	SM 2540C	
500-217282-4 DU	MW-10	Total/NA	Water	SM 2540C	
500-217282-5 DU	Duplicate	Total/NA	Water	SM 2540C	

Analysis Batch: 659587

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	SM 4500 SO4 E	
500-217282-2	MW-04	Total/NA	Water	SM 4500 SO4 E	
500-217282-3	MW-05	Total/NA	Water	SM 4500 SO4 E	
500-217282-4	MW-10	Total/NA	Water	SM 4500 SO4 E	
500-217282-5	Duplicate	Total/NA	Water	SM 4500 SO4 E	
MB 500-659587/16	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-659587/17	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	
500-217282-1 MS	MW-03	Total/NA	Water	SM 4500 SO4 E	
500-217282-1 MSD	MW-03	Total/NA	Water	SM 4500 SO4 E	

Analysis Batch: 660856

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	SM 4500 F C	
500-217282-2	MW-04	Total/NA	Water	SM 4500 F C	
500-217282-3	MW-05	Total/NA	Water	SM 4500 F C	
500-217282-4	MW-10	Total/NA	Water	SM 4500 F C	
500-217282-5	Duplicate	Total/NA	Water	SM 4500 F C	
MB 500-660856/31	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-660856/32	Lab Control Sample	Total/NA	Water	SM 4500 F C	

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 500-660074/1-A
Matrix: Water
Analysis Batch: 660498

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 660074

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		06/07/22 08:40	06/09/22 02:12	1
Arsenic	<0.0010		0.0010		mg/L		06/07/22 08:40	06/09/22 02:12	1
Barium	<0.0025		0.0025		mg/L		06/07/22 08:40	06/09/22 02:12	1
Beryllium	<0.0010	^+	0.0010		mg/L		06/07/22 08:40	06/09/22 02:12	1
Boron	<0.050		0.050		mg/L		06/07/22 08:40	06/09/22 02:12	1
Cadmium	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 02:12	1
Calcium	<0.20		0.20		mg/L		06/07/22 08:40	06/09/22 02:12	1
Chromium	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 02:12	1
Cobalt	<0.0010		0.0010		mg/L		06/07/22 08:40	06/09/22 02:12	1
Lead	<0.00050		0.00050		mg/L		06/07/22 08:40	06/09/22 02:12	1
Lithium	<0.010		0.010		mg/L		06/07/22 08:40	06/09/22 02:12	1
Molybdenum	<0.0050		0.0050		mg/L		06/07/22 08:40	06/09/22 02:12	1
Selenium	<0.0025		0.0025		mg/L		06/07/22 08:40	06/09/22 02:12	1
Thallium	<0.0020		0.0020		mg/L		06/07/22 08:40	06/09/22 02:12	1

Lab Sample ID: LCS 500-660074/2-A
Matrix: Water
Analysis Batch: 660498

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 660074

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.500	0.489		mg/L		98	80 - 120
Arsenic	0.100	0.0960		mg/L		96	80 - 120
Barium	0.500	0.491		mg/L		98	80 - 120
Beryllium	0.0500	0.0499	^+	mg/L		100	80 - 120
Boron	1.00	1.01		mg/L		101	80 - 120
Cadmium	0.0500	0.0488		mg/L		98	80 - 120
Calcium	10.0	9.34		mg/L		93	80 - 120
Chromium	0.200	0.199		mg/L		100	80 - 120
Cobalt	0.500	0.496		mg/L		99	80 - 120
Lead	0.100	0.0982		mg/L		98	80 - 120
Lithium	0.100	0.0965		mg/L		97	80 - 120
Molybdenum	1.00	0.925		mg/L		93	80 - 120
Selenium	0.100	0.0984		mg/L		98	80 - 120
Thallium	0.100	0.0980		mg/L		98	80 - 120

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-660300/12-A
Matrix: Water
Analysis Batch: 660533

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 660300

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		06/08/22 10:15	06/09/22 09:24	1

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LCS 500-660300/13-A
 Matrix: Water
 Analysis Batch: 660533

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 660300

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00200	0.00213		mg/L		107	80 - 120

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-659458/1
 Matrix: Water
 Analysis Batch: 659458

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			06/02/22 01:23	1

Lab Sample ID: LCS 500-659458/2
 Matrix: Water
 Analysis Batch: 659458

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	258		mg/L		103	80 - 120

Lab Sample ID: MB 500-659459/1
 Matrix: Water
 Analysis Batch: 659459

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			06/02/22 03:14	1

Lab Sample ID: LCS 500-659459/2
 Matrix: Water
 Analysis Batch: 659459

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	256		mg/L		102	80 - 120

Lab Sample ID: 500-217282-4 MS
 Matrix: Water
 Analysis Batch: 659459

Client Sample ID: MW-10
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000		250	1340	4	mg/L		119	75 - 125

Lab Sample ID: 500-217282-4 DU
 Matrix: Water
 Analysis Batch: 659459

Client Sample ID: MW-10
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	1000		1060		mg/L		2	5

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: 500-217282-5 DU
 Matrix: Water
 Analysis Batch: 659459

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	1100		1080		mg/L		2	5

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 500-659384/16
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			06/01/22 08:53	1

Lab Sample ID: MB 500-659384/52
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			06/01/22 09:34	1

Lab Sample ID: LCS 500-659384/17
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	20.2		mg/L		101	85 - 115

Lab Sample ID: LCS 500-659384/53
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	20.3		mg/L		101	85 - 115

Lab Sample ID: 500-217282-5 MS
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	280		20.0	294	4	mg/L		83	75 - 125

Lab Sample ID: 500-217282-5 MSD
 Matrix: Water
 Analysis Batch: 659384

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	280		20.0	292	4	mg/L		76	75 - 125	0	20

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-660856/31
 Matrix: Water
 Analysis Batch: 660856

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			06/11/22 23:28	1

Lab Sample ID: LCS 500-660856/32
 Matrix: Water
 Analysis Batch: 660856

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	10.6		mg/L		106	90 - 119

Method: SM 4500 SO4 E - Sulfate, Total

Lab Sample ID: MB 500-659587/16
 Matrix: Water
 Analysis Batch: 659587

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			06/02/22 09:39	1

Lab Sample ID: LCS 500-659587/17
 Matrix: Water
 Analysis Batch: 659587

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	20.0	21.8		mg/L		109	88 - 123

Lab Sample ID: 500-217282-1 MS
 Matrix: Water
 Analysis Batch: 659587

Client Sample ID: MW-03
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	160		20.0	179	4	mg/L		99	75 - 125

Lab Sample ID: 500-217282-1 MSD
 Matrix: Water
 Analysis Batch: 659587

Client Sample ID: MW-03
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate	160		20.0	179	4	mg/L		99	75 - 125	0	20

Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-217282-1

Login Number: 217282

List Source: Eurofins Chicago

List Number: 1

Creator: Hernandez, Stephanie

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.4,2.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Lab Chronicle

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-03

Date Collected: 05/26/22 15:03

Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			660074	06/07/22 08:40	BDE	TAL CHI
Total Recoverable	Analysis	6020A		1	660498	06/09/22 03:08	FXG	TAL CHI
Total/NA	Prep	7470A			660300	06/08/22 10:15	MJG	TAL CHI
Total/NA	Analysis	7470A		1	660533	06/09/22 10:02	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	659458	06/02/22 02:17	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	659384	06/01/22 09:00	LP	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	660856	06/12/22 00:15	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	659587	06/02/22 09:40	LP	TAL CHI

Client Sample ID: MW-04

Date Collected: 05/26/22 12:50

Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			660074	06/07/22 08:40	BDE	TAL CHI
Total Recoverable	Analysis	6020A		1	660498	06/09/22 03:11	FXG	TAL CHI
Total/NA	Prep	7470A			660300	06/08/22 10:15	MJG	TAL CHI
Total/NA	Analysis	7470A		1	660533	06/09/22 10:08	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	659458	06/02/22 02:19	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	659384	06/01/22 09:00	LP	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	660856	06/12/22 00:18	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	659587	06/02/22 09:41	LP	TAL CHI

Client Sample ID: MW-05

Date Collected: 05/26/22 16:50

Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			660074	06/07/22 08:40	BDE	TAL CHI
Total Recoverable	Analysis	6020A		1	660498	06/09/22 03:15	FXG	TAL CHI
Total/NA	Prep	7470A			660300	06/08/22 10:15	MJG	TAL CHI
Total/NA	Analysis	7470A		1	660533	06/09/22 10:11	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	659458	06/02/22 02:22	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	659384	06/01/22 09:00	LP	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	660856	06/12/22 00:21	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	659587	06/02/22 09:41	LP	TAL CHI

Client Sample ID: MW-10

Date Collected: 05/26/22 11:32

Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			660074	06/07/22 08:40	BDE	TAL CHI
Total Recoverable	Analysis	6020A		1	660498	06/09/22 03:18	FXG	TAL CHI

Eurofins Chicago

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-1

Client Sample ID: MW-10

Lab Sample ID: 500-217282-4

Date Collected: 05/26/22 11:32

Matrix: Water

Date Received: 05/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			660300	06/08/22 10:15	MJG	TAL CHI
Total/NA	Analysis	7470A		1	660533	06/09/22 10:13	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	659459	06/02/22 03:19	CLB	TAL CHI
Total/NA	Analysis	SM 4500 Cl- E		10	659384	06/01/22 09:35	LP	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	660856	06/12/22 00:24	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	659587	06/02/22 09:42	LP	TAL CHI

Client Sample ID: Duplicate

Lab Sample ID: 500-217282-5

Date Collected: 05/26/22 00:00

Matrix: Water

Date Received: 05/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			660074	06/07/22 08:40	BDE	TAL CHI
Total Recoverable	Analysis	6020A		1	660498	06/09/22 03:22	FXG	TAL CHI
Total/NA	Prep	7470A			660300	06/08/22 10:15	MJG	TAL CHI
Total/NA	Analysis	7470A		1	660533	06/09/22 10:15	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	659459	06/02/22 03:26	CLB	TAL CHI
Total/NA	Analysis	SM 4500 Cl- E		10	659384	06/01/22 09:35	LP	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	660856	06/12/22 00:40	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	659587	06/02/22 09:42	LP	TAL CHI

Laboratory References:

TAL CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

ANALYTICAL REPORT

Eurofins Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

Laboratory Job ID: 500-217282-2
Client Project/Site: Joliet #29 CCR Q2
Sampling Event: Quarterly MWG Joliet #29 CCR

For:
Midwest Generation EME LLC
1800 Channahon Road
Joliet, Illinois 60436

Attn: John Niedzwiecki



Authorized for release by:
6/24/2022 2:07:14 PM

Diana Mockler, Project Manager I
(219)252-7570
Diana.Mockler@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	11
QC Association	12
QC Sample Results	13
Chain of Custody	15
Receipt Checklists	17
Chronicle	19
Tracer Carrier Summary	21

Case Narrative

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Job ID: 500-217282-2

Laboratory: Eurofins Chicago

Narrative

Job Narrative 500-217282-2

Comments

No additional comments.

Receipt

The samples were received on 5/27/2022 10:05 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 2.5° C and 4.4° C.

Receipt Exceptions

The following sample(s) was submitted for analysis; however, it was not listed on the Chain-of-Custody (COC): "Trip Blank" however no VOCs were received for any of the samples.

RAD

Method 903.0: Radium-226 batch 567685

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date. MW-03 (500-217282-1), MW-04 (500-217282-2), MW-05 (500-217282-3), MW-10 (500-217282-4), Duplicate (500-217282-5), (LCS 160-567685/1-A), (MB 160-567685/22-A) and (500-217282-D-1-A DU)

Methods 900.0, 903.0, 904.0, 9310, 9315, 9320, ST-RC-0058: Gross Alpha Beta batch 571212

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

(CCB 160-571083/51), (CCB 160-571083/52), (CCB 160-571084/35), (CCB 160-571084/36), (CCB 160-571084/37), (CCB 160-571084/39), (CCB 160-571084/40), (CCB 160-571084/41), (CCVA 160-571083/36), (CCVA 160-571083/38), (CCVA 160-571084/2), (CCVA 160-571084/25), (CCVA 160-571084/3), (CCVA 160-571084/5), (CCVA 160-571084/7), (CCVA 160-571084/8), (CCVB 160-571083/44), (CCVB 160-571083/46), (CCVB 160-571084/19), (CCVB 160-571084/20), (CCVB 160-571084/21), (CCVB 160-571084/23), (CCVB 160-571084/24) and (CCVB 160-571084/9)

Method 904.0: Radium-228 BATCH 567697

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

MW-03 (500-217282-1), MW-04 (500-217282-2), MW-05 (500-217282-3), MW-10 (500-217282-4), Duplicate (500-217282-5), (LCS 160-567697/1-A), (MB 160-567697/22-A) and (500-217282-D-1-B DU)

Method PrecSep_0:

Method PrecSep-21:

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Method Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Sample Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-217282-1	MW-03	Water	05/26/22 15:03	05/27/22 10:05
500-217282-2	MW-04	Water	05/26/22 12:50	05/27/22 10:05
500-217282-3	MW-05	Water	05/26/22 16:50	05/27/22 10:05
500-217282-4	MW-10	Water	05/26/22 11:32	05/27/22 10:05
500-217282-5	Duplicate	Water	05/26/22 00:00	05/27/22 10:05

1

2

3

4

5

6

7

8

9

10

11

12

13

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: MW-03
Date Collected: 05/26/22 15:03
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-1
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.202		0.104	0.105	1.00	0.129	pCi/L	05/31/22 09:45	06/22/22 09:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.5		40 - 110					05/31/22 09:45	06/22/22 09:41	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.355	U	0.322	0.324	1.00	0.512	pCi/L	05/31/22 11:34	06/16/22 13:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.5		40 - 110					05/31/22 11:34	06/16/22 13:35	1
Y Carrier	86.7		40 - 110					05/31/22 11:34	06/16/22 13:35	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.557		0.338	0.341	5.00	0.512	pCi/L		06/24/22 13:32	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: MW-04
 Date Collected: 05/26/22 12:50
 Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-2
 Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.177		0.109	0.111	1.00	0.152	pCi/L	05/31/22 09:45	06/22/22 09:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		40 - 110					05/31/22 09:45	06/22/22 09:41	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.446	U	0.307	0.309	1.00	0.455	pCi/L	05/31/22 11:34	06/16/22 13:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		40 - 110					05/31/22 11:34	06/16/22 13:35	1
Y Carrier	89.0		40 - 110					05/31/22 11:34	06/16/22 13:35	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.624		0.326	0.328	5.00	0.455	pCi/L		06/24/22 13:32	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: MW-05
Date Collected: 05/26/22 16:50
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-3
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.352		0.162	0.165	1.00	0.202	pCi/L	05/31/22 09:45	06/22/22 09:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					05/31/22 09:45	06/22/22 09:41	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0277	U	0.353	0.353	1.00	0.656	pCi/L	05/31/22 11:34	06/16/22 13:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.3		40 - 110					05/31/22 11:34	06/16/22 13:35	1
Y Carrier	86.4		40 - 110					05/31/22 11:34	06/16/22 13:35	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.380	U	0.388	0.390	5.00	0.656	pCi/L		06/24/22 13:32	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: MW-10
Date Collected: 05/26/22 11:32
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-4
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.204		0.115	0.117	1.00	0.157	pCi/L	05/31/22 09:45	06/22/22 09:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		40 - 110					05/31/22 09:45	06/22/22 09:41	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.245	U	0.352	0.353	1.00	0.593	pCi/L	05/31/22 11:34	06/16/22 13:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		40 - 110					05/31/22 11:34	06/16/22 13:35	1
Y Carrier	84.9		40 - 110					05/31/22 11:34	06/16/22 13:35	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.449	U	0.370	0.372	5.00	0.593	pCi/L		06/24/22 13:32	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: Duplicate

Lab Sample ID: 500-217282-5

Date Collected: 05/26/22 00:00

Matrix: Water

Date Received: 05/27/22 10:05

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.120		0.0827	0.0834	1.00	0.112	pCi/L	05/31/22 09:45	06/22/22 09:41	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		40 - 110					05/31/22 09:45	06/22/22 09:41	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0779	U	0.274	0.274	1.00	0.493	pCi/L	05/31/22 11:34	06/16/22 13:35	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		40 - 110					05/31/22 11:34	06/16/22 13:35	1
Y Carrier	87.1		40 - 110					05/31/22 11:34	06/16/22 13:35	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.198	U	0.286	0.286	5.00	0.493	pCi/L		06/24/22 13:32	1

Definitions/Glossary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Rad

Prep Batch: 567685

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	PrecSep-21	
500-217282-2	MW-04	Total/NA	Water	PrecSep-21	
500-217282-3	MW-05	Total/NA	Water	PrecSep-21	
500-217282-4	MW-10	Total/NA	Water	PrecSep-21	
500-217282-5	Duplicate	Total/NA	Water	PrecSep-21	
MB 160-567685/22-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-567685/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-217282-1 DU	MW-03	Total/NA	Water	PrecSep-21	

Prep Batch: 567697

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-217282-1	MW-03	Total/NA	Water	PrecSep_0	
500-217282-2	MW-04	Total/NA	Water	PrecSep_0	
500-217282-3	MW-05	Total/NA	Water	PrecSep_0	
500-217282-4	MW-10	Total/NA	Water	PrecSep_0	
500-217282-5	Duplicate	Total/NA	Water	PrecSep_0	
MB 160-567697/22-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-567697/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-217282-1 DU	MW-03	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-567685/22-A
Matrix: Water
Analysis Batch: 571083

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 567685

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.04674	U	0.0593	0.0595	1.00	0.0979	pCi/L	05/31/22 09:45	06/22/22 12:10	1
Carrier	MB MB		Limits			Prepared	Analyzed	Dil Fac		
	%Yield	Qualifier								
Ba Carrier	95.8		40 - 110			05/31/22 09:45	06/22/22 12:10	1		

Lab Sample ID: LCS 160-567685/1-A
Matrix: Water
Analysis Batch: 571083

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 567685

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	9.569		1.03	1.00	0.134	pCi/L	84	75 - 125
Carrier	LCS	LCS	Limits			Prepared	Analyzed	Dil Fac	
	%Yield	Qualifier							
Ba Carrier	99.8		40 - 110						

Lab Sample ID: 500-217282-1 DU
Matrix: Water
Analysis Batch: 571084

Client Sample ID: MW-03
Prep Type: Total/NA
Prep Batch: 567685

Analyte	Sample Sample		DU	DU	Total	RL	MDC	Unit	RER	RER Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.202		0.2420		0.119	1.00	0.149	pCi/L	0.18	1
Carrier	DU	DU	Limits			Prepared	Analyzed	Dil Fac		
	%Yield	Qualifier								
Ba Carrier	95.3		40 - 110							

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-567697/22-A
Matrix: Water
Analysis Batch: 570293

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 567697

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	-0.05923	U	0.185	0.185	1.00	0.381	pCi/L	05/31/22 11:34	06/16/22 13:39	1
Carrier	MB MB		Limits			Prepared	Analyzed	Dil Fac		
	%Yield	Qualifier								
Ba Carrier	95.8		40 - 110			05/31/22 11:34	06/16/22 13:39	1		
Y Carrier	92.0		40 - 110			05/31/22 11:34	06/16/22 13:39	1		

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: LCS 160-567697/1-A
Matrix: Water
Analysis Batch: 570309

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 567697

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits	
Radium-228	8.53	8.215		1.13	1.00	0.481	pCi/L	96	75 - 125	
LCS LCS										
Carrier	%Yield	Qualifier	Limits							
Ba Carrier	99.8		40 - 110							
Y Carrier	86.0		40 - 110							

Lab Sample ID: 500-217282-1 DU
Matrix: Water
Analysis Batch: 570309

Client Sample ID: MW-03
Prep Type: Total/NA
Prep Batch: 567697

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
										1
Radium-228	0.355	U	0.8490		0.368	1.00	0.466	pCi/L	0.71	1
DU DU										
Carrier	%Yield	Qualifier	Limits							
Ba Carrier	95.3		40 - 110							
Y Carrier	87.5		40 - 110							

Eurofins TestAmerica, Chicago
 2417 Bond Street
 University Park IL 60484
 Phone (708) 534-5200 Phone (708) 534-5211

Chain of Custody Record

euoefins
 Environment Testing
 America

Client Information		Sampler: <i>CORY HIGGINS</i>		Lab PM: Mockler Diana J		Carrier Tracking No(s)		COC No: 500-91207-40679 1	
Client Contact: Mitchel Dolan		Phone: <i>630 277 6038</i>		E-Mail: Diana Mockler@Eurofinset.com				Page: Page 1 of 1	
Company: KPRG and Associates, Inc.		PWSID:		Job #: <i>500-217282</i>					

Address: 14665 West Lisbon Road, Suite 1A		Due Date Requested	
City: Brookfield		TAT Requested (days):	
State Zip: WI, 53005		Compliance Project: Δ Yes Δ No	
Phone: 262-781-0475		PO #: 4502042860	
Email: mitcheld@kprginc.com		WO #:	
Project Name: Quarterly MWG Joliet #29 CCR		Project #: 50011568	
Site: Illinois		SSOW#:	

Analysis Req								Total Number of containers
Field Filtered Sample (Yes or No)				Perform: MS/MSD (Yes or No)				

Preservation Codes

A - HCL	M Hexane
B NaOH	N None
C Zn Acetate	O AsNaO2
D Nitric Acid	P - Na2O4S
E NaHSO4	Q Na2SO3
F MeOH	R Na2S2O3
G Amchlor	S H2SO4
H Ascorbic Acid	T TSP Dodecahydrate
I Ice	U Acetone
J DI Water	V MCAA
K EDTA	W pH 4-5
L EDA	Z other (specify)

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform: MS/MSD (Yes or No)							Total Number of containers	Special Instructions/Note
						D	N	N	N	N	D	D		
1 MW-3	5/26/22	1503	G	W	N	X	X	X	X	X	X	X	5	*Metals List Sb, As, Ba, Be, B, Cd, Ca, Cr, Co, Pb, Mo, Se, Tl
2 MW-4	↓	1250	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
3 MW-5	↓	1650	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
4 MW-10	↓	1132	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		
5 DUPLICATE TRIP BLANK	←		↓	↓	↓	↓	↓	↓	↓	↓	↓	↓		

Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested I, II, III, IV Other (specify)						Special Instructions/QC Requirements.					

Empty Kit Relinquished by		Date	Time	Method of Shipment:	
Relinquished by: <i>Cory Higgins</i>	Date/Time: <i>5/27/22 1005</i>	Company: <i>KPRG</i>	Received by: <i>Patricia Buckley</i>	Date/Time: <i>5/27/22 1005</i>	Company: <i>EDTA</i>
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:

Custody Seals Intact: Δ Yes Δ No Custody Seal No Cooler Temperature(s) °C and Other Remarks: *5.8 → 4.4, 3.9 → 2.5*

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Mockler, Diana J		Carrier Tracking No(s): 500-161333-1	
Client Contact: Mockler, Diana J		E-Mail: Diana.Mockler@et.eurofins.com		Page: Page 1 of 1	
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Illinois		Job #: 500-217282-1	
Address: 13715 Rider Trail North,		Due Date Requested: 6/20/2022		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
City: Earth City		TAT Requested (days):		Analysis Requested	
State, Zip: MO, 63045		PO #:		903.0/PreSep_21 Standard Target List	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		WO #:		904.0/PreSep_0 Standard Target List	
Email:		Project #:		904.0/PreSep_0 Standard Target List	
Site: Joliet #29 CCR		SSOW#:		Perform MS/MSD (Yes or No)	
NRG Midwest Generation LSQ Joliet#29 CCR		Sample Date		Field Filtered Sample (Yes or No)	
		Sample Time		Total Number of Containers	
		Sample Type (C=Comp, G=grab)		Special Instructions/Note:	
		Matrix (W=water, S=solid, O=wastewater, BT=tissue, A=AI)		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
Sample Identification - Client ID (Lab ID)		Preservation Code:		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
MW-03 (500-217282-1)		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
MW-04 (500-217282-2)		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
MW-05 (500-217282-3)		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
MW-10 (500-217282-4)		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	
Duplicate (500-217282-5)		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;	

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2
 Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____
 Relinquished by: *Alvin Smith* Date/Time: 6/27/22 15:20 Company: *FEDEX*
 Relinquished by: *FEDEX* Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____
 Custody Seals Intact: _____ Custody Seal No.: _____
 Δ Yes Δ No Cooler Temperature(s) °C and Other Remarks:



Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-217282-2

Login Number: 217282

List Number: 1

Creator: Hernandez, Stephanie

List Source: Eurofins Chicago

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.4,2.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-217282-2

Login Number: 217282

List Number: 2

Creator: Booker, Autumn R

List Source: Eurofins St. Louis

List Creation: 05/28/22 09:39 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: MW-03
Date Collected: 05/26/22 15:03
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			567685	05/31/22 09:45	MS	TAL SL
Total/NA	Analysis	903.0		1	571084	06/22/22 09:41	FLC	TAL SL
Total/NA	Prep	PrecSep_0			567697	05/31/22 11:34	MS	TAL SL
Total/NA	Analysis	904.0		1	570309	06/16/22 13:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	571466	06/24/22 13:32	SCB	TAL SL

Client Sample ID: MW-04
Date Collected: 05/26/22 12:50
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			567685	05/31/22 09:45	MS	TAL SL
Total/NA	Analysis	903.0		1	571084	06/22/22 09:41	FLC	TAL SL
Total/NA	Prep	PrecSep_0			567697	05/31/22 11:34	MS	TAL SL
Total/NA	Analysis	904.0		1	570309	06/16/22 13:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	571466	06/24/22 13:32	SCB	TAL SL

Client Sample ID: MW-05
Date Collected: 05/26/22 16:50
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			567685	05/31/22 09:45	MS	TAL SL
Total/NA	Analysis	903.0		1	571084	06/22/22 09:41	FLC	TAL SL
Total/NA	Prep	PrecSep_0			567697	05/31/22 11:34	MS	TAL SL
Total/NA	Analysis	904.0		1	570309	06/16/22 13:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	571466	06/24/22 13:32	SCB	TAL SL

Client Sample ID: MW-10
Date Collected: 05/26/22 11:32
Date Received: 05/27/22 10:05

Lab Sample ID: 500-217282-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			567685	05/31/22 09:45	MS	TAL SL
Total/NA	Analysis	903.0		1	571084	06/22/22 09:41	FLC	TAL SL
Total/NA	Prep	PrecSep_0			567697	05/31/22 11:34	MS	TAL SL
Total/NA	Analysis	904.0		1	570309	06/16/22 13:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	571466	06/24/22 13:32	SCB	TAL SL

Lab Chronicle

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Client Sample ID: Duplicate

Lab Sample ID: 500-217282-5

Date Collected: 05/26/22 00:00

Matrix: Water

Date Received: 05/27/22 10:05

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Prepared or Analyzed</u>	<u>Analyst</u>	<u>Lab</u>
Total/NA	Prep	PrecSep-21			567685	05/31/22 09:45	MS	TAL SL
Total/NA	Analysis	903.0		1	571084	06/22/22 09:41	FLC	TAL SL
Total/NA	Prep	PrecSep_0			567697	05/31/22 11:34	MS	TAL SL
Total/NA	Analysis	904.0		1	570309	06/16/22 13:35	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	571466	06/24/22 13:32	SCB	TAL SL

Laboratory References:

TAL SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Tracer/Carrier Summary

Client: Midwest Generation EME LLC
Project/Site: Joliet #29 CCR Q2

Job ID: 500-217282-2

Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)
500-217282-1	MW-03	96.5
500-217282-1 DU	MW-03	95.3
500-217282-2	MW-04	94.8
500-217282-3	MW-05	96.3
500-217282-4	MW-10	95.5
500-217282-5	Duplicate	94.5
LCS 160-567685/1-A	Lab Control Sample	99.8
MB 160-567685/22-A	Method Blank	95.8

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
500-217282-1	MW-03	96.5	86.7
500-217282-1 DU	MW-03	95.3	87.5
500-217282-2	MW-04	94.8	89.0
500-217282-3	MW-05	96.3	86.4
500-217282-4	MW-10	95.5	84.9
500-217282-5	Duplicate	94.5	87.1
LCS 160-567697/1-A	Lab Control Sample	99.8	86.0
MB 160-567697/22-A	Method Blank	95.8	92.0

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

PROJECT NAME	NRG - JOLIET #29 STATION (12313.0)		DATE	THURS 5/26/22
Sample Name	MW-3	Start Time	1300	
Condition of Well	GOOD			
Water Level	33.04	Total Depth		
Well Diameter	PVC - 2 inch	Volume in Well		
Method of Purge	Low-Flow	Purge Characteristics	Top, sandy initially Clear later	
Volume Removed	3 gal	W L at Sample Time	33.04	
Method of Sample	Low-Flow	Sample Characteristics	Clear / Yellowish	
Sample Analysis	CCA, CCA	Sample Time	1503	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1346		6.95	14.2	2065	8.67	137.1	0.91
1349		6.96	14.6	2070	8.81	136.3	1.10
1352		6.96	15.2	2073	8.81	135.7	1.16
1355		6.97	15.8	2075	8.83	135.3	1.12
1358		6.98	15.9	2078	8.80	135.1	1.04
1450		6.98	13.3	2059	8.17	123.7	1.59
1453		6.98	13.3	2058	8.16	122.6	1.98
1456		6.98	13.3	2056	8.16	121.9	4.26

SAMPLING NOTES:

AIR COMPRESSOR MALFUNCTION @ ~ 1347-1348.
RESTARTED @ ~ 1445.

Sampler Name and
Company:

CORLY HIGGINS
KPRG and Associates

PROJECT NAME	NRG - JOLIET #29 STATION (12313.0)		DATE	THURS 5/26/22
Sample Name	MW-4	Start Time	12:15-	
Condition of Well	Good			
Water Level	33.34	Total Depth		
Well Diameter	PVC - 2 inch	Volume in Well		
Method of Purge	Low-Flow	Purge Characteristics	CLEAR	
Volume Removed	2.5 gal	W L at Sample Time	33.35'	
Method of Sample	Low-Flow	Sample Characteristics	CLEAR	
Sample Analysis	CCA, CCR	Sample Time	1250	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1237		6.94	12.8	2028	8.06	133.4	1.15
1240		6.94	12.8	2030	8.07	133.2	1.29
1243		6.94	12.9	2024	8.02	133.0	1.06
1246		6.94	12.7	2031	8.03	132.9	1.23

SAMPLING NOTES:

Sampler Name and Company:

CONY HIGGINS
KPRG and Associates

PROJECT NAME	NRG - JOLIET #29 STATION (12313.0)		DATE	5/26/22 THURS
Sample Name	MW-05	Start Time	9:40	
Condition of Well	GOOD			
Water Level	34.03/34.07	Total Depth	40.65	
Well Diameter	PVC - 2 inch	Volume in Well		
Method of Purge	Low-Flow	Purge Characteristics	TW - TO CROWN	
Volume Removed	3 gal	W L at Sample Time	34.06	
Method of Sample	Low-Flow	Sample Characteristics	Crown - yellow	
Sample Analysis	CCA, CCR	Sample Time	10:15 1650	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1001		7.06	15.4	1868	10.25	131.2	1.44
1004		6.98	15.4	2000	9.90	133.5	1.23
1007		6.87	15.5	2092	9.29	135.3	1.30
1010		6.85	15.4	2116	9.12	136.0	1.38
1013		6.86	15.4	2115	9.24	135.4	1.28
<hr/>							
NO SAMPLE COLLECTED							
EQUIPMENT FIXED							

SAMPLING NOTES:

Sampler Name and Company:

CORY HIGGINS
KPRG and Associates

PROJECT NAME	NRG - JOLIET #29 STATION (12313.0)		DATE	THURS 5/26/22
Sample Name	MW-10	Start Time		
Condition of Well	Good			
Water Level	34.23	Total Depth		
Well Diameter	PVC - 2 inch	Volume in Well		
Method of Purge	Low-Flow	Purge Characteristics	Clear	
Volume Removed	2 gal	W L at Sample Time	34.34	
Method of Sample	Low-Flow	Sample Characteristics	Clear	
Sample Analysis	CCA, CCR	Sample Time	1132	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1120		7.05	13.7	2101	10.12	127.5	1.49
1123		6.91	12.9	2014	8.42	131.2	1.77
1126		6.90	12.9	2009	8.16	131.7	1.96
1129		6.90	12.9	2005	8.17	131.6	2.08

SAMPLING NOTES: CCR DUPLICATE TAKEN

Sampler Name and Company:

CORY HILLINS
KPRG and Associates