## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 5-7-23 Time: 85	0_	Type of	Inspection:	Weekly [	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗗		NORMAL		NORMAL	
1) Water Level in Pond	HIGH		HIGH		HIGH	
	LOW		LOW	<u> </u>	LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3) In Service?	YES 🗹	NO 🗆	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PHYSICAL INSPECTION:			-		-1	
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗗	YES 🗆	NO 🗗
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
Excessive or Lacking Vegetative     Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗗
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗂
10) Visible Releases	YES 🗆	NO 🗹	YES 🗀	NO 🗆	YES 🗆	NO⁻ 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
Pond 2 Level (ft) 7.5
Elevation FT/MSL (ft) 525
Gauge Marker Instrument is in good condition and readable: YES ☑ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices.
Inspector Name (Print):
Inspector Signature:
5.

## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 5.10.23 Time: 073	0	Type of	Inspection: Weekly 🕅 Storm Event 🗆			
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
1) Water Level in Pond	NORMAL ☑ HIGH ☐ LOW ☐		NORMAL ⊠ HIGH □ LOW □		NORMAL 版 HIGH □ LOW □	
2) Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾
3) In Service?	YES 🖾	NO 🗆	YES 🗆	NO 🔯	YES 🔯	NO 🗆
PHYSICAL INSPECTION:	•					
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	NO ⊠
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗷	YES 🗆	NO @
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	NO 🖬
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗷	YES 🗆	NO 🗷
5) Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗷	YES 🗆	NO 🗵
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO Ø	YES 🗆	NO 🖾	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 🗷
8) Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🛭	YES 🗆	NO 🗷
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO ₺	YES 🗆	NO ₩
10) Visible Releases	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 🗆	NO 🛭

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO  P
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
Pond 2 Level (ft) 7.6
Elevation FT/MSL (ft) 525-1
Gauge Marker Instrument is in good condition and readable: YES ☑ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices.
nspector Name (Print):
nspector Signature: