WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 3-3-24 Time: 8	3-3-24 Time: 84m Type		f Inspection: Weekly 🧏		🕽 Storm Event 🗀		
GENERAL INFORMATION:	POND	POND 1		POND 2		POND 3	
	NORMAL 🔂		NORMAL ⊠*		NORMAL 🔀		
1) Water Level in Pond	HIGH		LOW		HIGH LOW		
2) Is Ash Being Removed?	YES 🗆	NO Ş	YES 🗆	NO ⊠	YES 🗆	NO 🔀	
3) In Service?	YES 🗆	№ Д	YES 🗆	ИО 🏹	YES XZT	NO 🗆	
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO Ø	YES 🗆	NO 🗆	YES 🗆	NO ⊠.	
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	ио 🔀	YES 🗆	NO 🔀	YES 🗆	№ Д	
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗷	
5) Animal Burrows on embankments?	YES 🗆	№ Ф	YES 🗆	NO ⊠′	YES 🗆	NO ⊠	
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	NO Z	YES 🗆	NO A	
7) Slope Erosion on berms or embankments?	YES 🗆	№ Д	YES 🗆	NO 🔀	YES 🗆	NO 🔀	
8) Debris on embankments/berms?	YES 🗆	ио ⊠	YES 🗆	NO 🕾	YES 🗆	NO 🕱	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO 🖳	YES 🗆	NO 🗵	
10) Visible Releases	YES 🗆	NO P	YES 🗆	NO XX	VES 🗆	NO ST	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION Pond 2 Level (ft) 7, 0 Elevation FT/MSL (ft) 5 2 4 5
Gauge Marker Instrument is in good condition and readable: YES ▼ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices.
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: Warh 6, 24 Time: 7	Ho/Am	Type of	Inspection:	Weekly 2	Storm Ev	rent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗹		NORMAL		NORMAL 🗹	
1) Water Level in Pond	нібн		нібн		HIGH	
	LOW	🗆	LOW		rom	
2) Is Ash Being Removed?	YES 🗆	NO □/	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3) In Service?	YES 🗆	NO □∕	YES 🗆	ио □	YES 🗹	NO 🗆
PHYSICAL INSPECTION:					,	
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO □	YES 🗆	NO 🗹	YES 🗆	NO 🗗
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO □∕	YES 🗆	NO □	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ☑	YES 🗆	NO □∕	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗀	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO □	YES 🗆	NO 🗗	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗀	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO □	YES 🗆	NO □∕	YES 🗆	NO ☑
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO ⊡	YES 🗆	NO 🗗
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO ∕□

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO I
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES D NO 🗹
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 524-6
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature