INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: Way 26, 24 Time: 845	Am	Type of	Inspection:	Weekly [7	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	,
1) Water Level in Pond	NORMAL □ HIGH □		NORMAL □ HIGH □		NORMAL ☑ HIGH □	
2) Is Ash Being Removed?	LOW YES 🗆	NO 🗆	LOW YES 🗆	NO 🗆	LOW YES 🗆	NO 🗆
3) In Service?	YES 🗆	NO Z	YES 🗆	NO 🗹	YES Z	NO 🗆
PHYSICAL INSPECTION:		•			I	
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 6	YES 🗆	№ Д	YES 🗆	NO 🏻
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 6	YES 🗆	№ 🗇	YES 🗆	NO L
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	№ 🗇	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	ио ₵	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO Ø	YES 🗆	NO K
7) Slope Erosion on berms or embankments?	YES 🗆	№ б	YES 🗆	ио Д́	YES 🗆	NO 🗸
8) Debris on embankments/berms?	YES 🗆	NO 🗇	YES 🗆	NO 🗸	YES 🗆	NO Z
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🔀	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO 12.d) If No, Did You Reduce Pond Level? YES N/A 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 8.1 (In Tenth's of Feet) Elevation FT/MSL 526.6
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Prin
Inspector Signatur

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	5/29/24 Time: 8:2	OAM	Type of	Inspection:	Weekly 🔽	Storm Ev	ent 🗆
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🛂		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🖃	YES 🗆	NO 🔽	YES 🗆	NO 🛂
3)	In Service?	YES 🗆	NO ₽	YES 🗆	NO 🗹	YES 🔽	NO 🗆
<u>PH</u>	YSICAL INSPECTION:		•				
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛂	YES 🗆	NO 🔽	YES 🗆	NO 🔽
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 📝	YES 🔽	NO 🗆	YES 🗆	NO 🔽
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🛂	YES 🗆	NO 🗹	YES 🗆	NO D
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 👽	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗸	YES 🗆	NO 🔽	YES 🗆	NO 🔽
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🔽	YES 🗆	NO 🖪	YES 🗆	NO M

1 of 2

rev: 8/05/2022

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: POND Z MONTORING DEPRESSION N.E. CORNER, NO CHANGE
12) Is there any damage to Pond Liner: YES □ NO □
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 8.0 (In Tenth's of Feet)
Elevation FT/MSL 525.5
Gauge Marker Instrument is in good condition and readable YES □ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: