INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: June 2, 2024 Time: 830/	An	Type of	Inspection:	Weekly 🔀	Storm Ev	vent □
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL		NORMAL		NORMAL Z	
1) Water Level in Pond	HIGH		HIGH LOW		HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🏿
3) In Service?	YES 🗆	NO K	YES 🗆	ио 🔀	YES 🖹	NO 🗆
PHYSICAL INSPECTION:		•				
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO Z	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗆	YES 🗆	NO 🗵	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO E	YES 🗆	NO 🗹	YES 🗆	NO 🗇
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	№ Ъ	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗇	YES 🗆	NO □	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗗
8) Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🛮	YES 🗆	NO 🗷
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	№ Б	YES 🗆	NO 🗹	YES 🗆	NO G
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🗂	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \text{NO } \subseteq \)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES \square Date Notified: N/A \square
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft)
Operations Best Practices
Inspector Name (Print):
Inspector Signature:

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date:	6-5-24 Time: 7:4	5 AM	Type of	Inspection:	Weekly 🛚	Storm Ev	vent 🗆
GE	NERAL INFORMATION:	POND	1	POND	2	POND 3	
		NORMAL 🗆		NORMAL 🗵		NORMAL 🔀	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	⋈	LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🔼	YES 🗆	NO 🗷
3)	In Service?	YES 🗆	NO 🔀	YES 🗆	ио ⊠	YES 🔀	NO 🗆
<u>PH</u>	YSICAL INSPECTION:		•				8
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🏻
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🂢
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO 🛭	YES 🗆	NO 🏻
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🔀
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🔀
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO Ø	YES 🗆	NO 🖾	YES 🗆	NO 💢
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🛣	YES 🗆	NO 🛭
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🔯
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO ⊠	YES 🗆	NO 🖾	YES 🗆	NO 🗵

YES 🗌

NO ☒

YES

NO 🔯

10) Visible Releases

NO ☒

YES 🗆

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒ 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 9,3 (In Tenth's of Feet)
Elevation FT/MSL 525, 8
Gauge Marker Instrument is in good condition and readable YES 🗵 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: