INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	06-09-24 Time: 9A	M	Type of	Inspection:	Weekly 🔀	Storm Ev	vent □
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL ☑		NORMAL 💆	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	X	LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	ио ⊠
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🔀	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ☑	YES 🗆	NO ⊠	YES 🗆	NO 🏻
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO ⊠	YES 🗆	NO 🔀
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ☑	YES 🗆	ŃO ⊠	YES 🗆	NO 🕱
4)	Cracking on Embankments/Berms?	YES 🗆	NO ⋈	YES 🗆	NO 🗵	YES 🗆	NO ⊠
5)	Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🕱	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO ⊠
7)	Slope Erosion on berms or embankments?	YES 🗆	NO <u>⊠</u>	YES 🗆	NO ⊠	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO ⊠	YES 🗆	NO ⊠	YES 🗆	NO ⊠
10) Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO ₩	YES 🗆	NO 🗵

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO ME 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \(\simega \) NO \(\simega \) 12.d) If No, Did You Reduce Pond Level? YES \(\simega \) N/A \(\simega \) 12.e) Notified Shift Supervisor of Damage? YES \(\simega \) Date Notified: \(\simega \) N/A \(\simega \) 12.f) Notified Station Management of Damage? YES \(\simega \) Date Notified: \(\simega \) N/A \(\simega \) 12.g) Additional Comments: \(\simega \)
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) S_12 (In Tenth's of Feet) Elevation FT/MSL 5_25 7 Gauge Marker Instrument is in good condition and readable YES X NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date Done 12, 2024 Time: 900	im	Type of	Inspection:	Weekly 🍃	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
,	NORMAL		NORMAL 🗆		NORMAL 🗹	
1) Water Level in Pond	HIGH		HIGH		HIGH	
	LOW		LOW	<u> </u>	LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗆	YES 🗆	NO 🗆	YES	NO 🗆
3) In Service?	YES 🗆	NO 🔼	YES 🗆	NO(Þ	YES 🔼	NO 🗆
PHYSICAL INSPECTION:		•				
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO (YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗸
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗷
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO Z
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Peleases	YES 🖂	NO 🛛	YES 🗆	NO 🗔	YES 🗆	NO 🗸

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 526. 6
Gauge Marker Instrument is in good condition and readable YES™ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature