INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

| ate: | 6/16/24 Time: 10:3 | DAM | Type of I | nspection: | Weekly 🕨 | Storm Ev | ent 🗆 | |
|----------------------|--|--------|-----------|------------|----------|----------|--------|--|
| <u>GE</u> | NERAL INFORMATION: | POND 1 | | POND 2 | | POND 3 | | |
| | | NORN | NORMAL | | NORMAL 🗆 | | NORMAL | |
| 1) | Water Level in Pond | HIGH | | HIGH | | HIGH | | |
| | | LOW | | LOW | | LOW | | |
| 2) | Is Ash Being Removed? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🔽 | YES 🗆 | NO 🗹 | |
| 3) | In Service? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗹 | NO 🗆 | |
| PHYSICAL INSPECTION: | | | | | | | | |
| 1) | Seepage from or through embankment? Includes roads around ponds and outside fence. | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 2) | Sinkholes/Depressions/Bulges in Pond or embankments? | YES 🗆 | NO 🗹 | YES 🗹 | NO 🗆 | YES 🗆 | NO 🗹 | |
| 3) | Signs of Piping/Channels or other Internal Erosion on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 4) | Cracking on Embankments/Berms? | YES 🗆 | NO 🗷 | YES 🗆 | NO 🗹 | YES 🗆 | NO 📝 | |
| 5) | Animal Burrows on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 6) | Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗆 | NO 🔽 | |
| 7) | Slope Erosion on berms or embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🔽 | YES 🗆 | NO 🗹 | |
| 8) | Debris on embankments/berms? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 9) | Deterioration, malfunctions, or improper operation of overtonning control systems | YES 🗆 | NO Z | YES 🗆 | NO ☑ | YES 🗆 | NO 🗖 | |

YES

YES 🗆

10) Visible Releases

NO 💆

YES 🗆

| 11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: POND Z MONSTORING REPRESSION N.E. CORNER, NO EHANGES, |
|---|
| 12) Is there any damage to Pond Liner: YES \(\sigma \) NO \(\sigma') |
| 12.a) If YES, Describe in Detail: |
| 12.b) Specific Location: |
| 12.c) Is Water Level Below Damage? YES □ NO □ |
| 12.d) If No, Did You Reduce Pond Level? YES \square N/A \square |
| 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A |
| 12.f) Notified Station Management of Damage? YES Date Notified: N/A |
| 12.g) Additional Comments: |
| |
| POND LEVEL INSTRUMENTATION |
| POND 2 Gauge Marking (ft) 6.9 (In Tenth's of Feet) |
| Elevation FT/MSL 524.4 |
| Gauge Marker Instrument is in good condition and readable YES ☑ NO □ |
| NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices |
| |
| Inspector Name (Print): |
| Inspector Signature: _ |

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

| Date: 6-19-2 /Time: 9 A M | | | Type of | Inspection: | Weekly 🛚 | Storm Ev | vent □ |
|---------------------------|--|---------------------|-----------|---------------------|-----------|---------------------|--------|
| GE | NERAL INFORMATION: | POND 1 | | POND 2 | | POND 3 | |
| 1) | Water Level in Pond | NORM HIGH LOW | IAL 🗆 🗆 🗖 | NORM HIGH LOW | IAL 🗆 🖂 🖂 | NORM HIGH LOW | IAL 🛛 |
| 2) | Is Ash Being Removed? | YES 🗆 | NO 🛛 | YES 🗀 | NO 🔯 | YES 🗆 | NO 🗆 |
| 3) | In Service? | YES 🗆 | NO 🛭 | YES 🗆 | NO 🛛 | YES 🔀 | NO 🗆 |
| PH | YSICAL INSPECTION: | | · | | | | |
| 1) | Seepage from or through embankment? Includes roads around ponds and outside fence. | YES 🗆 | NO 🔯 | YES 🗆 | νο \Σ | YES 🗆 | NO 🛱 |
| 2) | Sinkholes/Depressions/Bulges in Pond or embankments? | YES 🗆 | NO 🔯 | YES 🗆 | NO 🏻 | YES 🗆 | NO 🗵 |
| 3) | Signs of Piping/Channels or other Internal Erosion on embankments? | YES 🗆 | ио ⊠ | YES 🗆 | NO 🛚 | YES 🗆 | NO ⊠ |
| 4) | Cracking on Embankments/Berms? | YES 🗆 | NO ⊠ | YES 🗆 | NO 🖾 | YES 🗆 | NO 🗵 |
| 5) | Animal Burrows on embankments? | YES 🗆 | NO 🖾 | YES 🗆 | NO 🖾 | YES 🗆 | NO 🖾 |
| 6) | Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) | YES 🗆 | NO 🖾 | YES 🗆 | NO 🗵 | YES 🗆 | NO 🏻 |
| 7) | Slope Erosion on berms or embankments? | YES 🗆 | NO 🛛 | YES 🗆 | NO 🖾 | YES 🗆 | NO 🗵 |
| 8) | Debris on embankments/berms? | YES 🗆 | NO 🖾 | YES 🗆 | ио ⊠ | YES 🗆 | NO 🔀 |
| 9) | Deterioration, malfunctions, or improper operation of overtopping control systems | YES 🗆 | NO 🗷 | YES 🗆 | ио ⊠ | YES 🗆 | NO 🗵 🔈 |

YES 🗆

NO 🔯

YES 🗆

NO 🔀

10) Visible Releases

NO 🖾

YES 🗆

| 11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: |
|---|
| 12) Is there any damage to Pond Liner: YES 口 NO 这 12.a) If YES, Describe in Detail: |
| 12.b) Specific Location: |
| 12.c) Is Water Level Below Damage? YES NO NO NO NO. Did You Reduce Pond Level? YES N/A NO. |
| 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments: |
| POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 523 Gauge Marker Instrument is in good condition and readable YES \bigsize NO |
| NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices |
| Inspector Name (Print): |
| Inspector Signature: |