## INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 6/23/24 Time: 10:6	Type of Inspection:			Weekly Storm Event		
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗆		NORMAL 🗆		NORMAL 🗆	
1) Water Level in Pond	HIGH		HIGH		HIGH	
	LOW		LOW		LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3) In Service?	YES 🗆	NO 12	YES 🗆	NO 🔽	YES 🔽	NO 🗆
PHYSICAL INSPECTION:		·				
<ol> <li>Seepage from or through embankment? Includes roads around ponds and outside fence.</li> </ol>	YES 🗆	NO ☑	YES 🗆	NO 🗹	YES 🗆	NO 🖬
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗹	NO 🗆	YES 🗆	NO 🗹
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ☑	YES 🗆	NO 🗹	YES 🗆	NO <b>⊡</b>
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 12
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9) Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO N	YES 🗆	NO 🗹	YES 🗆	NO 1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: FOND 2 MONTTORING REPRESSERN IN ME. CORNER. NO CHANGE
12) Is there any damage to Pond Liner: YES \(\sigma\) NO \(\sigma\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 6.3 (In Tenth's of Feet)
Elevation FT/MSL <u>523,8</u>
Gauge Marker Instrument is in good condition and readable YES $\square$ NO $\square$
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

afe:	Une 26, 2024 Time: 90	A	Type of	Inspection:	Weekly 🔽	Storm Ev	ent 🗆
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	4	LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗆	YES 🗆	NO 🛮
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🔀	NO 🗆
	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗆	YES 🗆	NO 🗹	YES 🗆	NO 🗆
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO <table-cell></table-cell>
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🏹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🏿	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 6
10	) Visible Releases	YES 🗆	NO 🗖	YES 🗆	NO 🗸	YES 🗆	NO 🗆

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO. 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.b) Specific Location.
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 5.9 (In Tenth's of Feet)
Elevation FT/MSL 523.3
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
Inspector Signature