INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate. Jy 21,2024 Time: 9:00	AM	Type of I	Inspection:	Weekly 🔀	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
:	NORMAL 🗆		NORMAL		NORMAL 🗹	
1) Water Level in Pond	HIGH LOW		HIGH LOW		HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗖	YES 🗆	NO 🗹	YES 🗆	NO Z
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🛛	NO 🗆
PHYSICAL INSPECTION:						
 Seepage from or through embankment? Includes roads around ponds and outside fence. 	YES 🗆	NO 🏹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	ио Д	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 6	YES 🗆	NO 🗆	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO (YES 🗆	NO 🗹	YES 🗆	NO d
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO ☑	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
8) Debris on embankments/berms?	YES 🗆	NO 🗇	YES 🗆	NO 🗹	YES 🗆	NO 🗹
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 6	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🏻	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO
12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 2 · / (In Tenth's of Feet) Elevation FT/MSL 5/9. 6 Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Prin

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ata July 24, 2024 Time: 900/	4m	Type of	Inspection:	Weekly 🔀	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
1) Water Level in Pond	NORM HIGH LOW	1AL 🗆	NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	IAL 🛮
2) Is Ash Being Removed?	YES 🗆	NO 🛛	YES 🗆	NO Z	YES 🗆	NO 🛮
3) In Service?	YES 🗆	NO	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PHYSICAL INSPECTION:		•				
 Seepage from or through embankment? Includes roads around ponds and outside fence. 	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 6	YES 🗆	NO 🖺
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO d	YES 🗆	NO 🗹	YES 🗆	NO 6
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO E
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO/A	YES 🗆	NO 🗸
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 6	YES 🗆	NO 🏿	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗖	YES 🗆	NO 🗹	YES 🗆	NO 🗹

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\sum \) NO \(\sum \) 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ 12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES \square Date Notified: N/A \square
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 2.0 (In Tenth's of Feet) Elevation FT/MSL 5/5.5 Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Prin
Inspector Signati