INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 8/4/24 Time: 10:	DD AM	Type of	Inspection:	Weekly 🗹	Storm Ev	ent 🗆	
GENERAL INFORMATION:	POND	1 ,	POND 2		POND 3		
	NORN	NORMAL 🗆		NORMAL		NORMAL 🗆	
1) Water Level in Pond	HIGH		HIGH		HIGH		
	LOW		LOW		LOW		
2) Is Ash Being Removed?	YES 🗆	NO 🔽	YES 🗆	NO 🔽	YES 🗆	NO 🗹	
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗹	NO 🗆	
PHYSICAL INSPECTION:	-25	•					
Seepage from or through embankment? Includes roads around ponds and outside fence	YES 🗆	NO 🗹	YES 🗆	NO 📈	YES 🗆	NO 🗹	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🔽	NO 🗆	YES 🗆	NO 🗹	
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5) Animal Burrows on embankments?	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	d YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗸	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8) Debris on embankments/berms	? YES □	NO 🗹	YES 🗆	NO Z	YES 🗆	NO 🗹	
9) Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO ☑	
10) Visible Releases	YES 🗆	NO 🔽	YES 🗆	NO V	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: POND MONETORENE DEPRESSION N.E. CORNER. NO CHANGE
12) Is there any damage to Pond Liner: YES NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \(\square\) NO \(\square\)
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES \square Date Notified: N/A \square
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2, 2 (In Tenth's of Feet)
Elevation FT/MSL 519.7
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u>	August 7,2024 Time: 500	Type of Inspection: Weekly Storm Event					
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH □		HIGH 🗆		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗗	YES 🗆	NO 🗷	YES 🗆	NO 🗆
3)	In Service?	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛮	YES 🗆	NO 🛮	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗆
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗾	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO ⊄
5)	Animal Burrows on embankments?	YES 🗆	NO 📶	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO G	YES 🗆	NO 🗹	YES 🗆	NO 🗸
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🛮
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗇	YES 🗆	NO 🛮	YES 🗆	NO 🗹
10	Visible Releases	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🗀

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO Z
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO 12.d) If No, Did You Reduce Pond Level? YES N/A 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.f)
12.g) Additional Comments:
Elevation FT/MSL 5/55 Gauge Marker Instrument is in good condition and readable YES 1 NO 1
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature: