WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS: A SECRETARY OF SECTIONS OF S

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	8/11/24 Time: 10:3	Type of	Type of Inspection: Weekly Sto				
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
Water Level in Pond		NORMAL □		NORMAL □ HIGH □		NORMAL □ HIGH □	
-,	vvater reversity ond	LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗹	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗸	YES 🗹	NO 🗆	YES 🗆	NO 🔽
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🔼	YES 🗆	NO 🛭
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗷
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🖸
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: FOND OFFRESSION N.E. CORNER, MONITORING -NO CHANGE,
12) Is there any damage to Pond Liner: YES NO NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 2,2 (In Tenth's of Feet) Elevation FT/MSL 519,7
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature:

2 of 2

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS: A SHARE AND DESCRIPTIONS AND ARREST ARREST AND ARREST AND ARREST AND ARREST AR

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 8/14/24 Time: 9:3	OAM	Type of	Inspection:	Weekly 2	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL		NORMAL		NORMAL	
1) Water Level in Pond	HIGH		HIGH		HIGH	
	LOW		LOW		LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗹	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 📮	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🔽	YES 🗹	NO 🗆	YES 🗆	NO 🗹
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔽
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔽
 Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) 	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗗	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗖
9) Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: Pard 2 Monz Toring Depression N.E. Corner-No Change From LASS INSPECTION
12) Is there any damage to Pond Liner: YES NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 5/9.3
Gauge Marker Instrument is in good condition and readable YES ✓ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
inspector Name (Frint).
Inspector Signature: