## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	te:8 · 18 · 2024 Time: 9 ∞/Am Type of Inspection: Weekly ✓ Storm Event						ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL [		NORMAL		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🔼	YES 🗆	NO 🗹	YES 🗆	NO 🗆
3)	In Service?	YES 🗆	NO 🗷	YES 🗆	NO Z	YES 🗹	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO d
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	ZYES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🛮	YES 🗆	NO 🗷	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 🔁
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO Z	YES 🗆	NO 🛮	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗷	YES 🗆	NO Z
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 🗹
10	Visible Releases	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 5/9.2
Gauge Marker Instrument is in good condition and readable YES $\square$ NO $\square$
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

2 of 2

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	8-21-24 Time: 81	Am	Type of	Inspection:	Weekly 🗓	Storm Ev	⁄ent □
GEI	NERAL INFORMATION:	POND	1	POND	2	POND 3	
1) Water Level in Pond		NORMAL □ HIGH □		NORMAL □ HIGH □		NORMAL ☑ HIGH □	
		LOW	X	LOW	区	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🛚	YES 🗆	NO 🔀	YES 🗆	NO 🔀
3)	In Service?	YES 🗆	NO 🔀	YES 🗆	NO 🗷	YES 🔀	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO Ŋ	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🔯	YES 🗆	NO 🛛
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO 🖾	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🛛	YES 🗆	NO 🛛
5)	Animal Burrows on embankments?	YES 🗆	NO 🌣	YES 🗆	NO 🌠	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🛛	YES 🗆	NO 🔀
7)	Slope Erosion on berms or embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	ио ⊠
8)	Debris on embankments/berms?	YES 🗆	NO 🔯	YES 🗆	NO 🔀	YES 🗆	NO ⊠
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🛛	YES 🗆	NO 🛭	YES 🗆	NO 🔯
10	) Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO 🗵	YES 🗆	NO 🛭

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO IX
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2 . O (In Tenth's of Feet)
Elevation FT/MSL 519,5
Gauge Marker Instrument is in good condition and readable YES 🗭 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: