## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate	Deptember 1, 2024 Time: 9:0	o Am	Type of	Inspection:	Weekly 🎝	Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH		нібн		HIGH	
		LOW	X	LOW	<b>X</b>	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO 🗹	YES 🗆	NO 🗷
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🛛	YES 💢	NO 🗆
PH	YSICAL INSPECTION:					= =	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	YES 🗆	NO Z
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO D	≥YES □	NO 🔀
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗆	YES 🗆	NO 🔀	YES 🗆	NO 🗸
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗆
10	\ Visible Polenses	YES 🗆	NO 📶	YES 🗆	NO 7	YES 🗆	NO 📶

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2.0 (In Tenth's of Feet)
Elevation FT/MSL 519.5
Gauge Marker Instrument is in good condition and readable YES X NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
Inspector Signature

## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	9-4-24 Time: 7:4	10 AM	Type of	Inspection:	Weekly 🏻	Storm Ev	ent 🗆
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □		NORMAL □ HIGH □		NORMAL ☑ HIGH □	
-,	Water several rolls	LOW	<u> </u>	LOW	<b>\(\rightarrow\)</b>	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO ⊠	YES 🗆	NO 🖳	YES 🗆	ио 💆
3)	In Service?	YES 🗆	NO ☑	YES 🗆	NO 🗵	YES 🕱	NO 🗆
<u>PH</u>	YSICAL INSPECTION:				- 1	-	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🛭
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🛚	YES 🗆	NO ⊠	YES 🗆	NO 🛭
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO ⊠	YES 🗆	NO 🏻
4)	Cracking on Embankments/Berms?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🗵
5)	Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🛛	YES 🗆	NO 🕱
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO 🔼
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🛛
8)	Debris on embankments/berms?	YES 🗆	NO 🛭	YES 🗆	ио і́З	YES 🗆	NO 🛚
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🏹	YES 🗆	NO ⊠	YES 🗆	NO 🗷
10	) Visible Releases	YES 🗆	NO ☒	YES 🗆	NO 🗵	YES 🗆	ио 🔀

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2.0 (In Tenth's of Feet)
Elevation FT/MSL 519.5
Gauge Marker Instrument is in good condition and readable YES ☒, NO ☐
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: