WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	9-8-24 Time: 101	9m	Type of	Inspection:	Weekly 🗴	Storm Ev	/ent □
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □ LOW ☑		NORMAL ☐ HIGH ☐ LOW 🗷		NORMAL ☒ HIGH □	
2)	Is Ash Being Removed?	YES 🗆	 NO ⁄⁄2	YES	NO ⊠	YES	□ NO 🏻
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	NO 🗷	YES 🔀	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗷	YES 🗆	NO ⊠	YES 🗆	NO 🕱
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🗵
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🔯	YES 🗆	NO 🗵
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆 🖰	NO ₩	YES 🗆	NO 🗷
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🛭
7)	Slope Erosion on berms or embankments?	YES 🗆	NO Æ	YES 🗆	NO 🗷	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO 🖂	YES 🗆	NO 🗖
10) Visible Releases	YES 🗆	NO ₩	YES 🗆	NO 🗵	YES 🗆	NO ☒

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 5
Gauge Marker Instrument is in good condition and readable YES 🗷 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate	September 1/24time: 93	20/am	Type of	Inspection:	Weekly	Storm Ev	rent □
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
	The second secon	NORMAL 🗆		NORMAL		NORMAL 🗆	
1)	Water Level in Pond	HIGH LOW		HIGH LOW		HIGH LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗵	YES 🗆	NO 📈
3)	In Service?	YES 🗆	NO 万	YES 🗆	NO 🗵	YES 🔀	NO 🗆
PH	YSICAL INSPECTION:					recording	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO Ø	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🛮
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗸
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	No ⊄	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 6
8)	Debris on embankments/berms?	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
10	\ \/isihle Releases	YES 🗆	NO 🗆	YES 🗆	NO Z	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519.4
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: