## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## INSTRUCTIONS; SERVED OUR INSTRUCTIONS; SERVED ON THE CORPORATIONS OF THE CORPORATION OF THE CORPOR

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 9/15/24 Time: /1:30 Am Type of Inspection: Weekly Storm Event						rent □	
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □		NORMAL □ HIGH □		NORMAL □ HIGH □	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🔽	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗹	NO 🗆	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔽	YES 🗆	NO 🗐	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔽
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🔽
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10	) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔽

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: Pond # MONITORING REPRESSION N. B. CORNER. NO CHANGE FROM THE LAST ENSPELTED E MADE OF THE PONDS
12) Is there any damage to Pond Liner: YES □ NO ☑
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL <u>\$\sigma(19.3)</u>
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
¥
Inspector Name (Print):
Inspector Signature:

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>ate</u>	9-18-24 Time: 1000	Type of Inspection: Weekly ☑ Storm Event □					
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
	9. T 9	NORMAL		NORMAL		NORMAL	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
	9.	LOW	×	LOW	区	LOW	风
2)	Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO ⅓,	YES 🗆	ио ⊠
3)	In Service?	YES 🗆	NO 🗷	YES 🗆	NO ⊠	YES 🔀	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🖾	YES 🗆	NO 🛚	YES 🗆	NO 🗷
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🛚	YES 🗆	NO 🛚	YES 🗆	NO 🗷
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ☑	YES 🗆	NO 🔀	YES 🗆	NO 🔀
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛚	YES 🗆	NO 🕱
5)	Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🕱	YES 🗆	NO 🔯
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO ⊠	YES 🗆	NO 🛛	YES 🗆	NO 🏻
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🔯	YES 🗆	NO 🛛	YES 🗆	NO 🖾
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔀	YES 🗆	NO 🛛
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🛚
10	) Visible Releases	YES 🗆	NO 🛚	YES 🗆	NO ⊠	YES 🗆	NO 🔀

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \( \subseteq \text{ NO } \subseteq \) 12.d) If No, Did You Reduce Pond Level? YES \( \subseteq \text{ N/A } \subseteq \) 12.e) Notified Shift Supervisor of Damage? YES \( \subseteq \text{ Date Notified: N/A } \subseteq \) 12.f) Notified Station Management of Damage? YES \( \subseteq \text{ Date Notified: N/A } \subseteq \) 12.g) Additional Comments:
POND LEVEL INSTRUMENTATION  POND 2 Gauge Marking (ft)
Gauge Marker Instrument is in good condition and readable YES 🔀 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: