WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 9-22-24 Time: 10	AM_	Type of	Inspection:	Weekly 🛭	Storm Event 🗌		
GENERAL INFORMATION:	POND	POND 1		POND 2		POND 3	
	NORMAL		NORMAL		NORMAL 🗆		
1) Water Level in Pond	HIGH		HIGH		HIGH		
	LOW	⊠	LOW	A	LOW	×	
2) Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🗷	
3) In Service?	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 록	NO 🗆	
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence	YES 🗆	NO ⊠	YES 🗆	ио ⊠	YES 🗆	NO 🗷	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO Æ	YES 🗆	NO 🖾	YES 🗆	NO 🗵	
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗷	YES 🗆	ио 🖄	YES 🗆	NO 🛭	
4) Cracking on Embankments/Berms?	YES 🗆	NO 💆	YES 🗆	NO 🗵	YES 🗆	NO 🗷	
5) Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🏻	YES 🗆	NO 🗷	
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔯	YES 🗆	NO 🗵	YES 🗆	NO 🗵	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗷	YES 🗆	NO 🗵	
8) Debris on embankments/berms	YES 🗆	NO 🛚	YES 🗆	NO 🗵	YES 🗆	NO 🗷	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO Ø	YES 🗆	NO 🗵	
10) Visible Releases	YES 🗆	NO 🛭	YES 🗆	NO 🗵	YES 🗆	NO 🖾	

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 🔼 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ 12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND 2 Gauge Marking (ft)
nspector Name (Print):
nspector Signature:

2 of 2

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 9/25/24 Time: /.	157M	Type of	Inspection:	Weekly [Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗆		NORMAL []		NORMAL	
1) Water Level in Pond	HIGH LOW		HIGH LOW		HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🖵	YES 🗆	NO.	YES 🗆	NO 🗗
3) In Service?	YES 🗆	NO 🖊	YES 🗆	NO 🗷	YES 🖵	NO 🗆
PHYSICAL INSPECTION:						
 Seepage from or through embankment? Includes roads around ponds and outside fence. 	YES 🗆	NO	YES 🗆	NO 🗸	YES 🗆	NO 🗸
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗆	YES 🗆	NO 🗖
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗆	YES 🗆	NO 🛮
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖊	YES 🗆	NO 🛮
5) Animal Burrows on embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗆	YES 🗆	NO 🗷
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗗	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO/Z	YES 🗆	NO 🗸	YES 🗆	NO 🗷
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗆	YES 🗆	NO 🗆	YES 🗆	NO Z

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \text{NO } \(\subseteq \)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft)(In Tenth's of Feet)
Elevation FT/MSL 519 3
Gauge Marker Instrument is in good condition and readable YES 🗷 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: _