WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

late: 9-29-24 Time:	Type of Inspection: Weekly 🔀 Storm Event				ent 🗌	
GENERAL INFORMATION:	POND	1	POND 2		POND 3	
	NORMAL		NORMAL		NORMAL 🕱	
1) Water Level in Pond	HIGH LOW		HIGH LOW	□ ⊠	HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🔽	YES 🗆	NO 💢
3) In Service?	YES 🗆	NO 🗸	YES 🗆	NO 🔀	YES 💢	NO 🗆
PHYSICAL INSPECTION:		12.1				
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🛭
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗷
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🍇	YES 🗆	NO 🗷	YES 🗆	NO 🔀
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔀	YES 🗆	NO 🔀
5) Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🛭	YES 🗆	NO 🗸
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔯	YES 🗆	NO 🔀	YES 🗆	NO 🗷
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🛣	YES 🗆	NO 🗷
8) Debris on embankments/berms?	YES 🗆	NO 🕱	YES 🗆	NO 🗵	YES 🗆	NO 🔯
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	№ Д	YES 🗆	NO 🗷	YES 🗆	NO 🗷
10) Visible Releases	YES 🗆	NO 🔀	YES 🗆	NO 🕅	YES 🗆	NO 🖎

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\sum \) NO \(\sum \) 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ 12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) // 8 (In Tenth's of Feet) Elevation FT/MSL 5/9, 3
Gauge Marker Instrument is in good condition and readable YES ☒ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	10-2-24 Time: 9 A	1 m	Type of	Inspection:	Weekly 🦻	Storm Ev	vent □
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
	***	NORMAL 🗆		NORMAL 🗆		NORMAL 🗆	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	S	LOW	×	LOW	X
2)	Is Ash Being Removed?	YES 🗆	ио Ж	YES 🗆	ио ⊠	YES 🗆	NO 🔀
3)	In Service?	YES 🗆	ио 🔀	YES 🗆	NO 🔀	YES 🔀	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	ио 💆	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 💆	YES 🗆	NO 🗵	YES 🗆	NO 🖾
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO Æ	YES 🗆	МО 🖄	YES 🗆	NO 🛭
4)	Cracking on Embankments/Berms?	YES 🗆	NO Æ	YES 🗆	ио Ж	YES 🗆	NO 🔀
5)	Animal Burrows on embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🛭	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔄	YES 🗆	мо 🖄	YES 🗆	NO 🗷
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🛱	YES 🗆	NO 🗵	YES 🗆	NO 🔄
8)	Debris on embankments/berms?	YES 🗆	NO 🛮	YES 🗆	NO 🔯	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	⊠, ON	YES 🗆	NO 🗵	YES 🗆	NO Æ
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🏻

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☑
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) / 8 (In Tenth's of Feet)
Elevation FT/MSL <u>519,3</u>
Gauge Marker Instrument is in good condition and readable YES 🔀 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature: _

2 of 2