## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 10/6/24 Time: 11:0	OAM	Type of	Inspection:	Weekly 🌡	Storm Ev	⁄ent □
GENERAL INFORMATION:	POND	1	POND	2	POND 3	
1) Water Level in Pond	NORN HIGH LOW	1AL 🗆	NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	IAL 🗆
2) Is Ash Being Removed?	YES 🗆	NO 🗸	YES 🗆	NO 🛂	YES 🗆	NO 🗗
3) In Service?	YES 🗆	NO 🛂	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🔽	NO 🗆	YES 🗆	NO 🗹
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO ₽	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🖳	YES 🗆	NO 📝	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO ☑	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO D	YES 🗆	NO 📝	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🕝	YES 🗆	NO 🖳	YES 🗆	NO 📭
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗗
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO D	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
MONITORING DEPRESSION N.W. CORNER, NO CHANGE
12) Is there any damage to Pond Liner: YES  NO  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES ☑ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION  POND 2 Gauge Marking (ft) 1,8 (In Tenth's of Feet)  Elevation FT/MSL 5/9,3
Gauge Marker Instrument is in good condition and readable YES V NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.

BU ERISR IN OU POORES RAND THIS POND.

- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

YES  $\square$ 

YES

YES

YES

YES 🗆

Cover on embankments? (should

8) Debris on embankments/berms?9) Deterioration, malfunctions, or

overtopping control systems

improper operation of

be normal growth)

7) Slope Erosion on berms or

embankments?

10) Visible Releases

ate: 10/9/24 Time: 9:/	OAM	Type of	Inspection:	Weekly 🐷	Storm Ev	ent 🗌
GENERAL INFORMATION:	POND	1	POND	2	POND 3	
	NORM	1AL 🗆	NORN	IAL 🗆	NORM	AL 🗆
1) Water Level in Pond	HIGH		HIGH		нібн	
	LOW		LOW		LOW	
2) Is Ash Being Removed?	YES 🗆	NO ₽	YES 🗆	NO 🗸	YES 🗆	NO 🗹
3) In Service?	YES 🗆	NO 🛂	YES 🗆	NO 🗹	YES 🔽	NO 🗆
<ol> <li>Seepage from or through embankment? Includes roads around ponds and outside fence.</li> </ol>	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🕏
2) Sinkholes/Depressions/Bulges in	YES 🗆	NO 🔽	YES 🗹	NO 🗆	YES 🗆	NO 🗹
Pond or embankments?  3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🔽	NO 🗆	YES 🗆	NO 🔽	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO Z
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative						

NO 🗹

NO 🗹

NO 🗹

NO Z

NO V

YES

YES 🗆

YES

YES

YES

NO 🕝

NO 🖃

NO 🗹

NO W

NO V

YES

YES

YES

YES

YES

NO M

NO 🕑

NO 🛂

NO 2

POND #2 MONITORING DEPRESSION, N.W. CORNER, NO CHANGE  12) Is there any damage to Pond Liner:  YES  NO  YES
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION  POND 2 Gauge Marking (ft) 1.8 (In Tenth's of Feet)  Elevation FT/MSL 5 1 7 3
POND 2 Gauge Marking (ft) 1.8 (In Tenth's of Feet)
POND 2 Gauge Marking (ft) 1.8 (In Tenth's of Feet)  Elevation FT/MSL 5 1 7 3
POND 2 Gauge Marking (ft) 1.8 (In Tenth's of Feet)  Elevation FT/MSL 5 1 7 3  Gauge Marker Instrument is in good condition and readable YES NO   NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of