WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS: WE ARE SEECH N.W. CORNER - NEW CHIRACTER

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 10/20/24 Time: 10:	00 AM	Type of	Inspection:	Weekly 🗜	Storm Ev	rent 🗆	
GENERAL INFORMATION:	POND	1	POND	2	POND 3		
	NORM	NORMAL		NORMAL		NORMAL	
1) Water Level in Pond	HIGH		HIGH		HIGH		
	LOW		LOW		LOW		
2) Is Ash Being Removed?	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🔽	NO 🗆	
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🔽	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🔽	NO 🗆	YES 🗆	NO 🖪	
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO.	YES 🗆	NO 🗹	
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5) Animal Burrows on embankments?	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🛂	YES 🗆	NO 🗹	YES 🗆	ио ∡	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🗹	
8) Debris on embankments/berms	? YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🗹	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🗹	

12) Is there any damage to Pond Liner: YES \(\square\) NO	
12.a) If YES, Describe in Detail:	
E)	
12.b) Specific Location:	
12.c) Is Water Level Below Damage? YES □ NO □	
12.d) If No, Did You Reduce Pond Level? YES 🗆 🛚 🕦	N/A □
12.e) Notified Shift Supervisor of Damage? YES 🗌	Date Notified: N/A 🗆
12.f) Notified Station Management of Damage? YES	☐ Date Notified: N/A ☐
12.g) Additional Comments:	
OND LEVEL INSTRUMENTATION	
OND 2 Gauge Marking (ft) (In Tenth's of Fee	t)
levation FT/MSL 519.3	
auge Marker Instrument is in good condition and readable	YES NO 🗆
IOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impour	ndments. Inspections are conducted as part o
spector Name (Print):	
nspector Signature:	000-00

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>ate</u> :	10-23-24 time: 8	4m_	Type of	Inspection:	Weekly 🎗	Storm E	vent □
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL		NORMAL 🗆	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	×	LOW	\square	LOW	
2)	Is Ash Being Removed?	YES 🗆	ио ≰	YES 🗆	NO 🔀	YES 🗆	NO 🖗
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗵	NO 🗆
PH	YSICAL INSPECTION:			X-1	V_		
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 💆
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🕅
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🏻	YES 🗆	NO 🖾
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🛚	YES 🗆	NO 🔀	YES 🗆	NO Ş
5)	Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🔀	YES 🗆	NO 🖾
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔀	YES 🗆	NO 🔀	YES 🗆	NO 🔀
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🛚	YES 🗆	ио ⊠	YES 🗆	NO 🔀
8)	Debris on embankments/berms?	YES 🗆	NO 🔯	YES 🗆	NO 🔀	YES 🗆	NO ⊠
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🛛	YES 🗆	NO 🖾	YES 🗆	NO ⊠
10) Visible Releases	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🏻

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO X
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 1.8 (In Tenth's of Feet) Elevation FT/MSL 519.3
Gauge Marker Instrument is in good condition and readable YES 🕱 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: