## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>ate</u>	10/27/24 Time: //:00	PAM	Type of	Inspection:	Weekly 🗷	Storm Ev	ent 🗆
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL	
1)	Water Level in Pond	HIGH LOW		HIGH LOW		HIGH	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🔽	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗗	YES 🗆	NO 🔽	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🔽	NO 🗆	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔽	YES 🗆	NO 🚅	YES 🗆	NO 🖭
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🕡	YES 🗆	NO 📝
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🔽	YES 🗆	NO 🔽	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛂
10	) Visible Releases	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🗹

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: Poro 22
MONITORING DEPRESSION N.W. CORNER. NO CHANGE
12) Is there any damage to Pond Liner: YES  NO  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) / 8 (In Tenth's of Feet)
Elevation FT/MSL <u>5/9.3</u>
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 10/30/2024 Time: 900/AM Type of Inspection: Weekly K Storm Event							ent 🗌
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL  HIGH		NORMAL   HIGH		NORMAL   HIGH	
2)	Is Ash Being Removed?	YES 🗆	NO Z	YES 🗆	NO 🗹	LOW YES $\square$	NO Z
3)	In Service?	YES 🗆	NO Ø	YES 🗆	NO Z	YES	NO 🗆
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO Z	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO A	YES 🗆	NO 🗹	YES 🗆	NO 🛮
4)	Cracking on Embankments/Berms?	YES 🗆	NO Z	YES 🗆	NO 🛮	YES 🗆	NO 🗷
5)	Animal Burrows on embankments?	YES 🗆	NO	YES 🗆	NO 🗹	YES 🗆	NO 🗷
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗇	YES 🗆	NO Z	YES 🗆	NO 🗷
7)	Slope Erosion on berms or embankments?	YES 🗆	NO D	YES 🗆	NO Ø	. YES 🗆	NO 🗸
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🔀	YES 🗆	NO 🗷
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO Z	YES 🗆	NO 🛮	YES 🗆	NO.Z
10	Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🗸	YES 🗆	NO 🗷

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 2  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \( \text{NO} \) \( \text{In No Did You Reduce Pond Level? YES } \( \text{N/A} \) \( \text{In N/A} \) \( \text{In Notified Shift Supervisor of Damage? YES } \( \text{Date Notified: } \) \( \text{N/A} \) \( \text{In N/A} \) \( \t
POND LEVEL INSTRUMENTATION  POND 2 Gauge Marking (ft) (In Tenth's of Feet)  Elevation FT/MSL S19.2  Gauge Marker Instrument is in good condition and readable YES Z NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature