## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Pate: //-/0-24 Time: 10	Type of Inspection: Weekly ☑ Storm Event □					
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL		NORMAL		NORMAL 🗆	
1) Water Level in Pond	HIGH		HIGH		HIGH	
	rom	$\boxtimes$	LOW	×	LOW	X
2) Is Ash Being Removed?	YES 🗆	ио ⊠	YES 🗆	ио 🗵	YES 🗆	ио 🖄
3) In Service?	YES 🗆	NO ⊠	YES 🗆	NO 🏿	YES 🕅	NO 🗆
PHYSICAL INSPECTION:		ra ii				
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO 🖄	YES 🗆	ио ⊠
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO ⊠
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	№ 🗵	YES 🗆	NO 🍇
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆	NO 🖾	YES 🗆	ио 🖄
5) Animal Burrows on embankments?	YES 🗆	NO 🖄	YES 🗆	NO 🛭	YES 🗆	NO 🛱
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🖄
7) Slope Erosion on berms or embankments?	YES 🗆	ио Ж	YES 🗆	NO 🗵	YES 🗆	NO 🖾
8) Debris on embankments/berms?	YES 🗆	NO ⊠	YES 🗆	NO 🛭	YES 🗆	NO 🗵
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🛭
10) Visible Releases	YES 🗆	NO 🔀	YES 🗆	NO 🖾	YES 🗆	NO 🛛

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO 💢
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION  POND 2 Gauge Marking (ft)
Gauge Marker Instrument is in good condition and readable YES ☒ NO ☐
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## INSTRUCTIONS: A MARKED THE LATINGO'S DULLY MESSAGERY AND AND MESSAGERY

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL		NORMAL []		NORMAL 🗆	
1) Water Level in Pond	HIGH LOW		HIGH LOW		HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🖳	YES 🗆	NO 🖳	YES 🗆	NO 🔽
3) In Service?	YES 🗆	NO ☑	YES 🗆	NO 🖳	YES 🔽	NO 🗆
PHYSICAL INSPECTION:				p 17-		
<ol> <li>Seepage from or through embankment? Includes roads around ponds and outside fence.</li> </ol>	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🕡
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗹	NO 🗆	YES 🗆	NO 🛂
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 📝	YES 🗆	NO 📝	YES 🗆	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🔽
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🗸
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔽	YES 🗆	NO 🗹	YES 🗆	NO 🔽
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
B) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🔽
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🔽	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: POND 2 MONITORENG DEPRESSION N.W. CORNER, NO CHANGE
12) Is there any damage to Pond Liner: YES  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \( \square\) NO \( \square\)
12.d) If No, Did You Reduce Pond Level? YES \( \square\) N/A \( \square\)
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519.3
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: _