WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date \a/en be124,2024time: 9 % Type of Inspection: Weekly \alpha Storm Event					rent □		
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORN	IAL 🗆	NORN	1AL 🗆	NORN	IAL 🗆
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	₽	LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🔼	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🛮	YES 🗆	NO 🗷	YES 🗹	NO 🗆
PHYSICAL INSPECTION:		84					-
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛭	YES 🗆	NO 🗗	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🖺	YES 🗆 🖽	NO 🗷
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO 🗹	YES 🗆	NO 📮
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🗷
5)	Animal Burrows on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	YES 🗆	NO 🖵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🗇
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔀
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🖵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 📮
10) Visible Releases	YES 🗆	NO 🗗	YES 🗆	NO 🗹	YES 🗆	NO 🗗

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:						
12) Is there any damage to Pond Liner: YES \(\sigma \) NO \(\sigma \)						
12.a) If YES, Describe in Detail:						
12.b) Specific Location:						
12.c) Is Water Level Below Damage? YES □ NO □						
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square						
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A						
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □						
12.g) Additional Comments:						
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 5 Gauge Marker Instrument is in good condition and readable YES W NO						
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices						
Inspector Name (Print						
Inspector Signature:						

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

)ate:	11/27/24 Time: 1000	An	Type of	nspection:	Weekly 💆	🛴 Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND	1	POND	2	POND 3	
1)	Water Level in Pond	NORM		NORW HIGH		NORM HIGH	AL 🗆
2)	Is Ash Being Removed?	LOW YES \square	NO 🗹	LOW YES 🗆	NO 🗹	LOW YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES Y	NO 🗆
PH	YSICAL INSPECTION:	_					
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO (YES 🗆	NO 🗷	YES 🗆	NO 🗷
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆 ,	NO 🏻	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO Z	YES 🗆	NO Z	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO Z	YES 🗆	NO/
5)	Animal Burrows on embankments?	YES 🗆	NO 🗇	YES 🗆	NO Z	YES 🗆	NO 💆
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO D	YES 🗆	No C	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗆	YES 🗔	, NO. [Z]	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES	NO 🗹				
12.a) If YES, Describe in Detail:					
A					
12.b) Specific Location:					
3					
12.c) Is Water Level Below Damage? YES □ No	D 🗆				
12.d) If No, Did You Reduce Pond Level? YES	N/A □				
12.e) Notified Shift Supervisor of Damage? YES	☐ Date Notified:	N/A 🗆			
12.f) Notified Station Management of Damage?	YES Date Notified:	N/A 🗆			
12.g) Additional Comments:					
, ,					
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 1.9 (In Tenth's continuous formula formul	of Feet)				
Gauge Marker Instrument is in good condition and rea	dable YES	NO 🗆			
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface In Operations Best Practices	npoundments. Inspection	as are conducted as part of			
nspector Name (Print):					
nspector Signature					