WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted *weekly* and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Dates combo(1, 2024 Time: 945/Am Type of Inspection: Weekly Storm Event							
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
1) Water Level in Pond		NORMAL HIGH LOW		NORMAL □ HIGH □ LOW		NORMAL ☐ HIGH ☐ LOW ☐	
2)	Is Ash Being Removed?	YES 🗆	NO 🗷	YES	NO 🗹	YES 🗆	NO 🗷
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🖸	YES 🗷	NO 🗆 🗸
PH	YSICAL INSPECTION:						,
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖆	YES 🗆	NO 🛚	YES 🗆	NO I
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO □	⊰YES □	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	№ Ц	YES 🗆	NO 🛮	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗵	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗖	YES 🗆	NO □	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖸	YES 🗆	NO 🗆
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	№ Ц	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🏻	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL <u>519.5</u>
Gauge Marker Instrument is in good condition and readable YES VES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate	Imber 4, 2024 Time: 918/A	M	Type of I	nspection:	Weekly 🗵	Storm Ev	ent 🗌
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	AL 🛛
2)	Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO X
3)	In Service?	YES 🗆	NO X	YES 🗆	NO X	YES 🗷	NO 🗆
PH	IYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO Z	YES 🗆	NO 🖆	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO Z	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES. 🗆	NO 🔼	YES 🗆	NO 🗘
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🖽	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10	O) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION /
POND 2 Gauge Marking (ft) 2,0 (In Tenth's of Feet)
Elevation FT/MSL <u>5/9.5</u>
Gauge Marker Instrument is in good condition and readable YES 🗓 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
Inspector Signature

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 27.24 Time: 100%	AM	Type of	Inspection:	Weekly [2	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
1) Water Level in Pond	NORMAL □ HIGH □ LOW ☑		NORMAL HIGH LOW		NORMAL II HIGH II LOW II	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗆	YES 🗆	NO 🗹
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🕤	YES 🗆	NO 🛮	YES 🗆	NO 6
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO Z	YES 🗆	NO Z	YES □	NO 🗹
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗸	YES 🗆	NO 🛮	YES 🗆	NO P
5) Animal Burrows on embankments?	YES 🗆	NO 🛮	YES 🗆	ио 📐	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛱	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗆
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO.	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗸	YES 🗆	NO 🔽	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft)(In Tenth's of Feet)
Elevation FT/MSL <u>519.9</u>
Gauge Marker Instrument is in good condition and readable YES \(\sigma\) NO \(\sigma\)
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
Inspector Signature