WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u>	12-15-24 Time: 9;	30AM	Type of	Inspection:	Weekly 🗏	Storm E	/ent □
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □ LOW ☒		NORMAL □ HIGH □ LOW ⊠		NORMAL ☒ HIGH □	
2)	Is Ash Being Removed?	LOW YES 🗆	NO 🗵	YES 🗆	NO ⊠	LOW YES 🗆	□ NO 🇷
3)	In Service?	YES 🗆	NO 🛭	YES 🗆	ио ⊠	YES 🗵	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🏻	YES 🗆	NO 🗵	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🗵
4)	Cracking on Embankments/Berms?	YES 🗆	NO ⊠	YES 🗆	NO 🖾	YES 🗆	NO 🗵
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	ио ⊠	YES 🗆	NO ⊠
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	ио ⊠
8)	Debris on embankments/berms?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	мо 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
10) Visible Releases	YES 🗆	ио 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) / 9 (In Tenth's of Feet)
Elevation FT/MSL $\underline{519.9}$
Gauge Marker Instrument is in good condition and readable YES $oxtimes$ NO \Box
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

2 of 2

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	12/18/24 Time: // 39	n.	Type of Inspection: Wee			ekly X Storm Event 🗆		
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3		
		NORMAL		NORMAL		NORMAL 🗆		
1)	Water Level in Pond	HIGH		HIGH		HIGH		
	##	LOW		LOW		LOW		
2)	Is Ash Being Removed?	YES 🗆	NO Z	YES 🗆	ио 🛚	YES 🗆	NO 🗹	
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗹	NO 🗆	
PH	YSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO Ø	YES 🗆	NO Z	YES 🗆 =	NO Z	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🛮	YES 🗆	NO II	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO Z	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🗹	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗸	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO.	YES 🗆	NO 🗆	
8)	Debris on embankments/berms?	YES 🗆	NO 🗆	YES 🗆	NO 🗖	YES 🗆	NO 📮	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO Z	YES 🗆	NO 🗹	YES 🗆	NO 🗸	
10) Visible Releases	YES 🗆	NO 📮	YES 🗆	NO 🗹	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO IN 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 1.9 (In Tenth's of Feet) Elevation FT/MSL 5/9.3
Gauge Marker Instrument is in good condition and readable YEST NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print)
nspector Signature