WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	12-22-24 Time: 9A	m	<u> </u>			Weekly ⊠ Storm Event □		
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3		
1)	Water Level in Pond	NORMAL HIGH		NORMAL HIGH		NORMAL ☒ HIGH □		
2)	Is Ash Being Removed?	LOW YES	— ⊠ NO	LOW YES 🗆	NO ⊠	YES 🗆	□ NO ⊠	
3)	In Service?	YES 🗆	NO 🗵	YES 🗆	№ Д	YES 🗵	NO 🗆	
<u>PH</u>	YSICAL INSPECTION:				. 41			
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	мо 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	мо 🛛	YES 🗆	NO 🗵	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🗵	
4)	Cracking on Embankments/Berms?	YES 🗆	NO ⊠	YES 🗆	ио ⊠	YES 🗆	NO 🗵	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO ⊠	
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔼	YES 🗆	мо 🗵	YES 🗆	NO 🏿	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	ио 🗵	YES 🗆	NO 🛚	
8)	Debris on embankments/berms?	YES 🗆	ио 🗵	YES 🗆	ио 🖄	YES 🗆	NO 🗵	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO ⊠	
10) Visible Releases	YES 🗆	NO 🖾	YES 🗆	ио ⊠	YES 🗆	NO 🗵	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL <u>5/9,4</u>
Gauge Marker Instrument is in good condition and readable YES 🔀 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u> :	12/25/24 Time: 1030	Au	Type of	Inspection:	Storm Event 🗆			
GE	GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL		NORMAL [
1)	Water Level in Pond	HIGH		HIGH		HIGH		
		LOW		LOW		LOW		
2)	Is Ash Being Removed?	YES 🗆	NO 🔼	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3)	In Service?	YES 🗆	NO Z	YES 🗆	NO 🗆	YES 🖊	NO 🗆	
<u>PH</u>	YSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗖	YES 🗆	NO TO	YES 🗆	NO 🗹	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛛	YES 🗆	NO 🗆	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗸	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	ио 🗘	YES 🗆	NO Z	
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖸	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🏿	YES 🗆	NO 🗹	
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗆	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 1.9 (In Tenth's of Feet)
Elevation FT/MSL 5/9. 4
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature: