WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	3-9-25 Time: 77	15 AM	Type of	Inspection:	Weekly 🔀	ያ Storm E\	vent □
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
	Water Level in Pond	NORMAL		NORMAL 🗆		NORMAL 🗵	
1)		HIGH		HIGH		HIGH	
		LOW	A	LOW	X	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🖂	YES 🗆	NO 🗵
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	NO 🛛	YES 💢	NO 🗆
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🖾
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🛭	YES 🗆	NO 🗵
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🛛	YES 🗆	NO 🗵
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
5)	Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🏻	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🕱
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🛛	YES 🗆	ио 🗵
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	ио ⊠
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🛭
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🏻	YES 🗆	NO 🗵

1 of 2

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519,9
Gauge Marker Instrument is in good condition and readable YES 🗵 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 3/12/25 Time: 1025/Au Type of Inspection: Weekly Storm Event							ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH LOW		HIGH		HIGH	
2)	Is Ash Being Removed?	YES 🗆	NO 🛛	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🗖	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PH	YSICAL INSPECTION:					A HIGH	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆 -	NO 🗹	YES 🗆	NO D	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🕇
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🛱	YES 🗆	ио Б	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🗆
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗆
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗖	YES 🗆	NO 🗹	YES 🗆	NO d
10) Visible Releases	YES 🗆	NO 🗖	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
DOND LEVEL INSTRUMENTATION
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519, 8
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
Inspector Signature: