WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date:	Date: 3-16-25 Time: 9AM		<u>Type of Inspection</u> : Weekly ►			Storm Event 🗆		
<u>GE</u>	GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORMAL □		NORMAL 🗆		NORMAL 🖾		
1)	Water Level in Pond	HIGH		HIGH		HIGH		
		LOW	⅓	LOW	×	LOW		
2)	Is Ash Being Removed?	YES 🗆	ио 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵	
3)	In Service?	YES 🗆	ио ⊠	YES 🗆	NO 🗵	YES ⊠	NO 🗆	
<u>PH</u>	IYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🖄	YES 🗆	NO 🗷	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗷	YES 🗆	NO 🗷	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 这	YES 🗀	NO 🗵	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🗵	
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 🗆	NO ⊠	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 🗆	NO 🗵	
8)	Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO ⊠	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	ио 🖄	
10)) Visible Releases	YES 🗆	NO 🛚	YES 🗆	NO 🛭	YES 🗆	NO ⊠	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) $\frac{2.3}{}$ (In Tenth's of Feet)
Elevation FT/MSL <u>5/9, 8</u>
Gauge Marker Instrument is in good condition and readable YES 🗵 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>ste</u> :	3-19-28 Time: 10	AM	Type of	Inspection:	Weekly 🕏	Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL		NORMAL ☒	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	×	LOW	×	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO ⊠	YES 🗆	ио ⁄⊠
3)	In Service?	YES 🗆	NO 🗵	YES 🗆	NO ☑	YES 📈	NO 🗆
РН	YSICAL INSPECTION:						
1)		YES 🗆	NO 🗵	YES 🗆	NO IS	YES 🗆	кі ои
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	KZ ON	YES 🗆	ио ⊠
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO ☒,	YES 🗆	NO 🔄
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🖾	YES 🗆	NO 🔀	YES 🗆	ио ⊠
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO D	YES 🗆	мо 🖾
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🛭	YES 🗆	NO 🖾
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🛛	YES 🗆	NO ⊠	YES 🗆	NO ⊠
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	ио ⊠	YES 🗆	ио ⊠
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆 _	NO 🛭	YES 🗆	NO 🗵
10) Visible Releases	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🔀

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) <u>2.3</u> (In Tenth's of Feet) Elevation FT/MSL <u>5/9,</u> 8
Gauge Marker Instrument is in good condition and readable YES $oxtimes_{\!$
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

)ate:	3-21-25 Time: ///	<u> 9m</u>	Type of	Inspection:	Weekly 🔯	Storm Ev	rent □
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORMAL		NORMAL		NORMAL 🔯	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	×	LOW	×	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🛭	YES 🗆	NO 🗵
3)	In Service?	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🛛	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛭	YES 🗆	мо 🗵	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	⊠ ои	YES 🗆	ио ⊠
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🛭	YES 🗆	NO 🛭	YES 🗆	NO 🗵
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	ио ⊠
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	ио ⊠
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🗷
7)	Slope Erosion on berms or embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🛭
8)	Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🗷	YES 🗆	NO ⊠
10) Visible Releases	YES 🗆	NO 💢	YES 🗆	NO 🗷	YES 🗆	ио ⊠

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL <u>520</u>
Gauge Marker Instrument is in good condition and readable YES ⊠ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: