WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u> :	3/30/25 Time: 10 33	Type of Inspection:			Weekly Storm Event		
ĢĘI	NERAL INFORMATION:	POND 1		POND 2		POND 3	-
		NORMAL		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	Ø	LOW	Ø	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🛛	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO ⊅	YES 🗆	NO 🗹	YES 🗹	№ □

PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🏿	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗆	YES 🗆	NO 🏿	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛱	YES 🗆	NO 🗆
5)	Animal Burrows on embankments?	YES 🗆	NO 🗆	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖪	YES 🗆	NO 🗹	YES 🗆	NO 📮
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🛮
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO d	YES 🗆	NO 🗸	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2.5 (In Tenth's of Feet)
Elevation FT/MSL <u>530.0</u>
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: _

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	4-4-25 Time: 9A	n	Type of	Inspection:	Weekly 🛭	Storm Ev	vent □
GEI	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🔀	
1)	Water Level in Pond	HIGH LOW	□ ⊠	HIGH LOW		HIGH LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	NO ₩
3)	In Service?	YES 🗆	NO 🏻	YES 🗆	NO ⊠	YES 🔀	NO 🗆
<u>РН</u>	YSICAL INSPECTION:	7 = 1					le +
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ₪	YES 🗆	NO 🗵	YES 🗆	ио ⊠
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🛚
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🛭	YES 🗆	NO 🗷
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🗵
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🗵
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🖄	YES 🗆	NO 🗵
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	ио 🕱	YES 🗆	NO ⊠

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒ If YES, answer questions below: 12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO 12.d) If No, Did You Reduce Pond Level? YES N/A 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) Q 8 (In Tenth's of Feet) Elevation FT/MSL 520.3 Gauge Marker Instrument is in good condition and readable YES 🖟 NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: