## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u> :	4/1/25 Time: 915	Am	Type of	Inspection:	Weekly Z	Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL 🗆		NORMAL 🗆		NORMAL 🛮	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗗
3)	In Service?	YES 🗆	NO 🛮	YES 🗆	NO 🗖	YES 🔎	NO 🗆
PH	YSICAL INSPECTION:	V					, = K
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио Д	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🖟	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO ⊅	YES 🗆	NO 🗹	YES 🗆	NO 🛮
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO É	YES 🗆	NO [	YES 🗆	NO 6
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗸	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖸	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO d	YES 🗆	NO 6	YES 🗆	NO 🗹
10	) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO 🗆

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \square\) NO \( \square\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 520.3
Gauge Marker Instrument is in good condition and readable YES MO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Prin
Inspector Signatur

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:4	1/11/2025 Time: 9:4	Type of	f Inspection: Weekly ☑ Storm Event □				
GEN	ERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL 🗆		NORMAL 🗆	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	Z	LOW	Z	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🖵
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗹	NO 🗆
PHYSICAL INSPECTION:						1 .	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO [
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗗
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗸	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🛭
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🖵
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🛮	YES 🗆	NO 🗸	YES 🗆	NO 🛮
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🛮
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗸	YES 🗆	NO 🗹	YES 🗆	NO 🗆
10)	Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🗆	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \sigma \) NO \(\sigma \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \( \sigma\) NO \( \sigma\)
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 2.8 (In Tenth's of Feet)
Elevation FT/MSL 520.3
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print)
nspector Signature