WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

<u>Date</u>	4-21-25 Time: 9:	30 Am	Type of	Inspection:	Weekly 🗵	Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND	1	POND	2	POND 3	
		NORM	IAL 🗆	NORIV	IAL 🗆	NORIV	IAL 🔯
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	\mathbf{k}	LOW	IX.	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🗵
3)	In Service?	YES 🗆	NO 🔀	YES 🗆	NO 🏻	YES 🗷	NO 🗆
PH	YSICAL INSPECTION:					17.05	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🔀
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO ∑	YES 🗆	ио ⊠
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO 🐔
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🏹	YES 🗆	NO 🛚	YES 🗆	NO ≅
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🖾
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗵	YES 🗆	NO 🛚	YES 🗆	ио ⊠
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🖎
8)	Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	ио 🔯	YES 🗆	NO 🖾
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO ☑	YES 🗆	ио 🗵
10) Visible Releases	YES 🗆	NO 🗷	YES 🗆	NO ⊠	YES 🗆	NO 🛛

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \(\Bar{\sqrt{NO}} \)
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES \square Date Notified: N/A \square
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft)
Elevation FT/MSL 520 , 3
Gauge Marker Instrument is in good condition and readable YES 🗵 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
nspector Name (Print):
nspector Signature:

2 of 2

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	4 28 25 Time: 900	<u>an</u>	Type of I	nspection:	Weekly 🗷	Storm Ev	ent 🗆
GEI	NERAL INFORMATION:	POND	1	POND	2	POND 3	
		NORN	IAL 🗆	NORN	1AL 🗆	NORM	IAL 🗆
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🔼	YES 🗆	NO 🗹	YES 🗆	NO [
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗷	NO 🗆
PH	YSICAL INSPECTION:				51112		
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 6
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO Z	YES .	NO 16	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO □	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO Z	YES 🗆	NO 🖸
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO Z
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO L	YES 🗆	NO Z	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO Z	YES 🗆	NO Z

.2) Is there any damage to Pond Liner: YES] NO []	
If YES, answer questions below:	10 Nev 1	37 10
12.a) Describe in Detail:		
12.b) Specific Location:		
		·····
12.c) Is Water Level Below Damage? YES □		
12.d) If No, Did You Reduce Pond Level? YES	□ N/A □	
12.e) Notified Shift Supervisor of Damage? Y	ES Date Notified:	N/A 🗆
12.f) Notified Station Management of Damag	e? YES Date Notified:	N/A □
12.g) Additional Comments:		
OND LEVEL INSTRUMENTATION		
OND 2 Gauge Marking (ft) & (In Tenth'	's of Feet)	
evation FT/MSL <u>526.3</u>		
auge Marker Instrument is in good condition and re	eadable YES 🗆 NO	
OTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface perations Best Practices	Impoundments. Inspections are	e conducted as part
spector Name (Print)	2000	
spector Signature		