WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	4-28-25 Time: 10:0	00 A	Type of	Inspection:	<u>pection</u> : Weekly ⊠ Storm Ev		
GEN	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □ LOW ☑		NORMAL □ HIGH □ LOW 🔯		NORMAL ☒ HIGH ☐ LOW ☐	
2)	Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO 🖾	YES 🗆	NO ℚ
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO ⊠	YES 🔯	NO 🗆
PHY	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	NO 🖾
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ⊠	YES 🗆	NO ⊠	YES 🗆	NO 🗵
4)	Cracking on Embankments/Berms?	YES 🗆	NO ₹	YES 🗆	NO ⊠	YES 🗆	NO 🖫
5)	Animal Burrows on embankments?	YES 🗆	NO 🔯	YES 🗆	NO ⊠	YES 🗆	NO 🖾
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	NO 🛭	YES 🗆	NO 12
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO ⊠	YES 🗆	NO 🛭	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO ⊠
101	Visible Releases	YES 🗆	NO ☒	YES 🗆	NO Æ	YES 🗆	NO 🛛

1 of 2

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft)
Elevation FT/MSL 520,3
Gauge Marker Instrument is in good condition and readable YES 🗷 NO 🗆
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

2 of 2

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	5-2-25 Time: 9A	<u>Type of Inspection</u> : Weekly ⊠ Storm Event □					
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □		NORMAL □ HIGH □		NORMAL □ HIGH □	
5		LOW	X	LOW	×	LOW	X.
2)	Is Ash Being Removed?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗷
3)	In Service?	YES 🗆	NO ☒	YES 🗆	NO 🗵	YES 🗵	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO 🖾	YES 🗆	NO K
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO ⊠
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 💆	YES 🗆	NO 🏻	YES 🗆	NO 💆
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾
5)	Animal Burrows on embankments?	YES 🗆	NO ⊠	YES 🗆	NO 💆	YES 🗆	NO 🖾
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗵	YES 🗆	NO 🏿	YES 🗆	NO 🗵
7)	Slope Erosion on berms or embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 💹	YES 🗆	NO 🗵	YES 🗆	NO ☒
10) Visible Releases	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🛛

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\sigma\) NO \(\frac{1}{2}\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) 2.8 (In Tenth's of Feet) Elevation FT/MSL 520.3
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: