## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	My 52025 Fime: 545	An	Type of I	nspection:	Weekly 🗷	Storm Ev	ent 🗆
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH LOW		HIGH LOW		HIGH LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🛮	YES 🗆	NØ 🗆	YES 🗆	NO 🗆
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗖	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO P	YES 🗆	NO 5	YES 🗆	NO 🗷
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🛮	YES 🗆	NO 🗸	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🛮	YES 🗆	NO 🗆	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10	)) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗸	YES 🗆	NO 🗖

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \subseteq \text{NO} \subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 3.8 (In Tenth's of Feet)
Elevation FT/MSL 520.3
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate	5/9/25 Time: 9 45	*~	Type of	Inspection:	Weekly 🗵	Storm Ev	ent $\square$
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORM	1AL 🗆	NORMAL		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW		LOW		LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗹	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO Ø	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗸	YES 🗆	NO 🗆	YES 🗆	NO 🗵
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🖯	YES 🗆	NO 🗆	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗗	YES 🗆	NO 📮	YES 🗆	NO 🗗
5)	Animal Burrows on embankments?	YES 🗆	NO D	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 📈
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔀
8)	Debris on embankments/berms?	YES 🗆	NO 🗸	YES 🗆	NO ₽	YES 🗆	NO 🗸
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗷
10	) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗗	YES 🗆	NO 🖸

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \square\) NO \( \square\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 530, 2
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: