WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

oate: 1/0	05 25 Time: 9 1/2	AM.	Type of	Inspection:	Weekly <u>≰</u>	Storm Ev	ent 🗆	
GENERAL	GENERAL INFORMATION:		POND 1		POND 2		POND 3	
			NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1) Wate	1) Water Level in Pond			HIGH		HIGH		
				LOW		LOW		
2) Is Ash) Is Ash Being Removed?		ио Д	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3) In Se) In Service?		NO	YES 🗆	NO 🗹	YES 🗹	NO 🗆	
PHYSICA	L INSPECTION:							
emba	age from or through inkment? Includes roads and ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	oles/Depressions/Bulges in or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗹	
othe	of Piping/Channels or Internal Erosion on ankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4) Cracl Emb	king on ankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛮	YES 🗆	NO 🗸	
'	al Burrows on ankments?	YES 🗆	NO 🗹	YES 🗆	NO 🏿	YES 🗆	NO 🗹	
Cove	ssive or Lacking Vegetative r on embankments? (should ormal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	e Erosion on berms or ankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8) Debr	is on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🔀	
impr	rioration, malfunctions, or oper operation of topping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10) Visib	10) Visible Releases		NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL <u>519.7</u>
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 1/8/25 Time: 8: +0/AM Type of Inspection: Weekly ✓ Storm Event □							
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
1)	Water Level in Pond	NORMAL □ HIGH □ LOW ☑		NORMAL □ HIGH □ LOW □		NORMAL ☑ HIGH □ LOW □	
2)	Is Ash Being Removed?	YES 🗆	NO Ø	YES 🗆	NO 🛮	YES 🗆	NO 🛮
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗹	NO 🗆
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO (YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗆	YES 🗆	NO 🗹	YES 🗆	NO 🗖
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗇	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗆	YES 🗆	NO 🗖	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO A	YES 🗆	NO 🗖	YES 🗆	NO 🗹
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗗	YES 🗆	NO A
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗖	YES 🗆	NO 🗇	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗖	YES 🗆	NO 🗖	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO d
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 💆	YES 🗆	NO 🗹

)

1

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\) 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet)
POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 519.7
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signatur