## **WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS**

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate: 5-12-25 Time: (	1AM	Type of	inspection:	Weekly 2	Storm Ev	ent 🗆
GENERAL INFORMATION:	POND	1	POND	2	POND 3	
	NORM	1AL 🗆	NORN	IAL 🗆	NORM	IAL 🗆
1) Water Level in Pond	HIGH		HIGH		HIGH	
	LOW	×	LOW	×	LOW	☑
2) Is Ash Being Removed?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO ⊠
3) In Service?	YES 🗆	NO 🛛	YES □	NO 🗵	YES 📈	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes road around ponds and outside for		NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🖾
2) Sinkholes/Depressions/Bulg Pond or embankments?	es in YES 🗆	NO 🛚	YES 🗆	NO 🖾	YES 🗆	NO 🗵
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ☑	YES 🗆	NO 🗵	YES 🗆	NO 🗵
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🕸
5) Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	ио Д
Excessive or Lacking Vegeta     Cover on embankments? (so     be normal growth)		NO 🖾	YES 🗆	NO Æ	YES 🗆	NO 🗵
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO ☑	YES 🗆	NO ☑
8) Debris on embankments/be	erms? YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗵
Deterioration, malfunctions improper operation of overtopping control system	YES 🗆	NO 🏻	YES 🗆	NO 🕱	YES 🗆	NO 🗵
10) Visible Releases	YES 🗆	NO ⊠	YES 🗆	NO ⊠	YES 🗆	NO 🏻

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO  NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES $\square$ Date Notified: N/A $\square$
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) 2.8 (In Tenth's of Feet)
Elevation FT/MSL $520.3$
Gauge Marker Instrument is in good condition and readable YES ☒ NO ☐
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

2 of 2

## WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

oate:	5-16-25 Time: 9A	-M	Type of	nspection:	Weekly 🛚	3 Storm Ev	ent 🗆
GEI	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL		NORMAL	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	×	LOW	×	LOW	<b>⊠</b>
2)	Is Ash Being Removed?	YES 🗆	ио ⊠	YES 🗆	NO 🖾	YES 🗆	NO ⊠_
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	ио 🛛	YES 🔀	NO 🗆
<u>PH</u>	YSICAL INSPECTION:	- 1/2	,		b-100	g ( * ')	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ☑	YES 🗆	ио ⊠	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🏻
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	ио ⊠	YES 🗆	NO ⋈
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO ⊠
5)	Animal Burrows on embankments?	YES 🗆	NO 🖾	YES 🗆	ио 🗷	YES 🗆	NO ⊠
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🌠	YES 🗆	NO 🏻
7)	Slope Erosion on berms or embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🔀	YES 🗆	NO 🗵
8)	Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO ⊠	YES 🗆	NO 🔯
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🔯	YES 🗆	NO 🗵
10	) Visible Releases	YES 🗆	ио 🗵	YES 🗆	ио 🗵	YES 🗆	МО 🕅

1 of 2

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \( \subseteq \) NO \( \subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \( \square\) NO \( \square\)
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft)(In Tenth's of Feet)
Elevation FT/MSL $520.3$
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: