WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	1-26-25 Time: 8!	30 AM	Type of	Inspection:	Weekly 🛭	☑ Storm Ev	vent □
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL □		NORMAL 🗵	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	\boxtimes	LOW	\boxtimes	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO ⊠	YES 🗆	NO 🗵	YES 🗆	NO 🏿
3)	In Service?	YES 🗆	NO ⊠	YES 🗆	NO ☒	YES 🗷	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						ş
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO 🏻	YES 🗆	NO 🏻
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO 🏻
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	YES 🗆	NO ⊠
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🏻	YES 🗆	NO 🗵	YES 🗆	NO ⊠
5)	Animal Burrows on embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	М ОИ
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO ⊠	YES 🗆	NO 🖾	YES 🗆	NO 🗵
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🏻	YES 🗆	NO 🗵	YES 🗆	NO 🖾
8)	Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO 🗵	YES 🗆	NO 🏻
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🗵	YES 🗆	NO 🗵
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO ⊠	YES 🗆	NO 🗵

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☒
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519.6
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 1-29-25 Time: 745	Iam	Type of	Inspection:	Weekly 🗓	Storm Ev	rent □
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1) Water Level in Pond	HIGH		нібн		HIGH	
	LOW	×	LOW	¥	LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 🗆	NO 🛛
3) In Service?	YES 🗆	NO 💢	YES 🗆	NO 🔀	YES 🔀	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ₽	YES 🗆	NO Ş	YES 🗆	NO 💆
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио №	YES 🗆	NO 🔀	YES 🗆	NO ₹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ₹	YES 🗆	NO ⅓	YES 🗆	NO 💆
4) Cracking on Embankments/Berms?	YES 🗆	NO 🅦	YES 🗆	NO 💆	YES 🗆	NO 🔀
5) Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🔀	YES 🗆	NO 🔀
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🛱	YES 🗆	NO 🗷	YES 🗆	NO 🔀
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🗹	YES 🗆	NO 🔽
8) Debris on embankments/berms?	YES 🗆	NO 🛱	YES 🗆	NO 🗵	YES 🗆	NO 🔀
9) Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🕏	YES 🗆	NO 🗹	YES 🗆	NO 🛱
10) Visible Releases	YES 🗆	№ Ф	YES 🗆	NO 🕸	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:

12) Is there any damage to Pond Liner: YES □ NO 🕱
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519.5
Gauge Marker Instrument is in good condition and readable YES ✓ NO ✓
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature: _

2 of 2