WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate	2/9/25 Time: 90/A	u_	Type of	Inspection:	Weekly E	Storm Ev	rent □
GE	NERAL INFORMATION:	POND	1	POND	2	POND 3	
1)	Water Level in Pond	NORM HIGH LOW	IAL	NORM HIGH	1AL 🗆	NORM HIGH	1AL 🗇
2)	Is Ash Being Removed?	YES 🗆	NO Z	LOW YES 🗆	NO 🗹	LOW YES □	NO 🗹
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗹	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗸	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 📮	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO □	YES 🗆	№ Д
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🏻	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO ₫	YES 🗆	NO □
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	ио Щ	YES 🗆	NO ☐	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🏻
8)	Debris on embankments/berms?	YES 🗆	NO Z	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹 A	YES 🗆	NO 🗹	YES 🗆	NO 🗆
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹

12) Is there any damage to Pond Liner: YES	□ NO 🕱	
If YES, answer questions below:		
12.a) Describe in Detail:		
12.b) Specific Location:		
12.c) Is Water Level Below Damage? YES □	NO □	THE STATE OF THE S
12.d) If No, Did You Reduce Pond Level? YE	S □ N/A □	
12.e) Notified Shift Supervisor of Damage?	YES Date Notified:	N/A □
12.f) Notified Station Management of Dama	age? YES 🗌 Date Notifie	d: N/A 🗆
12.g) Additional Comments:		
OND LEVEL INSTRUMENTATION		
OND 2 Gauge Marking (ft)(In Tent	h's of Feet)	
evation FT/MSL <u>5/9、7</u>		
auge Marker Instrument is in good condition and	readable YES	NO 🗆
OTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Operations Best Practices	ce Impoundments. Inspecti	ons are conducted as part
*		
spector Name (Print):	*****	
	_	
nspector Signature		

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 2-11-25 Time: 0900 Type of Inspection: Weekly ✓ Storm Event □							
GENERAL INFORMATION:		POND 1		POND 2		POND 3	
		NORM		NORN		NORM	
1)	Water Level in Pond	HIGH LOW	□ ⊻	HIGH	□ ∑	HIGH LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🔀	YES 🗆	NO 🗷
-	In Service?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🔀	NO □
L							
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🔀	YES 🗆	NO ⊠	YES 🗆	NO ☑
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🔀	YES 🗆	ио ⋈	YES 🗆	NO 🌣
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔀	YES 🗆	NO Þ	YES 🗆	NO 🔀
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗷	YES 🗆	NO 🔀
5)	Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗵	YES 🗆	NO 🔀
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🄀	YES 🗆	NO 🗷	YES 🗆	NO 🔀
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 💆	YES 🗆	NO 🗷	YES 🗆	NO 🔀
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🗷	YES 🗆	NO 🔀
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🔀	YES 🗆	NO ⊠	YES 🗆	ио ⊠
10) Visible Releases	YES 🗆	NO 💆	YES 🗆	NO 🔀	YES 🗆	NO 🔀

11) If Yes to any of the above, or any other abnormalit	ies are noted, please	describe/expl	ain:
12) Is there any damage to Pond Liner: YES	NO 🗷		
If YES, answer questions below:		or .	
12.a) Describe in Detail:			
12.b) Specific Location:			
12.c) Is Water Level Below Damage? YES □ N	о П		
12.d) If No, Did You Reduce Pond Level? YES			
12.e) Notified Shift Supervisor of Damage? YES	☐ Date Notified:		N/A □
12.f) Notified Station Management of Damage?	YES 🗆 Date Notif	ied:	N/A 🗆
12.g) Additional Comments:			
OND LEVEL INSTRUMENTATION			
OND 2 Gauge Marking (ft) 2.1 (In Tenth's collection FT/MSL 519.6	of Feet)		
Gauge Marker Instrument is in good condition and rea	dable YES 🗹	NO 🗆	
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface In Operations Best Practices	mpoundments. Inspec	ctions are con	ducted as part of
nspector Name (Print): _			
nspector Signature:			