WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

ate:	216/25 Time: 5/5	4	Type of	Inspection:	Weekly 🔽	Storm Ev	ent 🗆
<u>GE</u>	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL 🗆		NORMAL 🗹	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
2)	Is Ash Being Removed?	LOW YES □	NO 🗹	LOW YES □	NO 🗷	LOW YES 🗆	NO 🗷
3)	In Service?	YES 🗆	NO 🗹	YES 🗆	NO 🗆	YES 🗷	NO 🗆
<u>PH</u>	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 💆
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	YES 🗆	NO 🗷
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🖵
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🖵	YES 🗆	NO 🗷
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO Z	YES 🗆	NO 🗷
10) Visible Releases	YES 🗆	NO 🗂	YES 🗆	NO 🗹	YES 🗆	NO 🗷

1 of 2

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION
POND 2 Gauge Marking (ft) (In Tenth's of Feet)
POND 2 Gauge Marking (ft) (In Tenth's of Feet) Elevation FT/MSL 519.1
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
£
Inspector Name (Print):
Inspector Signature:

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date:	2-19-25 Time: 8A	7) Type of Inspection: Weekly D				Storm Event	
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
a \		NORMAL		NORMAL		NORMAL 💢	
1)	Water Level in Pond	HIGH LOW		HIGH		HIGH LOW	
2)	Is Ash Being Removed?	YES 🗆	ио ⊠	YES 🗆	мо 🗵	YES 🗆	NO ⊅
3)	In Service?	YES 🗆	NO 🗵	YES 🗆	NO 🖄	YES 🖾	NO 🗆
			Table 1				
PH	YSICAL INSPECTION:				1	N. II. I	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🗹	YES 🗆	NO 🗵
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🖾	YES 🗆	NO D
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔀	YES 🗆	NO ⊅	YES 🗆	NO 🖄
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO ဩ	YES 🗆	NO 🕱
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗓	YES 🗆	NO 🔯
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO ☑	YES 🗆	NO ⊠	YES 🗆	МО 🗵
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🖾	YES 🗆	NO 🏻
8)	Debris on embankments/berms?	YES 🗆	NO ⊠`	YES 🗆	NO ₩	YES 🗆	NO ⊠
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	№ Д	YES 🗆	NO 🖾	YES 🗆	NO 🔀
10) Visible Releases	YES 🗆	NO 🖾	YES 🗆	NO ⊠	YES 🗆	ио ⊠

1 of 2

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\subseteq \) NO \(\subseteq \)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft)
Gauge Marker Instrument is in good condition and readable YES 🗷 NO 🗌
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature:

2 of 2