WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 2-23-25 Time: 0900 Type of Inspection: Weekly ⊠ Storm Event □						rent 🗆	
GE	NERAL INFORMATION:	POND 1		POND 2		POND 3	
		NORMAL		NORMAL 🗆		NORMAL 🗷	
1)	Water Level in Pond	HIGH		HIGH		HIGH	
		LOW	×	LOW	7	LOW	
2)	Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🔀
3)	In Service?	YES 🗆	NO 🗷	YES 🗆	NO 🗷	YES 🗷	NO 🗆
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗵	YES 🗆	NO 🔀	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🗵	YES 🗆	NO 🔀
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔀	YES 🗆	NO ⊠	YES 🗆	NO 🗷
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO ⊭	YES 🗆	NO 🗷
5)	Animal Burrows on embankments?	YES 🗆	NO ₩	YES 🗆	NO 🗷	YES 🗆	NO 🔀
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO ⋝
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🗷	YES 🗆	NO 🗵
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🔀	YES 🗆	NO ⊠	YES 🗆	NO ☑
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗷	YES 🗆	NO 🔀

1 of 2

1) If Yes to any of the above, or any other abnormalities are	noted, please describ	e/explain:
2) Is there any damage to Pond Liner: YES □ NO \$	2	
If YES, answer questions below:	- 8 - 8	
12.a) Describe in Detail:	363	
12.b) Specific Location:		
12.c) Is Water Level Below Damage? YES □ NO □		
12.d) If No, Did You Reduce Pond Level? YES \square	/A 🗆	
12.e) Notified Shift Supervisor of Damage? YES	ate Notified:	N/A 🗆
12.f) Notified Station Management of Damage? YES	☐ Date Notified:	N/A 🗆
12.g) Additional Comments:		
ND LEVEL INSTRUMENTATION ND 2 Gauge Marking (ft) 2.1 (In Tenth's of Feet vation FT/MSL 519.6)	
uge Marker Instrument is in good condition and readable	YES ☑ NO	
OTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impound Perations Best Practices	dments. Inspections a	re conducted as part of
pector Name (Print):		
spector Signature:		_

WEEKLY QUALIFIED PERSON CHECK LIST FOR JOLIET 29 ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations must be conducted weekly and within 24 hours after a storm event greater or equal to 6.45 inches.
- 2) The inspection must be conducted by a "qualified person" and the inspection records should be maintained at the Station for five years.
- 3) Every week, the qualified person must also inspect the CCR Unit Instrumentation.

Date: 2 2 6 2025 Time: 10 2/201 Type of Inspection: Weekly 1 Storm Event						
GENERAL INFORMATION:	POND 1		POND 2		POND 3	
	NORMAL 🗆		NORMAL 🗆		NORMAL 🗹	
1) Water Level in Pond	LOW		LOW		HIGH LOW	
2) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO ⊄	YES 🗆	NO 🗵
3) In Service?	YES 🗆	NO 🗹	YES 🗆	NO ☑	YES 🏻	NO 🗆
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO ⊠	YES 🗆	NO 🖺
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 6	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8) Debris on embankments/berms?	YES 🗆	NO 🛮	YES 🗆	NO 🗹	YES 🗆	NO 🗆
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO □	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
If YES, answer questions below:
12.a) Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
POND LEVEL INSTRUMENTATION POND 2 Gauge Marking (ft) (In Tenth's of Feet)
Elevation FT/MSL 519-6
Gauge Marker Instrument is in good condition and readable YES NO
NOTE: Joliet 29 Pond 1 & Pond 3 are not CCR Surface Impoundments. Inspections are conducted as part of Operations Best Practices
Inspector Name (Print):
Inspector Signature