

DATA SUMMARY POSTING

Station: Midwest Generation Powerton Generating Station

Regulated Unit(s): Metal Cleaning Basin (IEPA ID No. W1798010008-03)

In accordance with the new Ill. Adm. Code Title 35, Part 845: Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments (State CCR Rule) groundwater monitoring was completed during the 2nd quarter 2024 which includes the entire list of parameters specified under Section 845.600(a)(1) and (b). Table 1 is a summary table of all available CCR monitoring data to date including any data generated previously as part of the Federal CCR Rule monitoring. Table 2 provides a summary of turbidity data which was collected as part of State CCR Rule requirements which is a data parameter that was not required under the Federal CCR Rule.

No background statistics or proposed Groundwater Protection Standards are included on these tables. The background statistics and proposed Groundwater Protection Standards were submitted to Illinois Environmental Protection Agency (EPA) as part of the Application for Initial Operating Permit for the Metal Cleaning Basin dated March 31, 2022. Upon Illinois EPA approval of the Operating Permit and Proposed Groundwater Protection Standards, the approved comparison values will be included on the tables for subsequent data comparisons/evaluations.

Table 1. Groundwater Analytical Results - Midwest Generation, LLC, Ploverton Station, Pekin, IL, Metals Cleaning Basin.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228	Selenium	Thallium
MW-13 (S) up gradient	4/8/2021	2.6	380	130	0.4	8.08	1500	2700	< 0.003	0.021	0.21	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.025	0.77	< 0.0025	< 0.002
	5/13/2021	2.6	340	130	0.39	7.86	1400	2500	< 0.003	0.023	0.23	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.022	0.84	< 0.0025	< 0.002
	6/2/2021	3.2	270	120	0.41	7.65	1500	2600	< 0.003	0.025	0.22	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.023	0.79	< 0.0025	< 0.002
	8/23/2021	3.0	340	110	0.36	7.72	980	2000	< 0.003	0.021	0.19	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.022	0.9	< 0.0025	< 0.002
	10/1/2021	2.8	330	120	0.36	7.78	1300	2000	< 0.003	0.025	0.25	< 0.001	< 0.0005	< 0.005	< 0.001	0.00065	*1+ < 0.01	< 0.0002	0.023	< 0.577	< 0.0025	< 0.002
	11/30/2021	3.1	330	120	0.36	7.79	> 1000	2100	< 0.003	0.024	0.19	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.021	0.635	< 0.0025	< 0.002
	1/18/2022	3.1	280	120	0.4	7.72	950	2000	< 0.003	0.028	0.25	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.023	1.57	< 0.0025	< 0.002
	2/9/2022	2.8	310	120	0.41	7.67	2200	< 0.003	0.026	0.25	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.00061	< 0.002	< 0.0002	0.02	1.34	< 0.0025	< 0.002
	6/8/2022	3.2	240	100	0.37	7.96	860	1800	< 0.003	0.021	0.17	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.002	< 0.0002	0.021	< 0.502	< 0.0025	< 0.002
	8/31/2022	2.9	B 250	110	0.39	7.64	FI 780	1900	< 0.003	0.022	0.19	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.002	< 0.0002	0.02	< 0.39	< 0.0025	< 0.002
	11/16/2022	2.6	280	120	0.83	7.97	910	2100	< 0.003	0.029	0.21	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.018	1.04	< 0.0025	< 0.002
	2/23/2023	2.1	220	130	0.42	8.38	660	1700	< 0.003	0.028	0.22	*1+ < 0.010	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0003	0.020	1.15	< 0.0025	< 0.0020
	5/17/2023	3.0	200	130	0.41	7.88	640	1700	< 0.003	0.022	0.13	*1+ < 0.010	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0003	0.017	< 0.447	< 0.0025	< 0.0020
	8/30/2023	2.3	180	140	0.41	7.78	640	1700	< 0.003	0.023	0.14	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0003	0.016	2.67	< 0.0025	< 0.0020
	11/9/2023	2.2	180	130	0.40	7.78	630	1500	< 0.003	0.025	0.15	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0003	0.019	1.29	< 0.0025	< 0.0020
	2/20/2024	3.0	180	130	0.44	8.15	480	1500	< 0.003	0.025	0.15	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 10	< 0.0003	0.015	< 0.699	< 0.0025	< 0.0020
	6/19/2024	2.5	150	110	0.47	7.71	360	1100	< 0.003	0.017	0.097	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	*1+ < 0.010	< 0.0003	0.021	< 0.662	< 0.0025	< 0.0020
	11/18/2024	1.5	270	H 210	H 0.53	6.55	H 1400	H 2400	< 0.003	0.03	0.096	* < 0.001	< 0.00061	< 0.005	< 0.001	< 0.0005	0.042	H 0.0002	0.023	< 0.599	< 0.0065	< 0.002
	2/25/2026	2.0	240	110	0.61	6.84	610	1700	< 0.003	0.025	0.083	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.041	< 0.0002	0.035	0.870	0.045	< 0.002
	5/19/2026	2.7	320	240	0.53	6.83	1200	2800	< 0.003	0.04	0.097	< 0.001	0.00098	< 0.005	< 0.001	< 0.0005	0.044	< 0.0002	0.041	< 0.420	0.0607	< 0.002
8/18/2026	1.5	200	FI 170	0.54	6.96	660	1900	< 0.003	0.013	0.041	< 0.001	0.00041	< 0.005	< 0.001	< 0.0005	0.028	< 0.0002	0.027	< 0.672	0.0601	< 0.002	
11/17/2026	1.3	120	180	0.47	6.91	560	1900	< 0.003	0.033	0.031	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.016	< 0.0002	0.018	< 0.870	0.0078	< 0.002	
2/17/2027	1.9	200	190	0.43	7.24	670	1700	< 0.003	0.02	0.056	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.025	< 0.0002	0.027	< 0.392	0.0032	< 0.002	
5/4/2027	1.5	180	200	0.37	7.35	670	1700	< 0.003	0.011	0.049	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.023	< 0.0002	0.023	< 0.456	0.0034	< 0.002	
6/21/2027	1.6	180	200	0.56	7.26	520	1600	< 0.003	0.0093	0.054	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.027	< 0.0002	0.03	< 0.347	0.019	< 0.002	
8/29/2027	2.2	190	200	0.53	6.87	540	1800	< 0.003	0.0018	0.044	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.023	< 0.0002	0.032	< 0.377	0.0092	< 0.002	
11/10/2027	1.6	170	180	0.63	7.09	530	1500	< 0.003	0.0063	0.046	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.025	< 0.0002	0.02	< 0.313	0.016	< 0.002	
5/17/2028	2.3	200	140	0.5	6.73	680	1800	< 0.003	0.0081	0.05	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.029	< 0.0002	0.03	0.397	0.077	< 0.002	
8/2/2028	1.8	180	200	0.48	7.08	520	1700	< 0.003	0.04	0.039	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.026	< 0.0002	0.03	< 0.566	0.003	< 0.002	
5/2/2029	1.5	180	200	0.52	6.89	420	1500	< 0.003	0.0045	0.052	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.027	< 0.0002	0.023	< 0.424	< 0.0025	< 0.002	
11/14/2029	1.8	170	170	0.5	7.24	260	1300	< 0.003	0.0044	0.053	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.029	< 0.0002	0.025	< 0.478	< 0.0025	< 0.002	
4/29/2020	1.2	140	200	0.58	6.90	370	1500	NA	0.036	0.06	NA	< 0.001	< 0.0005	NA	< 0.001	< 0.0005	0.027	< 0.0002	0.023	< 0.575	< 0.0025	< 0.002
12/8/2020	1.5	170	200	0.55	7.04	540	1400	NA	0.01	0.10	NA	< 0.001	< 0.0005	NA	< 0.001	< 0.0005	0.012	< 0.0002	0.02	< 0.626	< 0.0025	< 0.002
5/12/2021	1.3	180	180	0.54	6.97	520	1500	< 0.003	0.0048	0.065	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.026	< 0.0002	0.014	< 0.648	0.0071	< 0.002	
7/20/2021	1.5	190	180	0.49	6.80	440	1500	< 0.003	0.0027	0.057	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.028	< 0.0002	0.02	< 0.398	< 0.0025	< 0.002	
8/23/2021	1.6	180	180	0.52	6.76	440	1500	< 0.003	0.0019	0.05	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.026	< 0.0002	0.02	< 0.784	0.012	< 0.002	
10/1/2021	1.2	180	180	0.53	6.97	430	1400	< 0.003	0.0087	0.065	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	*1+ 0.028	< 0.0002	0.018	< 0.511	0.009	< 0.002	
11/29/2021	1.9	230	240	0.5	6.71	> 450	1700	< 0.003	0.0031	0.074	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.024	< 0.0002	0.016	< 0.353	0.055	< 0.002	
2/9/2022	0.84	140	140	0.58	6.91	320	1200	< 0.003	0.0075	0.057	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.023	< 0.0002	0.014	< 0.51	0.023	< 0.002	
6/8/2022	1.9	190	200	0.43	6.99	290	1400	< 0.003	0.01	0.049	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.027	< 0.0002	0.019	< 0.617	0.012	< 0.002	
8/31/2022	1.5	B 210	270	0.5	6.80	550	1900	< 0.003	0.0054	0.057	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.03	< 0.0002	0.022	< 0.548	0.008	< 0.002	
11/16/2022	1.3	210	220	0.81	7.26	400	1500	< 0.003	0.012	0.068	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.026	< 0.0002	0.05	0.851	< 0.0025	< 0.002	
2/22/2023	1.3	190	210	0.37	7.52	370	1400	< 0.003	0.0049	0.055	*1+ < 0.010	< 0.0005	< 0.005	< 0.001	< 0.0005	0.024	< 0.0002	0.096	0.725	0.028	< 0.002	
5/17/2023	1.3	200	200	0.42	6.84	360	1400	< 0.003	0.0052	0.071	*1+ < 0.010	< 0.0005	< 0.005	< 0.001	< 0.0005	0.021	< 0.0002	0.045	0.547	0.17	< 0.002	

Table 2. Groundwater Turbidity - Midwest Generation, LLC, Powerton Station, Pekin, IL. Metal Cleaning Basin.

Well	Date	Turbidity (NTU)
MW-13	2/24/2021	8.90
	4/8/2021	6.50
	5/13/2021	2.17
	6/3/2021	2.81
	6/29/2021	4.00
	8/23/2021	3.99
	10/1/2021	4.82
	11/30/2021	5.51
	1/6/2022	16.87
	2/9/2022	1.99
	6/8/2022	30.66
	8/31/2022	16.22
	11/16/2022	4.82
	2/23/2023	23.89
	5/17/2023	10.09
	8/30/2023	14.95
	11/6/2023	15.43
2/20/2024	9.11	
6/19/2024	7.18	
MW-15	2/24/2021	64.90
	4/9/2021	16.80
	5/12/2021	16.45
	6/3/2021	7.85
	6/29/2021	6.58
	7/20/2021	5.82
	8/23/2021	4.28
	10/1/2021	13.13
	11/29/2021	12.35
	2/7/2022	9.38
	6/8/2022	10.32
	8/31/2022	28.7
	11/16/2022	55.82
	2/23/2023	21.36
	5/17/2023	13.90
	8/30/2023	34.65
	11/6/2023	9.00
2/20/2024	23.85	
6/18/2024	16.02	
MW-17	2/24/2021	42.00
	4/8/2021	17.10
	5/12/2021	10.90
	6/3/2021	38.15
	6/28/2021	29.15
	7/20/2021	16.38
	8/23/2021	26.51
	10/1/2021	21.26
	11/30/2021	8.86
	2/9/2022	11.19
	6/8/2022	41.49
	8/31/2022	22.58
	11/16/2022	116.69
	2/23/2023	20.65
	5/18/2023	9.92
	8/30/2023	3.56
	11/6/2023	6.02
2/19/2024	6.01	
6/17/2024	9.95	

NM - Not Measured due to insufficient water volume.

Table 2. Groundwater Turbidity - Midwest Generation, LLC, Powerton Station, Pekin, IL. Metal Cleaning Basin.

Well	Date	Turbidity (NTU)
MW-14	2/24/2021	13.90
	4/8/2021	5.39
	5/12/2021	1.22
	6/3/2021	2.63
	6/28/2021	3.74
	7/20/2021	4.34
	8/23/2021	4.26
	10/1/2021	10.27
	11/29/2021	12.29
	2/9/2022	8.66
	6/8/2022	19.54
	8/31/2022	40.75
	11/17/2022	31.69
	2/21/2023	7.33
	5/17/2023	7.08
	8/29/2023	1.95
	11/6/2023	34.43
2/20/2024	6.79	
6/18/2024	8.71	
MW-20	3/12/2021	343.30
	4/8/2021	14.45
	5/12/2021	3.89
	6/3/2021	6.01
	6/28/2021	8.28
	7/20/2021	9.16
	8/23/2021	27.31
	10/1/2021	8.27
	11/29/2021	8.35
	2/8/2022	76.4
	6/9/2022	19.31
	9/1/2022	63.5
	11/17/2022	NM
	2/21/2023	NM
	6/26/2023	48.01
	8/29/2023	NM
	11/8/2023	NM
2/18/2024	10.54	
6/17/2024	9.87	
MW-21	3/12/2021	49.20
	4/8/2021	5.88
	5/12/2021	26.09
	6/3/2021	17.61
	6/28/2021	6.33
	7/20/2021	44.93
	8/23/2021	19.43
	10/8/2021	94.82
	11/29/2021	20.2
	3/1/2022	7.64
	6/9/2022	7.56
	9/1/2022	NM
	11/17/2022	NM
	2/20/2023	25.99
	5/18/2023	7.50
	8/30/2023	41.82
	11/8/2023	NM
2/18/2024	143.02	
6/17/2024	78.00	

NM - Not Measured due to insufficient water volume.

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Richard Gnat
KPRG and Associates, Inc.
14665 West Lisbon Road,
Suite 1A
Brookfield, Wisconsin 53005

Generated 7/11/2024 12:47:16 PM

JOB DESCRIPTION

Powerton CCR

JOB NUMBER

500-252291-1

Eurofins Chicago

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

Authorization



Generated
7/11/2024 12:47:16 PM

Authorized for release by
Diana Mockler, Project Manager I
Diana.Mockler@et.eurofinsus.com
(219)252-7570



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	34
QC Association	35
QC Sample Results	43
Chain of Custody	54
Receipt Checklists	65
Chronicle	66
Certification Summary	76

Case Narrative

Client: KPRG and Associates, Inc.
Project: Powerton CCR

Job ID: 500-252291-1

Job ID: 500-252291-1

Eurofins Chicago

Job Narrative 500-252291-1

Receipt

The samples were received on 6/18/2024 9:45 AM, 6/19/2024 9:50 AM, 6/20/2024 9:45 AM and 6/21/2024 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 10 coolers at receipt time were 0.2°C, 3.4°C, 4.6°C, 4.7°C, 5.0°C, 5.0°C, 5.5°C, 5.8°C, 5.9°C and 7.1°C.

Receipt Exceptions

he following sample(s) was received at the laboratory outside the required temperature criteria: receiving cooler temp 7.1°C, water present in cooler no visible ice. Samples in cooler (#24 MW-08 and #25 MW-09):.

Metals

Method 6020B - Total Recoverable: The initial calibration verification (ICV) result for batch 500-776031 was above the upper control limit. The affected analytes are: Lithium. Sample results were below the reporting limit, and have been reported as qualified data.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Chicago

Method Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method	Method Description	Protocol	Laboratory
6020B	Metals (ICP/MS)	SW846	EET CHI
7470A	Mercury (CVAA)	SW846	EET CHI
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CHI
SM 4500 Cl- E	Chloride, Total	SM	EET CHI
SM 4500 F C	Fluoride	SM	EET CHI
SM 4500 SO4 E	Sulfate, Total	SM	EET CHI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CHI
7470A	Preparation, Mercury	SW846	EET CHI

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-252291-1	MW-17	Water	06/17/24 14:46	06/18/24 09:45
500-252291-2	MW-18	Water	06/17/24 15:39	06/18/24 09:45
500-252291-3	MW-19	Water	06/17/24 16:20	06/18/24 09:45
500-252291-4	MW-20	Water	06/17/24 13:37	06/18/24 09:45
500-252291-5	MW-21	Water	06/17/24 11:36	06/18/24 09:45
500-252291-6	MW-21D	Water	06/17/24 12:42	06/18/24 09:45
500-252291-7	Duplicate 1	Water	06/18/24 00:00	06/19/24 09:50
500-252291-8	MW-14	Water	06/18/24 09:41	06/19/24 09:50
500-252291-9	MW-15	Water	06/18/24 11:10	06/19/24 09:50
500-252291-10	MW-16	Water	06/18/24 15:13	06/19/24 09:50
500-252291-11	MW-06	Water	06/18/24 12:44	06/19/24 09:50
500-252291-12	MW-07	Water	06/18/24 13:56	06/19/24 09:50
500-252291-13	MW-01	Water	06/19/24 11:06	06/20/24 09:45
500-252291-14	MW-02	Water	06/19/24 08:57	06/20/24 09:45
500-252291-15	MW-03	Water	06/19/24 10:02	06/20/24 09:45
500-252291-16	MW-04	Water	06/19/24 12:20	06/20/24 09:45
500-252291-17	MW-05	Water	06/19/24 13:18	06/20/24 09:45
500-252291-18	MW-13	Water	06/19/24 14:28	06/20/24 09:45
500-252291-19	Duplicate 2	Water	06/19/24 00:00	06/20/24 09:45
500-252291-20	MW-10	Water	06/19/24 15:32	06/20/24 09:45
500-252291-21	Duplicate 3	Water	06/20/24 00:00	06/21/24 10:00
500-252291-22	MW-22	Water	06/20/24 12:33	06/21/24 10:00
500-252291-23	MW-23	Water	06/20/24 11:47	06/21/24 10:00
500-252291-24	MW-08	Water	06/20/24 08:29	06/21/24 10:00
500-252291-25	MW-09	Water	06/20/24 10:34	06/21/24 10:00
500-252291-26	MW-12R	Water	06/20/24 13:16	06/21/24 10:00
500-252291-27	MW-11	Water	06/20/24 09:25	06/21/24 10:00

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-17

Lab Sample ID: 500-252291-1

Date Collected: 06/17/24 14:46

Matrix: Water

Date Received: 06/18/24 09:45

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 16:35	1
Arsenic	0.0027		0.0010		mg/L		07/09/24 08:31	07/09/24 16:35	1
Barium	0.026		0.0025		mg/L		07/09/24 08:31	07/09/24 16:35	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 16:35	1
Boron	1.1		0.050		mg/L		07/09/24 08:31	07/10/24 12:06	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 16:35	1
Calcium	160		0.20		mg/L		07/09/24 08:31	07/10/24 12:06	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 16:35	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 16:35	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 16:35	1
Lithium	0.013		0.010		mg/L		07/09/24 08:31	07/10/24 12:06	1
Molybdenum	0.062		0.0050		mg/L		07/09/24 08:31	07/09/24 16:35	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 16:35	1
Thallium	0.0022		0.0020		mg/L		07/09/24 08:31	07/09/24 16:35	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:26	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1500		10		mg/L			06/19/24 22:39	1
Chloride (SM 4500 Cl- E)	170		10		mg/L			06/19/24 13:04	5
Fluoride (SM 4500 F C)	0.70		0.10		mg/L			06/28/24 10:53	1
Sulfate (SM 4500 SO4 E)	600		100		mg/L			06/25/24 14:46	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-18
Date Collected: 06/17/24 15:39
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-2
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:00	1
Arsenic	0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:00	1
Barium	0.13		0.0025		mg/L		07/09/24 08:31	07/09/24 17:00	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:00	1
Boron	0.70		0.050		mg/L		07/09/24 08:31	07/10/24 12:17	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:00	1
Calcium	140		0.20		mg/L		07/09/24 08:31	07/10/24 12:17	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:00	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:00	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:00	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:00	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:00	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:00	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:00	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:28	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1100		10		mg/L			06/19/24 22:46	1
Chloride (SM 4500 Cl- E)	160		10		mg/L			06/19/24 13:05	5
Fluoride (SM 4500 F C)	0.52		0.10		mg/L			07/10/24 16:51	1
Sulfate (SM 4500 SO4 E)	89		10		mg/L			06/25/24 13:33	2

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-19

Lab Sample ID: 500-252291-3

Date Collected: 06/17/24 16:20

Matrix: Water

Date Received: 06/18/24 09:45

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:03	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:03	1
Barium	0.088		0.0025		mg/L		07/09/24 08:31	07/09/24 17:03	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:03	1
Boron	2.1		0.25		mg/L		07/09/24 08:31	07/10/24 12:19	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:03	1
Calcium	110		1.0		mg/L		07/09/24 08:31	07/10/24 12:19	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:03	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:03	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:03	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:03	1
Molybdenum	0.022		0.0050		mg/L		07/09/24 08:31	07/09/24 17:03	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:03	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:03	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:31	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	710		10		mg/L			06/19/24 22:52	1
Chloride (SM 4500 Cl- E)	43		2.0		mg/L			06/19/24 12:22	1
Fluoride (SM 4500 F C)	0.15		0.10		mg/L			07/10/24 17:06	1
Sulfate (SM 4500 SO4 E)	130	F1	25		mg/L			06/25/24 14:48	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-20
Date Collected: 06/17/24 13:37
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-4
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:07	1
Arsenic	0.0054		0.0010		mg/L		07/09/24 08:31	07/09/24 17:07	1
Barium	0.085		0.0025		mg/L		07/09/24 08:31	07/09/24 17:07	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:07	1
Boron	1.6		0.050		mg/L		07/09/24 08:31	07/10/24 12:25	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:07	1
Calcium	270		0.20		mg/L		07/09/24 08:31	07/10/24 12:25	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:07	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:07	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:07	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:07	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:07	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:07	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:07	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	2000		10		mg/L			06/19/24 22:54	1
Chloride (SM 4500 Cl- E)	64		4.0		mg/L			06/19/24 13:03	2
Fluoride (SM 4500 F C)	0.14		0.10		mg/L			07/10/24 17:11	1
Sulfate (SM 4500 SO4 E)	640		100		mg/L			06/25/24 14:47	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-21
Date Collected: 06/17/24 11:36
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-5
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:11	1
Arsenic	0.034		0.0010		mg/L		07/09/24 08:31	07/09/24 17:11	1
Barium	0.35		0.0025		mg/L		07/09/24 08:31	07/09/24 17:11	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:11	1
Boron	0.52		0.050		mg/L		07/09/24 08:31	07/10/24 12:27	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:11	1
Calcium	140		0.20		mg/L		07/09/24 08:31	07/10/24 12:27	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:11	1
Cobalt	0.0046		0.0010		mg/L		07/09/24 08:31	07/09/24 17:11	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:11	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:11	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:11	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:11	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:11	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:56	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	690		10		mg/L			06/19/24 22:57	1
Chloride (SM 4500 Cl- E)	23		2.0		mg/L			06/19/24 12:23	1
Fluoride (SM 4500 F C)	0.17		0.10		mg/L			07/10/24 17:15	1
Sulfate (SM 4500 SO4 E)	<5.0		5.0		mg/L			06/25/24 13:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-21D

Lab Sample ID: 500-252291-6

Date Collected: 06/17/24 12:42

Matrix: Water

Date Received: 06/18/24 09:45

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:14	1
Arsenic	0.0033		0.0010		mg/L		07/09/24 08:31	07/09/24 17:14	1
Barium	0.46		0.0025		mg/L		07/09/24 08:31	07/09/24 17:14	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:14	1
Boron	2.0		0.25		mg/L		07/09/24 08:31	07/10/24 12:29	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:14	1
Calcium	81		1.0		mg/L		07/09/24 08:31	07/10/24 12:29	5
Chromium	0.0076		0.0050		mg/L		07/09/24 08:31	07/09/24 17:14	1
Cobalt	0.0047		0.0010		mg/L		07/09/24 08:31	07/09/24 17:14	1
Lead	0.0036		0.00050		mg/L		07/09/24 08:31	07/09/24 17:14	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:14	1
Molybdenum	0.021		0.0050		mg/L		07/09/24 08:31	07/09/24 17:14	1
Selenium	0.0031		0.0025		mg/L		07/09/24 08:31	07/09/24 17:14	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:14	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:58	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	570		10		mg/L			06/19/24 22:59	1
Chloride (SM 4500 Cl- E)	73		4.0		mg/L			06/19/24 13:04	2
Fluoride (SM 4500 F C)	0.41		0.10		mg/L			07/10/24 17:20	1
Sulfate (SM 4500 SO4 E)	140		25		mg/L			06/25/24 14:48	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: Duplicate 1

Lab Sample ID: 500-252291-7

Date Collected: 06/18/24 00:00

Matrix: Water

Date Received: 06/19/24 09:50

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:18	1
Arsenic	0.0020		0.0010		mg/L		07/09/24 08:31	07/09/24 17:18	1
Barium	0.067		0.0025		mg/L		07/09/24 08:31	07/09/24 17:18	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:18	1
Boron	1.8		0.25		mg/L		07/09/24 08:31	07/10/24 12:31	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:18	1
Calcium	290		1.0		mg/L		07/09/24 08:31	07/10/24 12:31	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:18	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:18	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:18	1
Lithium	<0.050		0.050		mg/L		07/09/24 08:31	07/10/24 12:31	5
Molybdenum	0.030		0.0050		mg/L		07/09/24 08:31	07/09/24 17:18	1
Selenium	0.021		0.0025		mg/L		07/09/24 08:31	07/09/24 17:18	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:18	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 09:07	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	2100		10		mg/L			06/19/24 23:02	1
Chloride (SM 4500 Cl- E)	330		20		mg/L			06/23/24 11:53	10
Fluoride (SM 4500 F C)	0.47		0.10		mg/L			07/10/24 17:25	1
Sulfate (SM 4500 SO4 E)	600		100		mg/L			06/25/24 15:50	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-14
Date Collected: 06/18/24 09:41
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-8
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:21	1
Arsenic	0.0020		0.0010		mg/L		07/09/24 08:31	07/09/24 17:21	1
Barium	0.058		0.0025		mg/L		07/09/24 08:31	07/09/24 17:21	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:21	1
Boron	2.2		0.25		mg/L		07/09/24 08:31	07/10/24 12:33	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:21	1
Calcium	290		1.0		mg/L		07/09/24 08:31	07/10/24 12:33	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:21	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:21	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:21	1
Lithium	<0.050		0.050		mg/L		07/09/24 08:31	07/10/24 12:33	5
Molybdenum	0.10		0.0050		mg/L		07/09/24 08:31	07/09/24 17:21	1
Selenium	0.053		0.0025		mg/L		07/09/24 08:31	07/09/24 17:21	1
Thallium	0.0051		0.0020		mg/L		07/09/24 08:31	07/09/24 17:21	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 09:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	3900		10		mg/L			06/19/24 23:05	1
Chloride (SM 4500 Cl- E)	85		4.0		mg/L			06/20/24 11:02	2
Fluoride (SM 4500 F C)	1.1		0.10		mg/L			07/10/24 17:40	1
Sulfate (SM 4500 SO4 E)	1500		500		mg/L			06/25/24 15:01	100

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-15
Date Collected: 06/18/24 11:10
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-9
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:25	1
Arsenic	0.0025		0.0010		mg/L		07/09/24 08:31	07/09/24 17:25	1
Barium	0.068		0.0025		mg/L		07/09/24 08:31	07/09/24 17:25	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:25	1
Boron	1.8		0.25		mg/L		07/09/24 08:31	07/10/24 12:36	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:25	1
Calcium	290		1.0		mg/L		07/09/24 08:31	07/10/24 12:36	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:25	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:25	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:25	1
Lithium	<0.050		0.050		mg/L		07/09/24 08:31	07/10/24 12:36	5
Molybdenum	0.031		0.0050		mg/L		07/09/24 08:31	07/09/24 17:25	1
Selenium	0.022		0.0025		mg/L		07/09/24 08:31	07/09/24 17:25	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:25	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 09:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	2000		10		mg/L			06/19/24 23:07	1
Chloride (SM 4500 Cl- E)	340		20		mg/L			06/20/24 11:02	10
Fluoride (SM 4500 F C)	0.47		0.10		mg/L			07/10/24 17:45	1
Sulfate (SM 4500 SO4 E)	630		100		mg/L			06/25/24 14:48	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-16
Date Collected: 06/18/24 15:13
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-10
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:29	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:29	1
Barium	0.040		0.0025		mg/L		07/09/24 08:31	07/09/24 17:29	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:29	1
Boron	0.19		0.050		mg/L		07/09/24 08:31	07/10/24 12:38	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:29	1
Calcium	110		0.20		mg/L		07/09/24 08:31	07/10/24 12:38	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:29	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:29	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:29	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:29	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:29	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:29	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:29	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 09:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	510		10		mg/L			06/19/24 23:10	1
Chloride (SM 4500 Cl- E)	21		2.0		mg/L			06/20/24 10:14	1
Fluoride (SM 4500 F C)	<0.10		0.10		mg/L			07/10/24 17:49	1
Sulfate (SM 4500 SO4 E)	39		5.0		mg/L			06/25/24 13:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-06
Date Collected: 06/18/24 12:44
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-11
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:32	1
Arsenic	0.0021		0.0010		mg/L		07/09/24 08:31	07/09/24 17:32	1
Barium	0.059		0.0025		mg/L		07/09/24 08:31	07/09/24 17:32	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:32	1
Boron	0.39		0.050		mg/L		07/09/24 08:31	07/10/24 12:40	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:32	1
Calcium	94		0.20		mg/L		07/09/24 08:31	07/10/24 12:40	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:32	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:32	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:32	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:32	1
Molybdenum	0.010		0.0050		mg/L		07/09/24 08:31	07/09/24 17:32	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:32	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:32	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:02	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	820		10		mg/L			06/19/24 23:12	1
Chloride (SM 4500 Cl- E)	140		10		mg/L			06/20/24 11:02	5
Fluoride (SM 4500 F C)	0.49		0.10		mg/L			07/10/24 17:54	1
Sulfate (SM 4500 SO4 E)	220		25		mg/L			06/25/24 13:35	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-07

Lab Sample ID: 500-252291-12

Date Collected: 06/18/24 13:56

Matrix: Water

Date Received: 06/19/24 09:50

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:43	1
Arsenic	0.12		0.0010		mg/L		07/09/24 08:31	07/09/24 17:43	1
Barium	0.48		0.0025		mg/L		07/09/24 08:31	07/09/24 17:43	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:43	1
Boron	0.79		0.050		mg/L		07/09/24 08:31	07/10/24 12:42	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:43	1
Calcium	230		0.20		mg/L		07/09/24 08:31	07/10/24 12:42	1
Chromium	0.0073		0.0050		mg/L		07/09/24 08:31	07/09/24 17:43	1
Cobalt	0.0088		0.0010		mg/L		07/09/24 08:31	07/09/24 17:43	1
Lead	0.0051		0.00050		mg/L		07/09/24 08:31	07/09/24 17:43	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:43	1
Molybdenum	0.0058		0.0050		mg/L		07/09/24 08:31	07/09/24 17:43	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:43	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:43	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1100		10		mg/L			06/19/24 23:15	1
Chloride (SM 4500 Cl- E)	130		10		mg/L			06/20/24 11:03	5
Fluoride (SM 4500 F C)	0.50		0.10		mg/L			07/10/24 17:58	1
Sulfate (SM 4500 SO4 E)	49		5.0		mg/L			06/25/24 13:16	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-01
Date Collected: 06/19/24 11:06
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-13
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:47	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:47	1
Barium	0.053		0.0025		mg/L		07/09/24 08:31	07/09/24 17:47	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:47	1
Boron	0.14		0.050		mg/L		07/09/24 08:31	07/10/24 12:44	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:47	1
Calcium	100		0.20		mg/L		07/09/24 08:31	07/10/24 12:44	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:47	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:47	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:47	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:47	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:47	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:47	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:47	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:06	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	550		10		mg/L			06/20/24 22:34	1
Chloride (SM 4500 Cl- E)	78		4.0		mg/L			06/23/24 11:53	2
Fluoride (SM 4500 F C)	0.12		0.10		mg/L			07/10/24 18:03	1
Sulfate (SM 4500 SO4 E)	29		5.0		mg/L			06/25/24 15:19	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-02
Date Collected: 06/19/24 08:57
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-14
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:50	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:50	1
Barium	0.089		0.0025		mg/L		07/09/24 08:31	07/09/24 17:50	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:50	1
Boron	1.4		0.25		mg/L		07/09/24 08:31	07/10/24 12:50	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:50	1
Calcium	110		1.0		mg/L		07/09/24 08:31	07/10/24 12:50	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:50	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:50	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:50	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:50	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:50	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:50	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:50	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	610		10		mg/L			06/20/24 22:41	1
Chloride (SM 4500 Cl- E)	57		4.0		mg/L			06/23/24 11:54	2
Fluoride (SM 4500 F C)	0.15		0.10		mg/L			07/10/24 18:08	1
Sulfate (SM 4500 SO4 E)	82		10		mg/L			06/25/24 15:31	2

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-03
Date Collected: 06/19/24 10:02
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-15
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:54	1
Arsenic	0.0011		0.0010		mg/L		07/09/24 08:31	07/09/24 17:54	1
Barium	0.078		0.0025		mg/L		07/09/24 08:31	07/09/24 17:54	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:54	1
Boron	0.93		0.050		mg/L		07/09/24 08:31	07/10/24 12:52	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:54	1
Calcium	100		0.20		mg/L		07/09/24 08:31	07/10/24 12:52	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:54	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:54	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:54	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:54	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:54	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:54	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:54	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:10	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	540		10		mg/L			06/20/24 22:47	1
Chloride (SM 4500 Cl- E)	54		4.0		mg/L			06/23/24 11:54	2
Fluoride (SM 4500 F C)	0.24		0.10		mg/L			07/10/24 18:13	1
Sulfate (SM 4500 SO4 E)	73		10		mg/L			06/25/24 15:31	2

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-04
Date Collected: 06/19/24 12:20
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-16
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 17:57	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:57	1
Barium	0.049		0.0025		mg/L		07/09/24 08:31	07/09/24 17:57	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:57	1
Boron	1.3		0.050		mg/L		07/09/24 08:31	07/10/24 12:54	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:57	1
Calcium	120		0.20		mg/L		07/09/24 08:31	07/10/24 12:54	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:57	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 17:57	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 17:57	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 17:57	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 17:57	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 17:57	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 17:57	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:12	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	670		10		mg/L			06/20/24 22:49	1
Chloride (SM 4500 Cl- E)	57		4.0		mg/L			06/23/24 11:54	2
Fluoride (SM 4500 F C)	0.30		0.10		mg/L			07/10/24 18:17	1
Sulfate (SM 4500 SO4 E)	150		25		mg/L			06/25/24 15:50	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-05
Date Collected: 06/19/24 13:18
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-17
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 18:01	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:01	1
Barium	0.057		0.0025		mg/L		07/09/24 08:31	07/09/24 18:01	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:01	1
Boron	1.8		0.050		mg/L		07/09/24 08:31	07/10/24 12:56	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:01	1
Calcium	140		0.20		mg/L		07/09/24 08:31	07/10/24 12:56	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:01	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:01	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:01	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 18:01	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:01	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 18:01	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 18:01	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 09:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	850		10		mg/L			06/20/24 22:52	1
Chloride (SM 4500 Cl- E)	82		4.0		mg/L			06/23/24 11:55	2
Fluoride (SM 4500 F C)	0.33		0.10		mg/L			07/10/24 18:21	1
Sulfate (SM 4500 SO4 E)	190		25		mg/L			06/25/24 15:32	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-13
Date Collected: 06/19/24 14:28
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-18
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 18:05	1
Arsenic	0.017		0.0010		mg/L		07/09/24 08:31	07/09/24 18:05	1
Barium	0.097		0.0025		mg/L		07/09/24 08:31	07/09/24 18:05	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:05	1
Boron	2.5		0.25		mg/L		07/09/24 08:31	07/10/24 12:58	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:05	1
Calcium	150		1.0		mg/L		07/09/24 08:31	07/10/24 12:58	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:05	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:05	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:05	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 18:05	1
Molybdenum	0.021		0.0050		mg/L		07/09/24 08:31	07/09/24 18:05	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 18:05	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 18:05	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1100		10		mg/L			06/20/24 22:54	1
Chloride (SM 4500 Cl- E)	110		10		mg/L			06/23/24 11:55	5
Fluoride (SM 4500 F C)	0.47		0.10		mg/L			07/10/24 18:36	1
Sulfate (SM 4500 SO4 E)	360		50		mg/L			06/25/24 15:51	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: Duplicate 2

Lab Sample ID: 500-252291-19

Date Collected: 06/19/24 00:00

Matrix: Water

Date Received: 06/20/24 09:45

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 18:08	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:08	1
Barium	0.055		0.0025		mg/L		07/09/24 08:31	07/09/24 18:08	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:08	1
Boron	0.14		0.050		mg/L		07/09/24 08:31	07/10/24 13:01	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:08	1
Calcium	110		0.20		mg/L		07/09/24 08:31	07/10/24 13:01	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:08	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:08	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:08	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 18:08	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:08	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 18:08	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 18:08	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	480		10		mg/L			06/20/24 22:57	1
Chloride (SM 4500 Cl- E)	78		4.0		mg/L			06/23/24 11:55	2
Fluoride (SM 4500 F C)	0.12		0.10		mg/L			07/10/24 18:40	1
Sulfate (SM 4500 SO4 E)	29		5.0		mg/L			06/25/24 15:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-10

Lab Sample ID: 500-252291-20

Date Collected: 06/19/24 15:32

Matrix: Water

Date Received: 06/20/24 09:45

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 18:12	1
Arsenic	0.0012		0.0010		mg/L		07/09/24 08:31	07/09/24 18:12	1
Barium	0.25		0.0025		mg/L		07/09/24 08:31	07/09/24 18:12	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 18:12	1
Boron	5.8		0.50		mg/L		07/09/24 08:31	07/10/24 13:03	10
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 18:12	1
Calcium	130		2.0		mg/L		07/09/24 08:31	07/10/24 13:03	10
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:12	1
Cobalt	0.0071		0.0010		mg/L		07/09/24 08:31	07/09/24 18:12	1
Lead	0.0014		0.00050		mg/L		07/09/24 08:31	07/09/24 18:12	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:31	07/09/24 18:12	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 18:12	1
Selenium	0.0066		0.0025		mg/L		07/09/24 08:31	07/09/24 18:12	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 18:12	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:42	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	710		10		mg/L			06/20/24 23:00	1
Chloride (SM 4500 Cl- E)	35		2.0		mg/L			06/23/24 11:22	1
Fluoride (SM 4500 F C)	0.28		0.10		mg/L			07/10/24 18:45	1
Sulfate (SM 4500 SO4 E)	150		25		mg/L			06/25/24 15:51	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: Duplicate 3

Lab Sample ID: 500-252291-21

Date Collected: 06/20/24 00:00

Matrix: Water

Date Received: 06/21/24 10:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 18:30	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:30	1
Barium	0.033		0.0025		mg/L		07/09/24 08:32	07/09/24 18:30	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:30	1
Boron	2.9		0.25		mg/L		07/09/24 08:32	07/10/24 13:13	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:30	1
Calcium	69		1.0		mg/L		07/09/24 08:32	07/10/24 13:13	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:30	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:30	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:30	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:32	07/09/24 18:30	1
Molybdenum	0.024		0.0050		mg/L		07/09/24 08:32	07/09/24 18:30	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 18:30	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 18:30	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	640		10		mg/L			06/23/24 21:05	1
Chloride (SM 4500 Cl- E)	28		2.0		mg/L			06/23/24 11:22	1
Fluoride (SM 4500 F C)	0.17		0.10		mg/L			07/10/24 18:49	1
Sulfate (SM 4500 SO4 E)	120		25		mg/L			06/25/24 15:51	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-22
Date Collected: 06/20/24 12:33
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-22
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 18:48	1
Arsenic	0.0037		0.0010		mg/L		07/09/24 08:32	07/09/24 18:48	1
Barium	0.14		0.0025		mg/L		07/09/24 08:32	07/09/24 18:48	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:48	1
Boron	0.98		0.050		mg/L		07/09/24 08:32	07/10/24 13:24	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:48	1
Calcium	130		0.20		mg/L		07/09/24 08:32	07/10/24 13:24	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:48	1
Cobalt	0.0027		0.0010		mg/L		07/09/24 08:32	07/09/24 18:48	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:48	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:32	07/09/24 18:48	1
Molybdenum	0.028		0.0050		mg/L		07/09/24 08:32	07/09/24 18:48	1
Selenium	0.0029		0.0025		mg/L		07/09/24 08:32	07/09/24 18:48	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 18:48	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	940		10		mg/L			06/23/24 21:07	1
Chloride (SM 4500 Cl- E)	110		10		mg/L			06/23/24 11:56	5
Fluoride (SM 4500 F C)	0.40		0.10		mg/L			07/10/24 19:04	1
Sulfate (SM 4500 SO4 E)	220		25		mg/L			06/25/24 15:33	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-23
Date Collected: 06/20/24 11:47
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-23
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 18:52	1
Arsenic	0.0027		0.0010		mg/L		07/09/24 08:32	07/09/24 18:52	1
Barium	0.18		0.0025		mg/L		07/09/24 08:32	07/09/24 18:52	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:52	1
Boron	2.9		0.25		mg/L		07/09/24 08:32	07/10/24 13:26	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:52	1
Calcium	75		1.0		mg/L		07/09/24 08:32	07/10/24 13:26	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:52	1
Cobalt	0.0060		0.0010		mg/L		07/09/24 08:32	07/09/24 18:52	1
Lead	0.0017		0.00050		mg/L		07/09/24 08:32	07/09/24 18:52	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:32	07/09/24 18:52	1
Molybdenum	0.018		0.0050		mg/L		07/09/24 08:32	07/09/24 18:52	1
Selenium	0.0041		0.0025		mg/L		07/09/24 08:32	07/09/24 18:52	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 18:52	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	600		10		mg/L			06/23/24 21:10	1
Chloride (SM 4500 Cl- E)	33		2.0		mg/L			06/23/24 11:22	1
Fluoride (SM 4500 F C)	0.17		0.10		mg/L			07/10/24 19:08	1
Sulfate (SM 4500 SO4 E)	110		25		mg/L			06/25/24 15:52	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-08

Lab Sample ID: 500-252291-24

Date Collected: 06/20/24 08:29

Matrix: Water

Date Received: 06/21/24 10:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 18:55	1
Arsenic	0.0021		0.0010		mg/L		07/09/24 08:32	07/09/24 18:55	1
Barium	0.12		0.0025		mg/L		07/09/24 08:32	07/09/24 18:55	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:55	1
Boron	0.85		0.050		mg/L		07/09/24 08:32	07/10/24 13:28	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:55	1
Calcium	140		0.20		mg/L		07/09/24 08:32	07/10/24 13:28	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:55	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:55	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:55	1
Lithium	0.020		0.010		mg/L		07/09/24 08:32	07/10/24 13:28	1
Molybdenum	0.0072		0.0050		mg/L		07/09/24 08:32	07/09/24 18:55	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 18:55	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 18:55	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	920		10		mg/L			06/23/24 21:13	1
Chloride (SM 4500 Cl- E)	120		10		mg/L			06/23/24 11:56	5
Fluoride (SM 4500 F C)	0.30		0.10		mg/L			07/10/24 19:13	1
Sulfate (SM 4500 SO4 E)	150		25		mg/L			06/25/24 15:35	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-09

Lab Sample ID: 500-252291-25

Date Collected: 06/20/24 10:34

Matrix: Water

Date Received: 06/21/24 10:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 19:06	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:06	1
Barium	0.033		0.0025		mg/L		07/09/24 08:32	07/09/24 19:06	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:06	1
Boron	2.9		0.25		mg/L		07/09/24 08:32	07/10/24 13:35	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:06	1
Calcium	69		1.0		mg/L		07/09/24 08:32	07/10/24 13:35	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 19:06	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:06	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:06	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:32	07/09/24 19:06	1
Molybdenum	0.024		0.0050		mg/L		07/09/24 08:32	07/09/24 19:06	1
Selenium	0.0027		0.0025		mg/L		07/09/24 08:32	07/09/24 19:06	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 19:06	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	590		10		mg/L			06/23/24 21:15	1
Chloride (SM 4500 Cl- E)	29		2.0		mg/L			06/23/24 11:23	1
Fluoride (SM 4500 F C)	0.17		0.10		mg/L			07/10/24 19:17	1
Sulfate (SM 4500 SO4 E)	120		25		mg/L			06/25/24 15:52	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-12R

Lab Sample ID: 500-252291-26

Date Collected: 06/20/24 13:16

Matrix: Water

Date Received: 06/21/24 10:00

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 19:10	1
Arsenic	0.0022		0.0010		mg/L		07/09/24 08:32	07/09/24 19:10	1
Barium	0.066		0.0025		mg/L		07/09/24 08:32	07/09/24 19:10	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:10	1
Boron	0.48		0.050		mg/L		07/09/24 08:32	07/10/24 13:37	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:10	1
Calcium	110		0.20		mg/L		07/09/24 08:32	07/10/24 13:37	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 19:10	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:10	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:10	1
Lithium	0.012		0.010		mg/L		07/09/24 08:32	07/10/24 13:37	1
Molybdenum	0.015		0.0050		mg/L		07/09/24 08:32	07/09/24 19:10	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 19:10	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 19:10	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:55	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	1200		10		mg/L			06/23/24 21:18	1
Chloride (SM 4500 Cl- E)	140		10		mg/L			06/23/24 11:57	5
Fluoride (SM 4500 F C)	0.35		0.10		mg/L			07/10/24 19:31	1
Sulfate (SM 4500 SO4 E)	330		50		mg/L			06/25/24 15:52	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-11
Date Collected: 06/20/24 09:25
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-27
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 19:13	1
Arsenic	0.0089		0.0010		mg/L		07/09/24 08:32	07/09/24 19:13	1
Barium	0.19		0.0025		mg/L		07/09/24 08:32	07/09/24 19:13	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 19:13	1
Boron	2.4		0.25		mg/L		07/09/24 08:32	07/10/24 13:39	5
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:13	1
Calcium	120		1.0		mg/L		07/09/24 08:32	07/10/24 13:39	5
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 19:13	1
Cobalt	0.0018		0.0010		mg/L		07/09/24 08:32	07/09/24 19:13	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 19:13	1
Lithium	<0.010	^1+	0.010		mg/L		07/09/24 08:32	07/09/24 19:13	1
Molybdenum	0.014		0.0050		mg/L		07/09/24 08:32	07/09/24 19:13	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 19:13	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 19:13	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 11:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids (SM 2540C)	790		10		mg/L			06/23/24 21:20	1
Chloride (SM 4500 Cl- E)	63		4.0		mg/L			06/23/24 11:57	2
Fluoride (SM 4500 F C)	0.51		0.10		mg/L			07/10/24 19:35	1
Sulfate (SM 4500 SO4 E)	110		25		mg/L			06/25/24 15:53	5

Definitions/Glossary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Qualifiers

Metals

Qualifier	Qualifier Description
^1+	Initial Calibration Verification (ICV) is outside acceptance limits, high biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

General Chemistry

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Metals

Prep Batch: 775706

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	7470A	
500-252291-2	MW-18	Total/NA	Water	7470A	
500-252291-3	MW-19	Total/NA	Water	7470A	
500-252291-4	MW-20	Total/NA	Water	7470A	
500-252291-5	MW-21	Total/NA	Water	7470A	
500-252291-6	MW-21D	Total/NA	Water	7470A	
500-252291-7	Duplicate 1	Total/NA	Water	7470A	
500-252291-8	MW-14	Total/NA	Water	7470A	
500-252291-9	MW-15	Total/NA	Water	7470A	
500-252291-10	MW-16	Total/NA	Water	7470A	
MB 500-775706/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-775706/13-A	Lab Control Sample	Total/NA	Water	7470A	
500-252291-4 MS	MW-20	Total/NA	Water	7470A	
500-252291-4 MSD	MW-20	Total/NA	Water	7470A	
500-252291-4 DU	MW-20	Total/NA	Water	7470A	

Prep Batch: 775846

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total Recoverable	Water	3005A	
500-252291-2	MW-18	Total Recoverable	Water	3005A	
500-252291-3	MW-19	Total Recoverable	Water	3005A	
500-252291-4	MW-20	Total Recoverable	Water	3005A	
500-252291-5	MW-21	Total Recoverable	Water	3005A	
500-252291-6	MW-21D	Total Recoverable	Water	3005A	
500-252291-7	Duplicate 1	Total Recoverable	Water	3005A	
500-252291-8	MW-14	Total Recoverable	Water	3005A	
500-252291-9	MW-15	Total Recoverable	Water	3005A	
500-252291-10	MW-16	Total Recoverable	Water	3005A	
500-252291-11	MW-06	Total Recoverable	Water	3005A	
500-252291-12	MW-07	Total Recoverable	Water	3005A	
500-252291-13	MW-01	Total Recoverable	Water	3005A	
500-252291-14	MW-02	Total Recoverable	Water	3005A	
500-252291-15	MW-03	Total Recoverable	Water	3005A	
500-252291-16	MW-04	Total Recoverable	Water	3005A	
500-252291-17	MW-05	Total Recoverable	Water	3005A	
500-252291-18	MW-13	Total Recoverable	Water	3005A	
500-252291-19	Duplicate 2	Total Recoverable	Water	3005A	
500-252291-20	MW-10	Total Recoverable	Water	3005A	
MB 500-775846/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-775846/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
500-252291-1 MS	MW-17	Total Recoverable	Water	3005A	
500-252291-1 MSD	MW-17	Total Recoverable	Water	3005A	
500-252291-1 DU	MW-17	Total Recoverable	Water	3005A	

Prep Batch: 775847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-21	Duplicate 3	Total Recoverable	Water	3005A	
500-252291-22	MW-22	Total Recoverable	Water	3005A	
500-252291-23	MW-23	Total Recoverable	Water	3005A	
500-252291-24	MW-08	Total Recoverable	Water	3005A	
500-252291-25	MW-09	Total Recoverable	Water	3005A	

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Metals (Continued)

Prep Batch: 775847 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-26	MW-12R	Total Recoverable	Water	3005A	
500-252291-27	MW-11	Total Recoverable	Water	3005A	
MB 500-775847/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-775847/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
500-252291-21 MS	Duplicate 3	Total Recoverable	Water	3005A	
500-252291-21 MSD	Duplicate 3	Total Recoverable	Water	3005A	
500-252291-21 DU	Duplicate 3	Total Recoverable	Water	3005A	

Analysis Batch: 775890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	7470A	775706
500-252291-2	MW-18	Total/NA	Water	7470A	775706
500-252291-3	MW-19	Total/NA	Water	7470A	775706
500-252291-4	MW-20	Total/NA	Water	7470A	775706
500-252291-5	MW-21	Total/NA	Water	7470A	775706
500-252291-6	MW-21D	Total/NA	Water	7470A	775706
500-252291-7	Duplicate 1	Total/NA	Water	7470A	775706
500-252291-8	MW-14	Total/NA	Water	7470A	775706
500-252291-9	MW-15	Total/NA	Water	7470A	775706
500-252291-10	MW-16	Total/NA	Water	7470A	775706
MB 500-775706/12-A	Method Blank	Total/NA	Water	7470A	775706
LCS 500-775706/13-A	Lab Control Sample	Total/NA	Water	7470A	775706
500-252291-4 MS	MW-20	Total/NA	Water	7470A	775706
500-252291-4 MSD	MW-20	Total/NA	Water	7470A	775706
500-252291-4 DU	MW-20	Total/NA	Water	7470A	775706

Prep Batch: 775919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-11	MW-06	Total/NA	Water	7470A	
500-252291-12	MW-07	Total/NA	Water	7470A	
500-252291-13	MW-01	Total/NA	Water	7470A	
500-252291-14	MW-02	Total/NA	Water	7470A	
500-252291-15	MW-03	Total/NA	Water	7470A	
500-252291-16	MW-04	Total/NA	Water	7470A	
500-252291-17	MW-05	Total/NA	Water	7470A	
500-252291-18	MW-13	Total/NA	Water	7470A	
500-252291-19	Duplicate 2	Total/NA	Water	7470A	
500-252291-20	MW-10	Total/NA	Water	7470A	
500-252291-21	Duplicate 3	Total/NA	Water	7470A	
500-252291-22	MW-22	Total/NA	Water	7470A	
500-252291-23	MW-23	Total/NA	Water	7470A	
500-252291-24	MW-08	Total/NA	Water	7470A	
500-252291-25	MW-09	Total/NA	Water	7470A	
500-252291-26	MW-12R	Total/NA	Water	7470A	
500-252291-27	MW-11	Total/NA	Water	7470A	
MB 500-775919/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-775919/13-A	Lab Control Sample	Total/NA	Water	7470A	
500-252291-19 MS	Duplicate 2	Total/NA	Water	7470A	
500-252291-19 MSD	Duplicate 2	Total/NA	Water	7470A	
500-252291-19 DU	Duplicate 2	Total/NA	Water	7470A	

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Metals

Analysis Batch: 776031

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total Recoverable	Water	6020B	775846
500-252291-2	MW-18	Total Recoverable	Water	6020B	775846
500-252291-3	MW-19	Total Recoverable	Water	6020B	775846
500-252291-4	MW-20	Total Recoverable	Water	6020B	775846
500-252291-5	MW-21	Total Recoverable	Water	6020B	775846
500-252291-6	MW-21D	Total Recoverable	Water	6020B	775846
500-252291-7	Duplicate 1	Total Recoverable	Water	6020B	775846
500-252291-8	MW-14	Total Recoverable	Water	6020B	775846
500-252291-9	MW-15	Total Recoverable	Water	6020B	775846
500-252291-10	MW-16	Total Recoverable	Water	6020B	775846
500-252291-11	MW-06	Total Recoverable	Water	6020B	775846
500-252291-12	MW-07	Total Recoverable	Water	6020B	775846
500-252291-13	MW-01	Total Recoverable	Water	6020B	775846
500-252291-14	MW-02	Total Recoverable	Water	6020B	775846
500-252291-15	MW-03	Total Recoverable	Water	6020B	775846
500-252291-16	MW-04	Total Recoverable	Water	6020B	775846
500-252291-17	MW-05	Total Recoverable	Water	6020B	775846
500-252291-18	MW-13	Total Recoverable	Water	6020B	775846
500-252291-19	Duplicate 2	Total Recoverable	Water	6020B	775846
500-252291-20	MW-10	Total Recoverable	Water	6020B	775846
500-252291-21	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-22	MW-22	Total Recoverable	Water	6020B	775847
500-252291-23	MW-23	Total Recoverable	Water	6020B	775847
500-252291-24	MW-08	Total Recoverable	Water	6020B	775847
500-252291-25	MW-09	Total Recoverable	Water	6020B	775847
500-252291-26	MW-12R	Total Recoverable	Water	6020B	775847
500-252291-27	MW-11	Total Recoverable	Water	6020B	775847
MB 500-775846/1-A	Method Blank	Total Recoverable	Water	6020B	775846
MB 500-775847/1-A	Method Blank	Total Recoverable	Water	6020B	775847
LCS 500-775846/2-A	Lab Control Sample	Total Recoverable	Water	6020B	775846
LCS 500-775847/2-A	Lab Control Sample	Total Recoverable	Water	6020B	775847
500-252291-1 MS	MW-17	Total Recoverable	Water	6020B	775846
500-252291-1 MSD	MW-17	Total Recoverable	Water	6020B	775846
500-252291-21 MS	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-21 MSD	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-1 DU	MW-17	Total Recoverable	Water	6020B	775846
500-252291-21 DU	Duplicate 3	Total Recoverable	Water	6020B	775847

Analysis Batch: 776091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-11	MW-06	Total/NA	Water	7470A	775919
500-252291-12	MW-07	Total/NA	Water	7470A	775919
500-252291-13	MW-01	Total/NA	Water	7470A	775919
500-252291-14	MW-02	Total/NA	Water	7470A	775919
500-252291-15	MW-03	Total/NA	Water	7470A	775919
500-252291-16	MW-04	Total/NA	Water	7470A	775919
500-252291-17	MW-05	Total/NA	Water	7470A	775919
500-252291-18	MW-13	Total/NA	Water	7470A	775919
500-252291-19	Duplicate 2	Total/NA	Water	7470A	775919
500-252291-20	MW-10	Total/NA	Water	7470A	775919
500-252291-21	Duplicate 3	Total/NA	Water	7470A	775919

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Metals (Continued)

Analysis Batch: 776091 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-22	MW-22	Total/NA	Water	7470A	775919
500-252291-23	MW-23	Total/NA	Water	7470A	775919
500-252291-24	MW-08	Total/NA	Water	7470A	775919
500-252291-25	MW-09	Total/NA	Water	7470A	775919
500-252291-26	MW-12R	Total/NA	Water	7470A	775919
500-252291-27	MW-11	Total/NA	Water	7470A	775919
MB 500-775919/12-A	Method Blank	Total/NA	Water	7470A	775919
LCS 500-775919/13-A	Lab Control Sample	Total/NA	Water	7470A	775919
500-252291-19 MS	Duplicate 2	Total/NA	Water	7470A	775919
500-252291-19 MSD	Duplicate 2	Total/NA	Water	7470A	775919
500-252291-19 DU	Duplicate 2	Total/NA	Water	7470A	775919

Analysis Batch: 776102

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total Recoverable	Water	6020B	775846
500-252291-2	MW-18	Total Recoverable	Water	6020B	775846
500-252291-3	MW-19	Total Recoverable	Water	6020B	775846
500-252291-4	MW-20	Total Recoverable	Water	6020B	775846
500-252291-5	MW-21	Total Recoverable	Water	6020B	775846
500-252291-6	MW-21D	Total Recoverable	Water	6020B	775846
500-252291-7	Duplicate 1	Total Recoverable	Water	6020B	775846
500-252291-8	MW-14	Total Recoverable	Water	6020B	775846
500-252291-9	MW-15	Total Recoverable	Water	6020B	775846
500-252291-10	MW-16	Total Recoverable	Water	6020B	775846
500-252291-11	MW-06	Total Recoverable	Water	6020B	775846
500-252291-12	MW-07	Total Recoverable	Water	6020B	775846
500-252291-13	MW-01	Total Recoverable	Water	6020B	775846
500-252291-14	MW-02	Total Recoverable	Water	6020B	775846
500-252291-15	MW-03	Total Recoverable	Water	6020B	775846
500-252291-16	MW-04	Total Recoverable	Water	6020B	775846
500-252291-17	MW-05	Total Recoverable	Water	6020B	775846
500-252291-18	MW-13	Total Recoverable	Water	6020B	775846
500-252291-19	Duplicate 2	Total Recoverable	Water	6020B	775846
500-252291-20	MW-10	Total Recoverable	Water	6020B	775846
500-252291-21	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-22	MW-22	Total Recoverable	Water	6020B	775847
500-252291-23	MW-23	Total Recoverable	Water	6020B	775847
500-252291-24	MW-08	Total Recoverable	Water	6020B	775847
500-252291-25	MW-09	Total Recoverable	Water	6020B	775847
500-252291-26	MW-12R	Total Recoverable	Water	6020B	775847
500-252291-27	MW-11	Total Recoverable	Water	6020B	775847
MB 500-775846/1-A	Method Blank	Total Recoverable	Water	6020B	775846
MB 500-775847/1-A	Method Blank	Total Recoverable	Water	6020B	775847
LCS 500-775846/2-A	Lab Control Sample	Total Recoverable	Water	6020B	775846
LCS 500-775847/2-A	Lab Control Sample	Total Recoverable	Water	6020B	775847
500-252291-1 MS	MW-17	Total Recoverable	Water	6020B	775846
500-252291-1 MSD	MW-17	Total Recoverable	Water	6020B	775846
500-252291-21 MS	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-21 MSD	Duplicate 3	Total Recoverable	Water	6020B	775847
500-252291-1 DU	MW-17	Total Recoverable	Water	6020B	775846
500-252291-21 DU	Duplicate 3	Total Recoverable	Water	6020B	775847

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

General Chemistry

Analysis Batch: 773324

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	SM 4500 CI- E	
500-252291-2	MW-18	Total/NA	Water	SM 4500 CI- E	
500-252291-3	MW-19	Total/NA	Water	SM 4500 CI- E	
500-252291-4	MW-20	Total/NA	Water	SM 4500 CI- E	
500-252291-5	MW-21	Total/NA	Water	SM 4500 CI- E	
500-252291-6	MW-21D	Total/NA	Water	SM 4500 CI- E	
MB 500-773324/67	Method Blank	Total/NA	Water	SM 4500 CI- E	
LCS 500-773324/68	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 773351

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	SM 2540C	
500-252291-2	MW-18	Total/NA	Water	SM 2540C	
500-252291-3	MW-19	Total/NA	Water	SM 2540C	
500-252291-4	MW-20	Total/NA	Water	SM 2540C	
500-252291-5	MW-21	Total/NA	Water	SM 2540C	
500-252291-6	MW-21D	Total/NA	Water	SM 2540C	
500-252291-7	Duplicate 1	Total/NA	Water	SM 2540C	
500-252291-8	MW-14	Total/NA	Water	SM 2540C	
500-252291-9	MW-15	Total/NA	Water	SM 2540C	
500-252291-10	MW-16	Total/NA	Water	SM 2540C	
500-252291-11	MW-06	Total/NA	Water	SM 2540C	
500-252291-12	MW-07	Total/NA	Water	SM 2540C	
MB 500-773351/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-773351/2	Lab Control Sample	Total/NA	Water	SM 2540C	
500-252291-1 MS	MW-17	Total/NA	Water	SM 2540C	
500-252291-1 DU	MW-17	Total/NA	Water	SM 2540C	
500-252291-2 DU	MW-18	Total/NA	Water	SM 2540C	

Analysis Batch: 773523

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-8	MW-14	Total/NA	Water	SM 4500 CI- E	
500-252291-9	MW-15	Total/NA	Water	SM 4500 CI- E	
500-252291-10	MW-16	Total/NA	Water	SM 4500 CI- E	
500-252291-11	MW-06	Total/NA	Water	SM 4500 CI- E	
500-252291-12	MW-07	Total/NA	Water	SM 4500 CI- E	
MB 500-773523/16	Method Blank	Total/NA	Water	SM 4500 CI- E	
LCS 500-773523/17	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 773545

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-13	MW-01	Total/NA	Water	SM 2540C	
500-252291-14	MW-02	Total/NA	Water	SM 2540C	
500-252291-15	MW-03	Total/NA	Water	SM 2540C	
500-252291-16	MW-04	Total/NA	Water	SM 2540C	
500-252291-17	MW-05	Total/NA	Water	SM 2540C	
500-252291-18	MW-13	Total/NA	Water	SM 2540C	
500-252291-19	Duplicate 2	Total/NA	Water	SM 2540C	
500-252291-20	MW-10	Total/NA	Water	SM 2540C	
MB 500-773545/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-773545/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Eurolins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

General Chemistry (Continued)

Analysis Batch: 773545 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-13 MS	MW-01	Total/NA	Water	SM 2540C	
500-252291-13 DU	MW-01	Total/NA	Water	SM 2540C	
500-252291-14 DU	MW-02	Total/NA	Water	SM 2540C	

Analysis Batch: 773814

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-21	Duplicate 3	Total/NA	Water	SM 2540C	
500-252291-22	MW-22	Total/NA	Water	SM 2540C	
500-252291-23	MW-23	Total/NA	Water	SM 2540C	
500-252291-24	MW-08	Total/NA	Water	SM 2540C	
500-252291-25	MW-09	Total/NA	Water	SM 2540C	
500-252291-26	MW-12R	Total/NA	Water	SM 2540C	
500-252291-27	MW-11	Total/NA	Water	SM 2540C	
MB 500-773814/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-773814/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 773841

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-7	Duplicate 1	Total/NA	Water	SM 4500 CI- E	
500-252291-13	MW-01	Total/NA	Water	SM 4500 CI- E	
500-252291-14	MW-02	Total/NA	Water	SM 4500 CI- E	
500-252291-15	MW-03	Total/NA	Water	SM 4500 CI- E	
500-252291-16	MW-04	Total/NA	Water	SM 4500 CI- E	
500-252291-17	MW-05	Total/NA	Water	SM 4500 CI- E	
500-252291-18	MW-13	Total/NA	Water	SM 4500 CI- E	
500-252291-19	Duplicate 2	Total/NA	Water	SM 4500 CI- E	
500-252291-20	MW-10	Total/NA	Water	SM 4500 CI- E	
500-252291-21	Duplicate 3	Total/NA	Water	SM 4500 CI- E	
500-252291-22	MW-22	Total/NA	Water	SM 4500 CI- E	
500-252291-23	MW-23	Total/NA	Water	SM 4500 CI- E	
500-252291-24	MW-08	Total/NA	Water	SM 4500 CI- E	
500-252291-25	MW-09	Total/NA	Water	SM 4500 CI- E	
500-252291-26	MW-12R	Total/NA	Water	SM 4500 CI- E	
500-252291-27	MW-11	Total/NA	Water	SM 4500 CI- E	
MB 500-773841/16	Method Blank	Total/NA	Water	SM 4500 CI- E	
LCS 500-773841/17	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 774273

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	SM 4500 SO4 E	
500-252291-2	MW-18	Total/NA	Water	SM 4500 SO4 E	
500-252291-3	MW-19	Total/NA	Water	SM 4500 SO4 E	
500-252291-4	MW-20	Total/NA	Water	SM 4500 SO4 E	
500-252291-5	MW-21	Total/NA	Water	SM 4500 SO4 E	
500-252291-6	MW-21D	Total/NA	Water	SM 4500 SO4 E	
500-252291-7	Duplicate 1	Total/NA	Water	SM 4500 SO4 E	
500-252291-8	MW-14	Total/NA	Water	SM 4500 SO4 E	
500-252291-9	MW-15	Total/NA	Water	SM 4500 SO4 E	
500-252291-10	MW-16	Total/NA	Water	SM 4500 SO4 E	
500-252291-11	MW-06	Total/NA	Water	SM 4500 SO4 E	
500-252291-12	MW-07	Total/NA	Water	SM 4500 SO4 E	

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

General Chemistry (Continued)

Analysis Batch: 774273 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-13	MW-01	Total/NA	Water	SM 4500 SO4 E	
500-252291-14	MW-02	Total/NA	Water	SM 4500 SO4 E	
500-252291-15	MW-03	Total/NA	Water	SM 4500 SO4 E	
500-252291-16	MW-04	Total/NA	Water	SM 4500 SO4 E	
500-252291-17	MW-05	Total/NA	Water	SM 4500 SO4 E	
500-252291-18	MW-13	Total/NA	Water	SM 4500 SO4 E	
500-252291-19	Duplicate 2	Total/NA	Water	SM 4500 SO4 E	
500-252291-20	MW-10	Total/NA	Water	SM 4500 SO4 E	
500-252291-21	Duplicate 3	Total/NA	Water	SM 4500 SO4 E	
500-252291-22	MW-22	Total/NA	Water	SM 4500 SO4 E	
500-252291-23	MW-23	Total/NA	Water	SM 4500 SO4 E	
500-252291-24	MW-08	Total/NA	Water	SM 4500 SO4 E	
500-252291-25	MW-09	Total/NA	Water	SM 4500 SO4 E	
500-252291-26	MW-12R	Total/NA	Water	SM 4500 SO4 E	
500-252291-27	MW-11	Total/NA	Water	SM 4500 SO4 E	
MB 500-774273/118	Method Blank	Total/NA	Water	SM 4500 SO4 E	
MB 500-774273/64	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-774273/119	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	
LCS 500-774273/65	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	
500-252291-3 MS	MW-19	Total/NA	Water	SM 4500 SO4 E	
500-252291-3 MSD	MW-19	Total/NA	Water	SM 4500 SO4 E	

Analysis Batch: 774793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	SM 4500 F C	
MB 500-774793/3	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-774793/4	Lab Control Sample	Total/NA	Water	SM 4500 F C	
500-252291-1 MS	MW-17	Total/NA	Water	SM 4500 F C	
500-252291-1 MSD	MW-17	Total/NA	Water	SM 4500 F C	

Analysis Batch: 776165

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-2	MW-18	Total/NA	Water	SM 4500 F C	
500-252291-3	MW-19	Total/NA	Water	SM 4500 F C	
500-252291-4	MW-20	Total/NA	Water	SM 4500 F C	
500-252291-5	MW-21	Total/NA	Water	SM 4500 F C	
500-252291-6	MW-21D	Total/NA	Water	SM 4500 F C	
500-252291-7	Duplicate 1	Total/NA	Water	SM 4500 F C	
500-252291-8	MW-14	Total/NA	Water	SM 4500 F C	
500-252291-9	MW-15	Total/NA	Water	SM 4500 F C	
500-252291-10	MW-16	Total/NA	Water	SM 4500 F C	
500-252291-11	MW-06	Total/NA	Water	SM 4500 F C	
500-252291-12	MW-07	Total/NA	Water	SM 4500 F C	
500-252291-13	MW-01	Total/NA	Water	SM 4500 F C	
500-252291-14	MW-02	Total/NA	Water	SM 4500 F C	
500-252291-15	MW-03	Total/NA	Water	SM 4500 F C	
500-252291-16	MW-04	Total/NA	Water	SM 4500 F C	
500-252291-17	MW-05	Total/NA	Water	SM 4500 F C	
500-252291-18	MW-13	Total/NA	Water	SM 4500 F C	
500-252291-19	Duplicate 2	Total/NA	Water	SM 4500 F C	
500-252291-20	MW-10	Total/NA	Water	SM 4500 F C	

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

General Chemistry (Continued)

Analysis Batch: 776165 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-21	Duplicate 3	Total/NA	Water	SM 4500 F C	
500-252291-22	MW-22	Total/NA	Water	SM 4500 F C	
500-252291-23	MW-23	Total/NA	Water	SM 4500 F C	
500-252291-24	MW-08	Total/NA	Water	SM 4500 F C	
500-252291-25	MW-09	Total/NA	Water	SM 4500 F C	
500-252291-26	MW-12R	Total/NA	Water	SM 4500 F C	
500-252291-27	MW-11	Total/NA	Water	SM 4500 F C	
MB 500-776165/3	Method Blank	Total/NA	Water	SM 4500 F C	
MB 500-776165/31	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-776165/32	Lab Control Sample	Total/NA	Water	SM 4500 F C	
LCS 500-776165/4	Lab Control Sample	Total/NA	Water	SM 4500 F C	
500-252291-2 MS	MW-18	Total/NA	Water	SM 4500 F C	
500-252291-2 MSD	MW-18	Total/NA	Water	SM 4500 F C	

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 500-775846/1-A
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:31	07/09/24 16:27	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 16:27	1
Barium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 16:27	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 16:27	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 16:27	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 16:27	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:31	07/09/24 16:27	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:31	07/09/24 16:27	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:31	07/09/24 16:27	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:31	07/09/24 16:27	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:31	07/09/24 16:27	1

Lab Sample ID: MB 500-775846/1-A
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Boron	<0.050		0.050		mg/L		07/09/24 08:31	07/10/24 12:02	1
Calcium	<0.20		0.20		mg/L		07/09/24 08:31	07/10/24 12:02	1
Lithium	<0.010		0.010		mg/L		07/09/24 08:31	07/10/24 12:02	1

Lab Sample ID: LCS 500-775846/2-A
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	0.100	0.0960		mg/L		96	80 - 120
Barium	0.500	0.488		mg/L		98	80 - 120
Beryllium	0.0500	0.0506		mg/L		101	80 - 120
Cadmium	0.0500	0.0486		mg/L		97	80 - 120
Chromium	0.200	0.197		mg/L		99	80 - 120
Cobalt	0.500	0.502		mg/L		100	80 - 120
Lead	0.100	0.0994		mg/L		99	80 - 120
Molybdenum	1.00	0.915		mg/L		92	80 - 120
Selenium	0.100	0.0982		mg/L		98	80 - 120
Thallium	0.100	0.102		mg/L		102	80 - 120

Lab Sample ID: LCS 500-775846/2-A
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	10.0	8.32		mg/L		83	80 - 120
Lithium	0.100	0.109		mg/L		109	80 - 120

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-252291-1 MS
Matrix: Water
Analysis Batch: 776031

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	<0.0030		0.500	0.529		mg/L		106	75 - 125
Arsenic	0.0027		0.100	0.0995		mg/L		97	75 - 125
Barium	0.026		0.500	0.519		mg/L		99	75 - 125
Beryllium	<0.0010		0.0500	0.0465		mg/L		93	75 - 125
Cadmium	<0.00050		0.0500	0.0489		mg/L		97	75 - 125
Chromium	<0.0050		0.200	0.194		mg/L		97	75 - 125
Cobalt	<0.0010		0.500	0.486		mg/L		97	75 - 125
Lead	<0.00050		0.100	0.103		mg/L		102	75 - 125
Molybdenum	0.062		1.00	1.02		mg/L		96	75 - 125
Selenium	<0.0025		0.100	0.0960		mg/L		96	75 - 125
Thallium	0.0022		0.100	0.103		mg/L		101	75 - 125

Lab Sample ID: 500-252291-1 MS
Matrix: Water
Analysis Batch: 776102

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1.1		1.00	2.26		mg/L		115	75 - 125
Calcium	160		10.0	163	4	mg/L		65	75 - 125
Lithium	0.013		0.100	0.114		mg/L		101	75 - 125

Lab Sample ID: 500-252291-1 MSD
Matrix: Water
Analysis Batch: 776031

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	<0.0030		0.500	0.534		mg/L		107	75 - 125	1	20
Arsenic	0.0027		0.100	0.0984		mg/L		96	75 - 125	1	20
Barium	0.026		0.500	0.526		mg/L		100	75 - 125	1	20
Beryllium	<0.0010		0.0500	0.0497		mg/L		99	75 - 125	6	20
Cadmium	<0.00050		0.0500	0.0489		mg/L		98	75 - 125	0	20
Chromium	<0.0050		0.200	0.194		mg/L		97	75 - 125	0	20
Cobalt	<0.0010		0.500	0.487		mg/L		97	75 - 125	0	20
Lead	<0.00050		0.100	0.104		mg/L		104	75 - 125	2	20
Molybdenum	0.062		1.00	1.02		mg/L		96	75 - 125	1	20
Selenium	<0.0025		0.100	0.0956		mg/L		96	75 - 125	0	20
Thallium	0.0022		0.100	0.103		mg/L		101	75 - 125	0	20

Lab Sample ID: 500-252291-1 MSD
Matrix: Water
Analysis Batch: 776102

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Boron	1.1		1.00	2.33		mg/L		123	75 - 125	3	20
Calcium	160		10.0	166	4	mg/L		88	75 - 125	1	20
Lithium	0.013		0.100	0.116		mg/L		104	75 - 125	2	20

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-252291-1 DU
Matrix: Water
Analysis Batch: 776031

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Antimony	<0.0030		<0.0030		mg/L		NC	20
Arsenic	0.0027		0.00253		mg/L		5	20
Barium	0.026		0.0253		mg/L		4	20
Beryllium	<0.0010		<0.0010		mg/L		NC	20
Cadmium	<0.00050		<0.00050		mg/L		NC	20
Chromium	<0.0050		<0.0050		mg/L		NC	20
Cobalt	<0.0010		<0.0010		mg/L		NC	20
Lead	<0.00050		<0.00050		mg/L		NC	20
Molybdenum	0.062		0.0591		mg/L		4	20
Selenium	<0.0025		<0.0025		mg/L		NC	20
Thallium	0.0022		<0.0020		mg/L		NC	20

Lab Sample ID: 500-252291-1 DU
Matrix: Water
Analysis Batch: 776102

Client Sample ID: MW-17
Prep Type: Total Recoverable
Prep Batch: 775846

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Boron	1.1		1.09		mg/L		1	20
Calcium	160		153		mg/L		2	20
Lithium	0.013		0.0126		mg/L		0.6	20

Lab Sample ID: MB 500-775847/1-A
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.0030		0.0030		mg/L		07/09/24 08:32	07/09/24 18:23	1
Arsenic	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:23	1
Barium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 18:23	1
Beryllium	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:23	1
Cadmium	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:23	1
Chromium	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:23	1
Cobalt	<0.0010		0.0010		mg/L		07/09/24 08:32	07/09/24 18:23	1
Lead	<0.00050		0.00050		mg/L		07/09/24 08:32	07/09/24 18:23	1
Molybdenum	<0.0050		0.0050		mg/L		07/09/24 08:32	07/09/24 18:23	1
Selenium	<0.0025		0.0025		mg/L		07/09/24 08:32	07/09/24 18:23	1
Thallium	<0.0020		0.0020		mg/L		07/09/24 08:32	07/09/24 18:23	1

Lab Sample ID: MB 500-775847/1-A
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Boron	<0.050		0.050		mg/L		07/09/24 08:32	07/10/24 13:09	1
Calcium	<0.20		0.20		mg/L		07/09/24 08:32	07/10/24 13:09	1
Lithium	<0.010		0.010		mg/L		07/09/24 08:32	07/10/24 13:09	1

Eurofins Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 500-775847/2-A
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	0.500	0.505		mg/L		101	80 - 120
Arsenic	0.100	0.0958		mg/L		96	80 - 120
Barium	0.500	0.484		mg/L		97	80 - 120
Beryllium	0.0500	0.0540		mg/L		108	80 - 120
Cadmium	0.0500	0.0473		mg/L		95	80 - 120
Chromium	0.200	0.199		mg/L		99	80 - 120
Cobalt	0.500	0.507		mg/L		101	80 - 120
Lead	0.100	0.0979		mg/L		98	80 - 120
Molybdenum	1.00	0.911		mg/L		91	80 - 120
Selenium	0.100	0.0980		mg/L		98	80 - 120
Thallium	0.100	0.102		mg/L		102	80 - 120

Lab Sample ID: LCS 500-775847/2-A
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	1.00	1.18		mg/L		118	80 - 120
Calcium	10.0	8.44		mg/L		84	80 - 120
Lithium	0.100	0.108		mg/L		108	80 - 120

Lab Sample ID: 500-252291-21 MS
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Antimony	<0.0030		0.500	0.517		mg/L		103	75 - 125
Arsenic	<0.0010		0.100	0.0954		mg/L		95	75 - 125
Barium	0.033		0.500	0.520		mg/L		97	75 - 125
Beryllium	<0.0010		0.0500	0.0499		mg/L		100	75 - 125
Cadmium	<0.00050		0.0500	0.0475		mg/L		95	75 - 125
Chromium	<0.0050		0.200	0.193		mg/L		97	75 - 125
Cobalt	<0.0010		0.500	0.493		mg/L		99	75 - 125
Lead	<0.00050		0.100	0.0990		mg/L		99	75 - 125
Lithium	<0.010	^1+	0.100	0.104	^1+	mg/L		104	75 - 125
Molybdenum	0.024		1.00	0.956		mg/L		93	75 - 125
Selenium	<0.0025		0.100	0.0968		mg/L		95	75 - 125
Thallium	<0.0020		0.100	0.0998		mg/L		99	75 - 125

Lab Sample ID: 500-252291-21 MS
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Boron	2.9		1.00	4.14		mg/L		123	75 - 125
Calcium	69		10.0	79.6	4	mg/L		102	75 - 125

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-252291-21 MSD
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample	Sample Qualifier	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result			Result	Qualifier				Limits		Limit
Antimony	<0.0030		0.500	0.510		mg/L		102	75 - 125	1	20
Arsenic	<0.0010		0.100	0.0947		mg/L		94	75 - 125	1	20
Barium	0.033		0.500	0.515		mg/L		96	75 - 125	1	20
Beryllium	<0.0010		0.0500	0.0492		mg/L		98	75 - 125	1	20
Cadmium	<0.00050		0.0500	0.0477		mg/L		95	75 - 125	0	20
Chromium	<0.0050		0.200	0.191		mg/L		96	75 - 125	1	20
Cobalt	<0.0010		0.500	0.484		mg/L		97	75 - 125	2	20
Lead	<0.00050		0.100	0.0962		mg/L		96	75 - 125	3	20
Lithium	<0.010	^1+	0.100	0.0997	^1+	mg/L		100	75 - 125	4	20
Molybdenum	0.024		1.00	0.936		mg/L		91	75 - 125	2	20
Selenium	<0.0025		0.100	0.0960		mg/L		94	75 - 125	1	20
Thallium	<0.0020		0.100	0.0990		mg/L		98	75 - 125	1	20

Lab Sample ID: 500-252291-21 MSD
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample	Sample Qualifier	Spike Added	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result			Result	Qualifier				Limits		Limit
Boron	2.9		1.00	4.06		mg/L		115	75 - 125	2	20
Calcium	69		10.0	78.5	4	mg/L		91	75 - 125	1	20

Lab Sample ID: 500-252291-21 DU
Matrix: Water
Analysis Batch: 776031

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample	Sample Qualifier	DU	DU	Unit	D	RPD	RPD
	Result			Qualifier				Limit
Antimony	<0.0030		<0.0030		mg/L		NC	20
Arsenic	<0.0010		<0.0010		mg/L		NC	20
Barium	0.033		0.0338		mg/L		1	20
Beryllium	<0.0010		<0.0010		mg/L		NC	20
Cadmium	<0.00050		<0.00050		mg/L		NC	20
Chromium	<0.0050		<0.0050		mg/L		NC	20
Cobalt	<0.0010		<0.0010		mg/L		NC	20
Lead	<0.00050		<0.00050		mg/L		NC	20
Lithium	<0.010	^1+	<0.010	^1+	mg/L		NC	20
Molybdenum	0.024		0.0249		mg/L		2	20
Selenium	<0.0025		<0.0025		mg/L		NC	20
Thallium	<0.0020		<0.0020		mg/L		NC	20

Lab Sample ID: 500-252291-21 DU
Matrix: Water
Analysis Batch: 776102

Client Sample ID: Duplicate 3
Prep Type: Total Recoverable
Prep Batch: 775847

Analyte	Sample	Sample Qualifier	DU	DU	Unit	D	RPD	RPD
	Result			Qualifier				Limit
Boron	2.9		2.95		mg/L		2	20
Calcium	69		71.1		mg/L		3	20

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-775706/12-A
Matrix: Water
Analysis Batch: 775890

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 775706

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/08/24 10:55	07/09/24 08:16	1

Lab Sample ID: LCS 500-775706/13-A
Matrix: Water
Analysis Batch: 775890

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 775706

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00201	0.00198		mg/L		99	80 - 120

Lab Sample ID: 500-252291-4 MS
Matrix: Water
Analysis Batch: 775890

Client Sample ID: MW-20
Prep Type: Total/NA
Prep Batch: 775706

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	<0.00020		0.00100	0.000989		mg/L		99	75 - 125

Lab Sample ID: 500-252291-4 MSD
Matrix: Water
Analysis Batch: 775890

Client Sample ID: MW-20
Prep Type: Total/NA
Prep Batch: 775706

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00020		0.00100	0.000958		mg/L		96	75 - 125	3	20

Lab Sample ID: 500-252291-4 DU
Matrix: Water
Analysis Batch: 775890

Client Sample ID: MW-20
Prep Type: Total/NA
Prep Batch: 775706

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00020			0.00179		mg/L				NC	20

Lab Sample ID: MB 500-775919/12-A
Matrix: Water
Analysis Batch: 776091

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 775919

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		07/09/24 14:25	07/10/24 08:57	1

Lab Sample ID: LCS 500-775919/13-A
Matrix: Water
Analysis Batch: 776091

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 775919

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00201	0.00195		mg/L		97	80 - 120

Lab Sample ID: 500-252291-19 MS
Matrix: Water
Analysis Batch: 776091

Client Sample ID: Duplicate 2
Prep Type: Total/NA
Prep Batch: 775919

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	<0.00020		0.00100	0.00109		mg/L		109	75 - 125

Eurofins Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: 500-252291-19 MSD
Matrix: Water
Analysis Batch: 776091

Client Sample ID: Duplicate 2
Prep Type: Total/NA
Prep Batch: 775919

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00020		0.00100	0.00108		mg/L		108	75 - 125	1	20

Lab Sample ID: 500-252291-19 DU
Matrix: Water
Analysis Batch: 776091

Client Sample ID: Duplicate 2
Prep Type: Total/NA
Prep Batch: 775919

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Mercury	<0.00020		<0.00020		mg/L		NC	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-773351/1
Matrix: Water
Analysis Batch: 773351

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			06/19/24 22:34	1

Lab Sample ID: LCS 500-773351/2
Matrix: Water
Analysis Batch: 773351

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	268		mg/L		107	80 - 120

Lab Sample ID: 500-252291-1 MS
Matrix: Water
Analysis Batch: 773351

Client Sample ID: MW-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1500		250	1780	4	mg/L		98	75 - 125

Lab Sample ID: 500-252291-1 DU
Matrix: Water
Analysis Batch: 773351

Client Sample ID: MW-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	1500		1550		mg/L		0.8	5

Lab Sample ID: 500-252291-2 DU
Matrix: Water
Analysis Batch: 773351

Client Sample ID: MW-18
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	1100		1100		mg/L		4	5

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 500-773545/1
Matrix: Water
Analysis Batch: 773545

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			06/20/24 22:29	1

Lab Sample ID: LCS 500-773545/2
Matrix: Water
Analysis Batch: 773545

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	272		mg/L		109	80 - 120

Lab Sample ID: 500-252291-13 MS
Matrix: Water
Analysis Batch: 773545

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	550		250	748		mg/L		80	75 - 125

Lab Sample ID: 500-252291-13 DU
Matrix: Water
Analysis Batch: 773545

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	550		538		mg/L		2	5

Lab Sample ID: 500-252291-14 DU
Matrix: Water
Analysis Batch: 773545

Client Sample ID: MW-02
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	610		592		mg/L		3	5

Lab Sample ID: MB 500-773814/1
Matrix: Water
Analysis Batch: 773814

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			06/23/24 20:42	1

Lab Sample ID: LCS 500-773814/2
Matrix: Water
Analysis Batch: 773814

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	254		mg/L		102	80 - 120

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 500-773324/67
Matrix: Water
Analysis Batch: 773324

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			06/19/24 12:20	1

Lab Sample ID: LCS 500-773324/68
Matrix: Water
Analysis Batch: 773324

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	19.6		mg/L		98	85 - 115

Lab Sample ID: MB 500-773523/16
Matrix: Water
Analysis Batch: 773523

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			06/20/24 10:14	1

Lab Sample ID: LCS 500-773523/17
Matrix: Water
Analysis Batch: 773523

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	19.3		mg/L		96	85 - 115

Lab Sample ID: MB 500-773841/16
Matrix: Water
Analysis Batch: 773841

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			06/23/24 11:20	1

Lab Sample ID: LCS 500-773841/17
Matrix: Water
Analysis Batch: 773841

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	19.4		mg/L		97	85 - 115

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-774793/3
Matrix: Water
Analysis Batch: 774793

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			06/28/24 09:45	1

Eurofins Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: SM 4500 F C - Fluoride (Continued)

Lab Sample ID: LCS 500-774793/4
Matrix: Water
Analysis Batch: 774793

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	9.53		mg/L		95	90 - 119

Lab Sample ID: 500-252291-1 MS
Matrix: Water
Analysis Batch: 774793

Client Sample ID: MW-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.70		5.00	6.05		mg/L		107	75 - 125

Lab Sample ID: 500-252291-1 MSD
Matrix: Water
Analysis Batch: 774793

Client Sample ID: MW-17
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.70		5.00	5.96		mg/L		105	75 - 125	1	20

Lab Sample ID: MB 500-776165/3
Matrix: Water
Analysis Batch: 776165

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			07/10/24 16:41	1

Lab Sample ID: MB 500-776165/31
Matrix: Water
Analysis Batch: 776165

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			07/10/24 18:53	1

Lab Sample ID: LCS 500-776165/32
Matrix: Water
Analysis Batch: 776165

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	10.0		mg/L		100	90 - 119

Lab Sample ID: LCS 500-776165/4
Matrix: Water
Analysis Batch: 776165

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	9.91		mg/L		99	90 - 119

Lab Sample ID: 500-252291-2 MS
Matrix: Water
Analysis Batch: 776165

Client Sample ID: MW-18
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.52		5.00	5.63		mg/L		102	75 - 125

Eurofins Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Method: SM 4500 F C - Fluoride

Lab Sample ID: 500-252291-2 MSD
Matrix: Water
Analysis Batch: 776165

Client Sample ID: MW-18
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.52		5.00	5.62		mg/L		102	75 - 125	0	20

Method: SM 4500 SO4 E - Sulfate, Total

Lab Sample ID: MB 500-774273/118
Matrix: Water
Analysis Batch: 774273

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			06/25/24 15:16	1

Lab Sample ID: MB 500-774273/64
Matrix: Water
Analysis Batch: 774273

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			06/25/24 13:12	1

Lab Sample ID: LCS 500-774273/119
Matrix: Water
Analysis Batch: 774273

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	20.0	21.6		mg/L		108	88 - 123

Lab Sample ID: LCS 500-774273/65
Matrix: Water
Analysis Batch: 774273

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	20.0	21.2		mg/L		106	88 - 123

Lab Sample ID: 500-252291-3 MS
Matrix: Water
Analysis Batch: 774273

Client Sample ID: MW-19
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	130	F1	20.0	143	4	mg/L		75	75 - 125

Lab Sample ID: 500-252291-3 MSD
Matrix: Water
Analysis Batch: 774273


Client Sample ID: MW-19
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Sulfate	130	F1	20.0	143	4	mg/L		77	75 - 125	0	20

Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-634-6200 Fax: 708-634-6211


Chain of Custody Record

Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>500-123641-49657 2</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@et.eurofins.com</u>		State of Origin: <u>IL</u>		Page <u>2 of 8</u> 1 of 1			
Company: <u>KPRG and Associates, Inc.</u>		PWSID:		Analysis Requested						Job #: <u>500-252291</u>	
Address: <u>14865 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		 500-252291 COC						Preservation Codes: D - HNO3 N - None	
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>								Other:	
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: <u>262-781-0475(Tel)</u>		PO #: <u>4602160845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR Event Desc: Quarterly Powerton CCR Sampling</u>		Project #: <u>60011612</u>									
Site: <u>Illinois</u>		SSOW#:		Total Number of Containers: <u>7</u>							
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Special Instructions/Note:	
MW-12								Water			
MW-13								Water			
MW-14								Water			
MW-15								Water			
MW-16								Water			
1 MW-17		<u>6/17/24</u>		<u>1446</u>		<u>G</u>		Water			
2 MW-18		<u>6/17/24</u>		<u>1539</u>				Water			
3 MW-19		<u>6/17/24</u>		<u>1620</u>				Water			
4 MW-20		<u>6/17/24</u>		<u>1337</u>				Water			
5 MW-21		<u>6/17/24</u>		<u>1136</u>				Water			
6 MW-21D		<u>6/17/24</u>		<u>1242</u>				Water			
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by			Date			Time			Method of Shipment:		
Relinquished by: <u>Kaelyn Sperle</u>			Date/Time: <u>6/17/24/1730</u>			Company: <u>KPRG</u>			Received by: <u>FedEx</u>		
Relinquished by:			Date/Time:			Company:			Received by: <u>Stephanie Hemondy</u>		
Relinquished by:			Date/Time:			Company:			Received by:		
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>5.0-4.6, 6.1-5.8</u>							

Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone 708-534-5200 Fax: 708-534-5211

Chain of Custody Record



Client Information		Sampler: <u>Jack Mizner</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s)		COC No: <u>500-123641-49657 2</u>													
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-622-1143</u>		E-Mail: <u>Diana.Mockler@et.eurofinsus.com</u>		State of Origin: <u>IL</u>		Page: <u>2 of 3</u> Page <u>1 of 1</u>													
Company: <u>KPRG and Associates, Inc.</u>		PWSD		Analysis Requested						Job #: <u>500-252291</u>											
Address: <u>14665 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>903.0, 904.0</td> <td>6020A, 7470A</td> <td>2540C, 4500_F_C, SM4500_CLE</td> <td>SM4500_S04_E - Sulfate</td> </tr> <tr> <td>Perform (MS/MSD) (Yes or No)</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						Field Filtered Sample (Yes or No)	903.0, 904.0	6020A, 7470A	2540C, 4500_F_C, SM4500_CLE	SM4500_S04_E - Sulfate	Perform (MS/MSD) (Yes or No)					Preservation Codes: D HNO3 N None	
Field Filtered Sample (Yes or No)	903.0, 904.0	6020A, 7470A	2540C, 4500_F_C, SM4500_CLE							SM4500_S04_E - Sulfate											
Perform (MS/MSD) (Yes or No)																					
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>								Other:											
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No																			
Phone: <u>262-781-0475(Tel)</u>		PO #: <u>4502160845</u>																			
Email: <u>kaelyns@kprginc.com</u>		WO #:																			
Project Name: <u>Powerton CCR Event Desc Quarterly Powerton CCR Sampling</u>		Project #: <u>60011612</u>																			
Site: <u>Illinois</u>		SSOW#:																			
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)		Special Instructions/Note:											
MW-12 <u>Duplicate 1</u>		<u>6/18/24</u>		<u>-</u>		<u>G</u>		<u>Water</u>													
MW-13																					
<u>8</u> MW-14		<u>6/18/24</u>		<u>0941</u>		<u>G</u>		<u>Water</u>													
<u>9</u> MW-15		<u>6/18/24</u>		<u>1110</u>		<u>G</u>		<u>Water</u>													
<u>10</u> MW-16		<u>6/18/24</u>		<u>1513</u>		<u>G</u>		<u>Water</u>													
MW-17																					
MW-18																					
MW-19																					
MW-20																					
<u>11</u> MW-21 <u>MW-06</u>		<u>6/18/24</u>		<u>1244</u>		<u>G</u>		<u>Water</u>													
<u>12</u> MW-22 <u>MW-07</u>		<u>6/18/24</u>		<u>1356</u>		<u>G</u>		<u>Water</u>													
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)															
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months															
Deliverable Requested I, II, III, IV, Other (specify)						Special Instructions/QC Requirements															
Empty Kit Relinquished by		Date		Time		Method of Shipment:															
Relinquished by: <u>Jack Mizner</u>		Date/Time: <u>6/18/24 1700</u>		Company: <u>KPRG</u>		Received by: <u>FedEx</u>		Date/Time: <u>6/18/24 1700</u>		Company: <u>FedEx</u>											
Relinquished by:		Date/Time:		Company:		Received by: <u>[Signature]</u>		Date/Time: <u>6/19/24 0958</u>		Company: <u>[Signature]</u>											
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:											
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and other Remarks: <u>5.29, 5.4 → 5.0</u>																	

Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone 708-634-6200 Fax. 708-634-6211

Chain of Custody Record

eurofins | Environment Testing


Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>500-123641-49657 1</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@et.eurofins.com</u>		State of Origin: <u>IL</u>		Page: <u>Page 1 of 1</u>			
Company: <u>KPRG and Associates, Inc.</u>		PWSID:		Analysis Requested						Job #: <u>500-252291</u>	
Address: <u>14885 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MS (Yes or No) <input checked="" type="checkbox"/>		903.0, 904.0 6020A, 7470A 2540C, 4500_F_C, SMA500_CLE SMA500_SO4_E - Sulfate		Total Number of Containers:		Preservation Codes: <u>D - HNO3</u> <u>N - None</u>	
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>								Other:	
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No								Special Instructions/Note:	
Phone: <u>262-781-0475(Tel)</u>		PO #: <u>4502180845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR</u>		Project #: <u>60011612</u>									
Event Desc: <u>Quarterly Powerton CCR Sampling</u>		SSOW#:									
Site: <u>Illinois</u>											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=wastewat, BT=Tissue, A=Air)			
<u>13 MW-01</u>		<u>6/19/24</u>		<u>1106</u>		<u>G</u>		<u>Water</u>		<u>N N X X X X</u>	
<u>14 MW-02</u>		<u>6/19/24</u>		<u>0857</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>15 MW-03</u>		<u>6/19/24</u>		<u>1002</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>16 MW-04</u>		<u>6/19/24</u>		<u>1220</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>17 MW-05</u>		<u>6/19/24</u>		<u>1318</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>18 MW-06 - MW-13</u>		<u>6/19/24</u>		<u>1428</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>19 MW-07 Duplicate 2</u>		<u>6/19/24</u>		<u>-</u>		<u>G</u>		<u>Water</u>		<u>N N</u>	
<u>20 MW-10</u>		<u>6/19/24</u>		<u>1532</u>		<u>G</u>		<u>Water</u>		<u>N N X X X X</u>	
<u>MW-11</u>								<u>Water</u>		<u>N N</u>	
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by				Date:		Time		Method of Shipment:			
Relinquished by: <u>Kaelyn Orule</u>				Date/Time: <u>6/19/24/1700</u>		Company: <u>KPRG</u>		Received by: <u>FedEx</u>		Date/Time: <u>6/19/24/1700</u>	
Relinquished by:				Date/Time:		Company:		Received by: <u>Shu Smith</u>		Date/Time: <u>6/20/24 0945</u>	
Relinquished by:				Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature (°C) and Other Remarks: <u>5.9-7.55, 5.4-7.50, 3.8-7.34</u>							

Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-534-5200 Fax: 708-534-5211

Chain of Custody Record

eurofins | Environment Testing

Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>500-123641-49657 1</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@et.eurofins.com</u>		State of Origin: <u>IL</u>		Page: <u>Page 1 of 1</u>			
Company: <u>KPRG and Associates, Inc.</u>		PWSID		Analysis Requested				Job #: <u>500-252291</u>			
Address: <u>14865 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		 <p>500-252291 COC</p>				Preservation Codes: D - HNO3 N - None			
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>						Other:			
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: <u>262-781-0475 (Tel)</u>		PO #: <u>4502180845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR Event Desc Quarterly Powerton CCR Sampling</u>		Project #: <u>60011812</u>		SSOW#:		Total Number of Containers: <u>7</u>					
Site: <u>Illinois</u>											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Special Instructions/Note:	
										Preservation Code	
<u>MW-01</u>								Water		D D N N	
<u>MW-02</u>								Water			
<u>MW-03</u>								Water			
<u>MW-04</u>								Water			
<u>21 MW-05 Duplicate 3</u>		<u>6/20/24</u>		<u>-</u>		<u>G</u>		Water		N N X X X X	
<u>22 MW-06 MW-22</u>		<u>6/20/24</u>		<u>1233</u>				Water			
<u>23 MW-07 MW-23</u>		<u>6/20/24</u>		<u>1147</u>				Water			
<u>24 MW-08</u>		<u>6/20/24</u>		<u>0829</u>				Water			
<u>25 MW-09</u>		<u>6/20/24</u>		<u>1034</u>				Water			
<u>26 MW-10 MW-12R</u>		<u>6/20/24</u>		<u>1316</u>				Water			
<u>27 MW-11</u>		<u>6/20/24</u>		<u>0925</u>				Water			
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)						
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months						
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:						
Empty Kit Relinquished by:		Date		Time		Method of Shipment:					
Relinquished by: <u>Kaelyn Sperle</u>		Date/Time: <u>6/20/24/1500</u>		Company: <u>KPRG</u>		Received by: <u>FedEx</u>		Date/Time: <u>6/20/24/1500</u>		Company: <u>FedEx</u>	
Relinquished by:		Date/Time:		Company:		Received by: <u>Stephanie Hernandez</u>		Date/Time: <u>6/21/24 1000</u>		Company: <u>EEPA</u>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>5.1+4.7, 0.1+0.2, 7.4+7.1</u>							

ORIGIN ID:PIAA (262) 278
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519
ST 25

JUN24
3 10:30
A
4143
06.18

Part # 1562932885
EXP 01/25

TO EUROFINS
2417 BOND ST.
UNIVERSITY PARK IL 60484



MPS# 0263 2 of 2
Mstr# 2760 2633 4143
XP JOTA

TUE - 18 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD



ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 17JUN24
ACTWGT: 60.60 LB
CAD: 6994780/SSFE2521
DIMS: 24x12x12 IN
BILL THIRD PARTY


Part # 1562932885

TO EUROFINS
2417 BOND ST.
UNIVERSITY PARK IL 60484



500-252291 Waybi


(556) 556-5556 REF: DEPT:
INV: PO:



1 of 2
TRK# 0201 2760 2633 4132
MASTER

TUE - 18 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD

XP JOTA



ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 18JUN24
ACTWGT: 59.90 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x14 IN
BILL THIRD PARTY

TO EUROFINS

2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INU:
PO:

REF:

DEPT:

500-252291 Waybl -



FedEx
Express




RT 519
ST 22

5 10:30
A 2866
06.19

1 of 4
TRK# 2760 7640 2866
0201
MASTER

XP JOTA

WED - 19 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD



ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 18JUN24
ACTWGT: 59.90 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x14 IN
BILL THIRD PARTY

TO EUROFINS


2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INU:
PO:

REF:

DEPT:



FedEx
Express




RT 519

5 10:30

2877 10:30A
06.19
OVERNIGHT
AHS
60484
IL-US ORD

2 of 4
MPS# 2760 7640 287
0263
Mstr# 2760 7640 2866
ST 22
0201

XP JOTA



Part # 1562972106-4480WZEXP 01/25

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19JUN24
ACTWGT: 60.25 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x13 IN

BILL THIRD PARTY

TO EUROFINS

2417 BOND ST.

5.4 ps



UNIVERSITY PARK IL 60484


500-252291 Waybr

(555) 666-6666

REF:

INU:
PO:

DEPT:



FedEx
Express



5 of 5

MPS# 2761 2064 9620


Mstr# 2761 2064 9583

0201

XP JOTA

60484
IL-US ORD

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT



RT 519

ST 21

5 10:30

A

9620
06.20

48 ps

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19JUN24
ACTWGT: 60.25 LB

RT 519

ST 21

5 10:30

A

9583
06.20

TO EUROFINS

2417 BOND ST.

UNIVERSITY PARK IL 60484


3.8 ps

(555) 666-6666

REF:

INU:
PO:

DEPT:



FedEx
Express



1 of 5


TRK# 2761 2064 9583

MASTER

XP JOTA

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT

60484
IL-US ORD



48 ps

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19 JUN 24
ACTWGT: 60.25 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x13 IN
BILL THIRD PARTY

Part # 156293-069-01000123EXP 01/25

TO **EUROFINS**


2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INV:
PO:

REF:

DEPT:



FedEx
Express



3 of 5

MPS# 2761 2064 9609
0263


Mstr# 2761 2064 9583

0201

XP JOTA

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT

60484
IL-US **ORD**



Handwritten marks: 46, a scribble, and 98

10
11
12
13

Do not lift using this tag.

48 qt

ORIGIN ID:PIAA (000)
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519

5 10:30 A

E2521

ST 25

0955
06.21


TO SAMPLE RECL
EUROFINS
2417 BOND ST

UNIVERSITY PARK IL 60484

(000) 000-0000
INV:
PO:

REF:

DEPT:



FedEx
Express



AN10926204202427

4 of 5

MPS# 2761 6140 0955
0263


Mstr# 2761 6140 0922

0201

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT

XP JOTA

60484
IL-US ORD



Do not lift using this tag.

48 qt



500-252291 Waybi

ORIGIN ID:PIAA (000) 000-0000
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519

5 10:30 A

SH
ACT
CAD
DIMS

ST 25

BILL T. PARTY


TO SAMPLE RECEIVING
EUROFINS
2417 BOND ST

UNIVERSITY PARK IL 60484

(000) 000-0000
INV:
PO:

REF:

DEPT:



FedEx
Express



AN10926204202427

2/ of 5

MPS# 2761 6140 0933
0263


Mstr# 2761 6140 0922

0201

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT

XP JOTA

60484
IL-US ORD



Do not include

489b

RT 519
ST 25
5 10:30
0944
06

ORIGIN ID:PIAA (000) 000-0000

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHR
C.C.
D1.
BILL

Part # 156297-435 RRDW12 EXP 01/25
E386/1738/ST895

TO SAMPLE RECEIVING
EUROFINS
2417 BOND ST


UNIVERSITY PARK IL 60484

5-1-A-7

(000) 000-0000
THU:
PO:

REF:

DEPT:



FedEx
Express



AN L09263042020202020202

3 of 5

MPS# 2761 6140 0944
0263

Mstr# 2761 6140 0922


0201

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT

XP JOTA

60484

IL-US ORD



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No						
Client Contact: Shipping/Receiving		Phone:	Mockler, Diana J	State of Origin: Illinois	500-189589.1						
Company: TestAmerica Laboratories, Inc.		E-Mail: Diana.Mockler@et.eurofins.com		Page: Page 1 of 1							
Address: 13715 Rider Trail North,		Accreditations Required (See note): NELAP - Illinois		Job #	500-252291-2						
City	Due Date Requested: 6/28/2024	Preservation Codes:									
Earth City	TAT Requested (days):	Analysis Requested									
State, Zip MO, 63045	PO #	Total Number of Containers									
Phone: 314-298-8566(Tel) 314-298-8757(Fax)	WO #	903.0/PreSep_21 Standard Target List									
Email:	Project #	904.0/PreSep_0 Standard Target List									
	50011612	Ra226Ra228_GFPc									
Project Name: Powerton CCR	SSOW#	Field Filtered Sample (Yes or No)									
Site: MWG - Powerton		Performance M/MSD (Yes or No)									
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/soil, BT=Tissue, Asst)	Preservation Code:	Field Filtered Sample (Yes or No)	Performance M/MSD (Yes or No)	903.0/PreSep_21 Standard Target List	904.0/PreSep_0 Standard Target List	Special Instructions/Note:
MW-17 (500-252291-1)	6/17/24	14:46	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-18 (500-252291-2)	6/17/24	15:39	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-19 (500-252291-3)	6/17/24	16:20	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-20 (500-252291-4)	6/17/24	13:37	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-21 (500-252291-5)	6/17/24	11:36	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-21D (500-252291-6)	6/17/24	12:42	Central	Water	Water	X	X	X	X	X	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification

Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____

Relinquished by: *[Signature]* Date/Time: 6/17/24 1110 Company: _____ Received by: _____ Date/Time: _____ Company: _____

Relinquished by: *[Signature]* Date/Time: _____ Company: _____ Received by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: Yes No Cooler Temperature(s) °C and Other Remarks:

Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-1

Login Number: 252291

List Number: 1

Creator: Hernandez, Stephanie

List Source: Eurofins Chicago

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Water present in cooler; indicates evidence of melted ice.
Cooler Temperature is acceptable.	False	
Cooler Temperature is recorded.	True	4.6,5.8,5.9,5.0,5.5,5.0,3.4,4.7,0.2,7.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-17
Date Collected: 06/17/24 14:46
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 16:35
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:06
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:26
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:39
Total/NA	Analysis	SM 4500 CI- E		5	773324	TR	EET CHI	06/19/24 13:04
Total/NA	Analysis	SM 4500 F C		1	774793	SO	EET CHI	06/28/24 10:53
Total/NA	Analysis	SM 4500 SO4 E		20	774273	TR	EET CHI	06/25/24 14:46

Client Sample ID: MW-18
Date Collected: 06/17/24 15:39
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:00
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:17
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:28
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:46
Total/NA	Analysis	SM 4500 CI- E		5	773324	TR	EET CHI	06/19/24 13:05
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 16:51
Total/NA	Analysis	SM 4500 SO4 E		2	774273	TR	EET CHI	06/25/24 13:33

Client Sample ID: MW-19
Date Collected: 06/17/24 16:20
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:03
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:19
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:31
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:52
Total/NA	Analysis	SM 4500 CI- E		1	773324	TR	EET CHI	06/19/24 12:22
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:06
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 14:48

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-20
Date Collected: 06/17/24 13:37
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:07
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:25
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:33
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:54
Total/NA	Analysis	SM 4500 CI- E		2	773324	TR	EET CHI	06/19/24 13:03
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:11
Total/NA	Analysis	SM 4500 SO4 E		20	774273	TR	EET CHI	06/25/24 14:47

Client Sample ID: MW-21
Date Collected: 06/17/24 11:36
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:11
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:27
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:56
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:57
Total/NA	Analysis	SM 4500 CI- E		1	773324	TR	EET CHI	06/19/24 12:23
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:15
Total/NA	Analysis	SM 4500 SO4 E		1	774273	TR	EET CHI	06/25/24 13:15

Client Sample ID: MW-21D
Date Collected: 06/17/24 12:42
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:14
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:29
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 08:58
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 22:59
Total/NA	Analysis	SM 4500 CI- E		2	773324	TR	EET CHI	06/19/24 13:04
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:20
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 14:48

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: Duplicate 1

Date Collected: 06/18/24 00:00

Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:18
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:31
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 09:07
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:02
Total/NA	Analysis	SM 4500 CI- E		10	773841	TR	EET CHI	06/23/24 11:53
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:25
Total/NA	Analysis	SM 4500 SO4 E		20	774273	TR	EET CHI	06/25/24 15:50

Client Sample ID: MW-14

Date Collected: 06/18/24 09:41

Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:21
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:33
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 09:09
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:05
Total/NA	Analysis	SM 4500 CI- E		2	773523	TR	EET CHI	06/20/24 11:02
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:40
Total/NA	Analysis	SM 4500 SO4 E		100	774273	TR	EET CHI	06/25/24 15:01

Client Sample ID: MW-15

Date Collected: 06/18/24 11:10

Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:25
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:36
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 09:11
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:07
Total/NA	Analysis	SM 4500 CI- E		10	773523	TR	EET CHI	06/20/24 11:02
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:45
Total/NA	Analysis	SM 4500 SO4 E		20	774273	TR	EET CHI	06/25/24 14:48

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-16
Date Collected: 06/18/24 15:13
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:29
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:38
Total/NA	Prep	7470A			775706	MJG	EET CHI	07/08/24 10:55 - 07/08/24 12:55 ¹
Total/NA	Analysis	7470A		1	775890	MJG	EET CHI	07/09/24 09:13
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:10
Total/NA	Analysis	SM 4500 CI- E		1	773523	TR	EET CHI	06/20/24 10:14
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:49
Total/NA	Analysis	SM 4500 SO4 E		1	774273	TR	EET CHI	06/25/24 13:15

Client Sample ID: MW-06
Date Collected: 06/18/24 12:44
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:32
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:40
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:02
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:12
Total/NA	Analysis	SM 4500 CI- E		5	773523	TR	EET CHI	06/20/24 11:02
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:54
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 13:35

Client Sample ID: MW-07
Date Collected: 06/18/24 13:56
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:43
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:42
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:04
Total/NA	Analysis	SM 2540C		1	773351	CLB	EET CHI	06/19/24 23:15
Total/NA	Analysis	SM 4500 CI- E		5	773523	TR	EET CHI	06/20/24 11:03
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 17:58
Total/NA	Analysis	SM 4500 SO4 E		1	774273	TR	EET CHI	06/25/24 13:16

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-01
Date Collected: 06/19/24 11:06
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:47
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:44
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:06
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:34
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:53
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:03
Total/NA	Analysis	SM 4500 SO4 E		1	774273	TR	EET CHI	06/25/24 15:19

Client Sample ID: MW-02
Date Collected: 06/19/24 08:57
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-14
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:50
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:50
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:08
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:41
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:54
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:08
Total/NA	Analysis	SM 4500 SO4 E		2	774273	TR	EET CHI	06/25/24 15:31

Client Sample ID: MW-03
Date Collected: 06/19/24 10:02
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:54
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:52
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:10
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:47
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:54
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:13
Total/NA	Analysis	SM 4500 SO4 E		2	774273	TR	EET CHI	06/25/24 15:31

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-04
Date Collected: 06/19/24 12:20
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 17:57
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:54
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:12
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:49
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:54
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:17
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:50

Client Sample ID: MW-05
Date Collected: 06/19/24 13:18
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-17
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:01
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 12:56
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 09:14
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:52
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:55
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:21
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:32

Client Sample ID: MW-13
Date Collected: 06/19/24 14:28
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-18
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:05
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 12:58
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:27
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:54
Total/NA	Analysis	SM 4500 CI- E		5	773841	TR	EET CHI	06/23/24 11:55
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:36
Total/NA	Analysis	SM 4500 SO4 E		10	774273	TR	EET CHI	06/25/24 15:51

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: Duplicate 2
Date Collected: 06/19/24 00:00
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-19
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:08
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 13:01
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:29
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 22:57
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:55
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:40
Total/NA	Analysis	SM 4500 SO4 E		1	774273	TR	EET CHI	06/25/24 15:17

Client Sample ID: MW-10
Date Collected: 06/19/24 15:32
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-20
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:12
Total Recoverable	Prep	3005A			775846	BDE	EET CHI	07/09/24 08:31 - 07/09/24 14:31 ¹
Total Recoverable	Analysis	6020B		10	776102	RN	EET CHI	07/10/24 13:03
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:42
Total/NA	Analysis	SM 2540C		1	773545	CLB	EET CHI	06/20/24 23:00
Total/NA	Analysis	SM 4500 CI- E		1	773841	TR	EET CHI	06/23/24 11:22
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:45
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:51

Client Sample ID: Duplicate 3
Date Collected: 06/20/24 00:00
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-21
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:30
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 13:13
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:44
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:05
Total/NA	Analysis	SM 4500 CI- E		1	773841	TR	EET CHI	06/23/24 11:22
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 18:49
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:51

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-22
Date Collected: 06/20/24 12:33
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-22
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:48
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 13:24
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:46
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:07
Total/NA	Analysis	SM 4500 CI- E		5	773841	TR	EET CHI	06/23/24 11:56
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:04
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:33

Client Sample ID: MW-23
Date Collected: 06/20/24 11:47
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-23
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:52
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 13:26
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:48
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:10
Total/NA	Analysis	SM 4500 CI- E		1	773841	TR	EET CHI	06/23/24 11:22
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:08
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:52

Client Sample ID: MW-08
Date Collected: 06/20/24 08:29
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-24
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 18:55
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 13:28
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:50
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:13
Total/NA	Analysis	SM 4500 CI- E		5	773841	TR	EET CHI	06/23/24 11:56
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:13
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:35

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Client Sample ID: MW-09
Date Collected: 06/20/24 10:34
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-25
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 19:06
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 13:35
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:53
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:15
Total/NA	Analysis	SM 4500 CI- E		1	773841	TR	EET CHI	06/23/24 11:23
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:17
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:52

Client Sample ID: MW-12R
Date Collected: 06/20/24 13:16
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-26
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 19:10
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776102	RN	EET CHI	07/10/24 13:37
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:55
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:18
Total/NA	Analysis	SM 4500 CI- E		5	773841	TR	EET CHI	06/23/24 11:57
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:31
Total/NA	Analysis	SM 4500 SO4 E		10	774273	TR	EET CHI	06/25/24 15:52

Client Sample ID: MW-11
Date Collected: 06/20/24 09:25
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-27
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		1	776031	RN	EET CHI	07/09/24 19:13
Total Recoverable	Prep	3005A			775847	BDE	EET CHI	07/09/24 08:32 - 07/09/24 14:32 ¹
Total Recoverable	Analysis	6020B		5	776102	RN	EET CHI	07/10/24 13:39
Total/NA	Prep	7470A			775919	MJG	EET CHI	07/09/24 14:25 - 07/09/24 16:25 ¹
Total/NA	Analysis	7470A		1	776091	MJG	EET CHI	07/10/24 11:57
Total/NA	Analysis	SM 2540C		1	773814	CLB	EET CHI	06/23/24 21:20
Total/NA	Analysis	SM 4500 CI- E		2	773841	TR	EET CHI	06/23/24 11:57
Total/NA	Analysis	SM 4500 F C		1	776165	SO	EET CHI	07/10/24 19:35
Total/NA	Analysis	SM 4500 SO4 E		5	774273	TR	EET CHI	06/25/24 15:53

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Laboratory References:

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Accreditation/Certification Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR

Job ID: 500-252291-1

Laboratory: Eurofins Chicago

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Illinois	NELAP	IL00035	05-31-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

ANALYTICAL REPORT

PREPARED FOR

Attn: Richard Gnat
KPRG and Associates, Inc.
14665 West Lisbon Road,
Suite 1A
Brookfield, Wisconsin 53005

Generated 7/22/2024 3:26:26 PM

JOB DESCRIPTION

Powerton CCR (RAD)

JOB NUMBER

500-252291-2

Eurofins Chicago

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

Authorization



Generated
7/22/2024 3:26:26 PM

Authorized for release by
Diana Mockler, Project Manager I
Diana.Mockler@et.eurofinsus.com
(219)252-7570



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	34
QC Association	35
QC Sample Results	37
Chain of Custody	42
Receipt Checklists	56
Chronicle	61
Certification Summary	68
Tracer Carrier Summary	69

Case Narrative

Client: KPRG and Associates, Inc.
Project: Powerton CCR (RAD)

Job ID: 500-252291-2

Job ID: 500-252291-2

Eurofins Chicago

Job Narrative 500-252291-2

Receipt

The samples were received on 06/18/24 09:45. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 10 coolers at receipt time were 0.2° C, 3.4° C, 4.6° C, 4.7° C, 5.0° C, 5.0° C, 5.5° C, 5.8° C, 5.9° C and 7.1° C.

Receipt Exceptions

The following samples were received at the laboratory outside the required temperature criteria: receiving cooler temp 7.1°C, water present in cooler no visible ice. Samples in cooler (#24 MW-08 and #25 MW-09):.

RAD

Method 904.0: Radium 228 Batch 667444: The sample duplicate (DUP) precision for (500-252291-G-1-B DU) was outside the control limits. However the original sample and DUP activity is below the MDC / RL making the measurement of precision less critical. The lab does not believe this discrepancy to have a negative impact on the data being reported.

Method 904.0: Radium 228 Batch 667444: The detection goal was not met for the following sample due to the reduced sample volume attributed to the presence of matrix interferences: MW-21D (500-252291-6). Analytical results are reported with the detection limit achieved.

Method 904.0: Radium 228 Batch 667709

The detection goal was not met for the following sample due to a reduction of the sample size attributed to high residual mass: MW-07 (500-252291-12). Analytical results are reported with the detection limit achieved.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Eurofins Chicago

Method Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-252291-1	MW-17	Water	06/17/24 14:46	06/18/24 09:45
500-252291-2	MW-18	Water	06/17/24 15:39	06/18/24 09:45
500-252291-3	MW-19	Water	06/17/24 16:20	06/18/24 09:45
500-252291-4	MW-20	Water	06/17/24 13:37	06/18/24 09:45
500-252291-5	MW-21	Water	06/17/24 11:36	06/18/24 09:45
500-252291-6	MW-21D	Water	06/17/24 12:42	06/18/24 09:45
500-252291-7	Duplicate 1	Water	06/18/24 00:00	06/19/24 09:50
500-252291-8	MW-14	Water	06/18/24 09:41	06/19/24 09:50
500-252291-9	MW-15	Water	06/18/24 11:10	06/19/24 09:50
500-252291-10	MW-16	Water	06/18/24 15:13	06/19/24 09:50
500-252291-11	MW-06	Water	06/18/24 12:44	06/19/24 09:50
500-252291-12	MW-07	Water	06/18/24 13:56	06/19/24 09:50
500-252291-13	MW-01	Water	06/19/24 11:06	06/20/24 09:45
500-252291-14	MW-02	Water	06/19/24 08:57	06/20/24 09:45
500-252291-15	MW-03	Water	06/19/24 10:02	06/20/24 09:45
500-252291-16	MW-04	Water	06/19/24 12:20	06/20/24 09:45
500-252291-17	MW-05	Water	06/19/24 13:18	06/20/24 09:45
500-252291-18	MW-13	Water	06/19/24 14:28	06/20/24 09:45
500-252291-19	Duplicate 2	Water	06/19/24 00:00	06/20/24 09:45
500-252291-20	MW-10	Water	06/19/24 15:32	06/20/24 09:45
500-252291-21	Duplicate 3	Water	06/20/24 00:00	06/21/24 10:00
500-252291-22	MW-22	Water	06/20/24 12:33	06/21/24 10:00
500-252291-23	MW-23	Water	06/20/24 11:47	06/21/24 10:00
500-252291-24	MW-08	Water	06/20/24 08:29	06/21/24 10:00
500-252291-25	MW-09	Water	06/20/24 10:34	06/21/24 10:00
500-252291-26	MW-12R	Water	06/20/24 13:16	06/21/24 10:00
500-252291-27	MW-11	Water	06/20/24 09:25	06/21/24 10:00

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-17

Lab Sample ID: 500-252291-1

Date Collected: 06/17/24 14:46

Matrix: Water

Date Received: 06/18/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0995	U	0.0846	0.0851	1.00	0.126	pCi/L	06/21/24 08:56	07/16/24 10:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/21/24 08:56	07/16/24 10:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.998		0.404	0.414	1.00	0.508	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	85.2		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.10		0.413	0.423	5.00	0.508	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-18
Date Collected: 06/17/24 15:39
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-2
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.193		0.108	0.109	1.00	0.138	pCi/L	06/21/24 08:56	07/16/24 10:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.1		30 - 110					06/21/24 08:56	07/16/24 10:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.281	U	0.366	0.367	1.00	0.611	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.1		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	81.1		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.475	U	0.382	0.383	5.00	0.611	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-19
Date Collected: 06/17/24 16:20
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-3
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.140	U	0.117	0.117	1.00	0.177	pCi/L	06/21/24 08:56	07/16/24 10:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		30 - 110					06/21/24 08:56	07/16/24 10:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.04		0.439	0.450	1.00	0.562	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	86.4		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.18		0.454	0.465	5.00	0.562	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-20

Lab Sample ID: 500-252291-4

Date Collected: 06/17/24 13:37

Matrix: Water

Date Received: 06/18/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.215		0.114	0.115	1.00	0.148	pCi/L	06/21/24 08:56	07/16/24 10:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					06/21/24 08:56	07/16/24 10:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0954	U	0.274	0.274	1.00	0.491	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	88.6		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.310	U	0.297	0.297	5.00	0.491	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-21

Lab Sample ID: 500-252291-5

Date Collected: 06/17/24 11:36

Matrix: Water

Date Received: 06/18/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.533		0.196	0.201	1.00	0.209	pCi/L	06/21/24 08:56	07/16/24 10:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.9		30 - 110					06/21/24 08:56	07/16/24 10:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.391	U	0.467	0.468	1.00	0.770	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.9		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	85.2		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.924		0.506	0.509	5.00	0.770	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-21D

Lab Sample ID: 500-252291-6

Date Collected: 06/17/24 12:42

Matrix: Water

Date Received: 06/18/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.362		0.202	0.205	1.00	0.257	pCi/L	06/21/24 08:56	07/16/24 10:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/21/24 08:56	07/16/24 10:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.916	U G	0.688	0.693	1.00	1.05	pCi/L	06/21/24 09:00	07/11/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/21/24 09:00	07/11/24 12:11	1
Y Carrier	86.4		30 - 110					06/21/24 09:00	07/11/24 12:11	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.28		0.717	0.723	5.00	1.05	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: Duplicate 1

Lab Sample ID: 500-252291-7

Date Collected: 06/18/24 00:00

Matrix: Water

Date Received: 06/19/24 09:50

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.201		0.0941	0.0958	1.00	0.112	pCi/L	06/24/24 09:07	07/18/24 23:49	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.3		30 - 110					06/24/24 09:07	07/18/24 23:49	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0362	U	0.253	0.253	1.00	0.500	pCi/L	06/24/24 09:18	07/11/24 12:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.3		30 - 110					06/24/24 09:18	07/11/24 12:31	1
Y Carrier	79.3		30 - 110					06/24/24 09:18	07/11/24 12:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.165	U	0.270	0.271	5.00	0.500	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-14
Date Collected: 06/18/24 09:41
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-8
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.108		0.0695	0.0702	1.00	0.0881	pCi/L	06/24/24 09:07	07/18/24 23:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		30 - 110					06/24/24 09:07	07/18/24 23:50	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0491	U	0.283	0.283	1.00	0.553	pCi/L	06/24/24 09:18	07/11/24 12:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		30 - 110					06/24/24 09:18	07/11/24 12:31	1
Y Carrier	80.7		30 - 110					06/24/24 09:18	07/11/24 12:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0592	U	0.291	0.292	5.00	0.553	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-15
Date Collected: 06/18/24 11:10
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-9
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.102	U	0.0766	0.0771	1.00	0.109	pCi/L	06/24/24 09:07	07/18/24 23:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/24/24 09:07	07/18/24 23:50	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.208	U	0.322	0.322	1.00	0.687	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.8		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	80.0		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.107	U	0.331	0.331	5.00	0.687	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-16

Lab Sample ID: 500-252291-10

Date Collected: 06/18/24 15:13

Matrix: Water

Date Received: 06/19/24 09:50

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0183	U	0.0527	0.0528	1.00	0.0999	pCi/L	06/24/24 09:07	07/18/24 23:50	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.5		30 - 110					06/24/24 09:07	07/18/24 23:50	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.313	U	0.386	0.387	1.00	0.639	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	97.5		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	80.4		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.331	U	0.390	0.391	5.00	0.639	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-06

Lab Sample ID: 500-252291-11

Date Collected: 06/18/24 12:44

Matrix: Water

Date Received: 06/19/24 09:50

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.132		0.0781	0.0790	1.00	0.0984	pCi/L	06/24/24 09:07	07/18/24 23:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		30 - 110					06/24/24 09:07	07/18/24 23:52	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.144	U	0.405	0.406	1.00	0.722	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.5		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	80.0		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.276	U	0.412	0.414	5.00	0.722	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-07

Lab Sample ID: 500-252291-12

Date Collected: 06/18/24 13:56

Matrix: Water

Date Received: 06/19/24 09:50

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.541		0.197	0.203	1.00	0.184	pCi/L	06/24/24 09:07	07/18/24 23:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.5		30 - 110					06/24/24 09:07	07/18/24 23:52	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.291	U G	0.729	0.730	1.00	1.29	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	96.5		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	81.9		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.832	U	0.755	0.758	5.00	1.29	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-01
Date Collected: 06/19/24 11:06
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-13
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0276	U	0.0473	0.0474	1.00	0.0844	pCi/L	06/24/24 09:07	07/18/24 23:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.6		30 - 110					06/24/24 09:07	07/18/24 23:52	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.313	U	0.412	0.413	1.00	0.688	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.6		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	79.3		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.340	U	0.415	0.416	5.00	0.688	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-02
Date Collected: 06/19/24 08:57
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-14
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.122	U	0.0896	0.0902	1.00	0.128	pCi/L	06/24/24 09:07	07/18/24 23:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.6		30 - 110					06/24/24 09:07	07/18/24 23:52	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.160	U	0.394	0.394	1.00	0.794	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.6		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	82.6		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0377	U	0.404	0.404	5.00	0.794	pCi/L		07/22/24 09:15	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-03

Lab Sample ID: 500-252291-15

Date Collected: 06/19/24 10:02

Matrix: Water

Date Received: 06/20/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.000	U	0.0633	0.0633	1.00	0.126	pCi/L	06/24/24 09:07	07/18/24 23:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		30 - 110					06/24/24 09:07	07/18/24 23:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.166	U	0.412	0.412	1.00	0.727	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	95.0		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	81.1		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.166	U	0.417	0.417	5.00	0.727	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-04

Lab Sample ID: 500-252291-16

Date Collected: 06/19/24 12:20

Matrix: Water

Date Received: 06/20/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0590	U	0.0688	0.0690	1.00	0.112	pCi/L	06/24/24 09:07	07/18/24 23:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.1		30 - 110					06/24/24 09:07	07/18/24 23:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0941	U	0.368	0.368	1.00	0.725	pCi/L	06/24/24 09:18	07/11/24 14:31	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.1		30 - 110					06/24/24 09:18	07/11/24 14:31	1
Y Carrier	83.7		30 - 110					06/24/24 09:18	07/11/24 14:31	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0350	U	0.374	0.374	5.00	0.725	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-05

Lab Sample ID: 500-252291-17

Date Collected: 06/19/24 13:18

Matrix: Water

Date Received: 06/20/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.108	U	0.0810	0.0815	1.00	0.116	pCi/L	06/24/24 09:07	07/18/24 23:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		30 - 110					06/24/24 09:07	07/18/24 23:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.437	U	0.488	0.489	1.00	0.797	pCi/L	06/24/24 09:18	07/11/24 14:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.8		30 - 110					06/24/24 09:18	07/11/24 14:32	1
Y Carrier	81.1		30 - 110					06/24/24 09:18	07/11/24 14:32	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.545	U	0.495	0.496	5.00	0.797	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-13

Lab Sample ID: 500-252291-18

Date Collected: 06/19/24 14:28

Matrix: Water

Date Received: 06/20/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.160		0.0971	0.0982	1.00	0.132	pCi/L	06/24/24 09:07	07/18/24 23:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					06/24/24 09:07	07/18/24 23:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0919	U	0.327	0.328	1.00	0.662	pCi/L	06/24/24 09:18	07/11/24 14:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					06/24/24 09:18	07/11/24 14:32	1
Y Carrier	82.2		30 - 110					06/24/24 09:18	07/11/24 14:32	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0681	U	0.341	0.342	5.00	0.662	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: Duplicate 2

Lab Sample ID: 500-252291-19

Date Collected: 06/19/24 00:00

Matrix: Water

Date Received: 06/20/24 09:45

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.106	U	0.0788	0.0794	1.00	0.112	pCi/L	06/24/24 09:07	07/18/24 23:58	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					06/24/24 09:07	07/18/24 23:58	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.471	U	0.406	0.408	1.00	0.631	pCi/L	06/24/24 09:18	07/11/24 14:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					06/24/24 09:18	07/11/24 14:32	1
Y Carrier	82.2		30 - 110					06/24/24 09:18	07/11/24 14:32	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.577	U	0.414	0.416	5.00	0.631	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-10
Date Collected: 06/19/24 15:32
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-20
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.521		0.153	0.160	1.00	0.120	pCi/L	06/24/24 09:07	07/19/24 07:21	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.5		30 - 110					06/24/24 09:07	07/19/24 07:21	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.817	U	0.583	0.588	1.00	0.876	pCi/L	06/24/24 09:18	07/11/24 14:32	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.5		30 - 110					06/24/24 09:18	07/11/24 14:32	1
Y Carrier	83.0		30 - 110					06/24/24 09:18	07/11/24 14:32	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.34		0.603	0.609	5.00	0.876	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: Duplicate 3

Lab Sample ID: 500-252291-21

Date Collected: 06/20/24 00:00

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0103	U	0.0572	0.0572	1.00	0.113	pCi/L	06/26/24 08:45	07/19/24 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					06/26/24 08:45	07/19/24 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.266	U	0.379	0.380	1.00	0.638	pCi/L	06/26/24 08:49	07/12/24 11:42	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					06/26/24 08:49	07/12/24 11:42	1
Y Carrier	78.5		30 - 110					06/26/24 08:49	07/12/24 11:42	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.276	U	0.383	0.384	5.00	0.638	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-22

Lab Sample ID: 500-252291-22

Date Collected: 06/20/24 12:33

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.125		0.0806	0.0814	1.00	0.108	pCi/L	06/26/24 08:45	07/19/24 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.3		30 - 110					06/26/24 08:45	07/19/24 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.593		0.348	0.352	1.00	0.503	pCi/L	06/26/24 08:49	07/12/24 11:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.3		30 - 110					06/26/24 08:49	07/12/24 11:36	1
Y Carrier	83.7		30 - 110					06/26/24 08:49	07/12/24 11:36	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.718		0.357	0.361	5.00	0.503	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-23

Lab Sample ID: 500-252291-23

Date Collected: 06/20/24 11:47

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.521		0.215	0.220	1.00	0.236	pCi/L	06/26/24 08:45	07/19/24 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		30 - 110					06/26/24 08:45	07/19/24 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.55		0.693	0.708	1.00	0.889	pCi/L	06/26/24 08:49	07/12/24 11:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		30 - 110					06/26/24 08:49	07/12/24 11:36	1
Y Carrier	84.1		30 - 110					06/26/24 08:49	07/12/24 11:36	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.07		0.726	0.741	5.00	0.889	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-08

Lab Sample ID: 500-252291-24

Date Collected: 06/20/24 08:29

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.249		0.113	0.115	1.00	0.139	pCi/L	06/26/24 08:45	07/19/24 09:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.8		30 - 110					06/26/24 08:45	07/19/24 09:36	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.352	U	0.348	0.349	1.00	0.560	pCi/L	06/26/24 08:49	07/12/24 11:36	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	98.8		30 - 110					06/26/24 08:49	07/12/24 11:36	1
Y Carrier	84.1		30 - 110					06/26/24 08:49	07/12/24 11:36	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.602		0.366	0.367	5.00	0.560	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-09

Lab Sample ID: 500-252291-25

Date Collected: 06/20/24 10:34

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0762	U	0.0841	0.0843	1.00	0.134	pCi/L	06/26/24 08:32	07/19/24 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.6		30 - 110					06/26/24 08:32	07/19/24 07:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.283	U	0.329	0.330	1.00	0.697	pCi/L	06/26/24 08:37	07/15/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.6		30 - 110					06/26/24 08:37	07/15/24 12:43	1
Y Carrier	79.6		30 - 110					06/26/24 08:37	07/15/24 12:43	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.207	U	0.340	0.341	5.00	0.697	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-12R

Lab Sample ID: 500-252291-26

Date Collected: 06/20/24 13:16

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.142		0.0923	0.0931	1.00	0.115	pCi/L	06/26/24 08:32	07/19/24 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.1		30 - 110					06/26/24 08:32	07/19/24 07:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.0382	U	0.332	0.332	1.00	0.609	pCi/L	06/26/24 08:37	07/15/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.1		30 - 110					06/26/24 08:37	07/15/24 12:43	1
Y Carrier	88.6		30 - 110					06/26/24 08:37	07/15/24 12:43	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.180	U	0.345	0.345	5.00	0.609	pCi/L		07/22/24 09:17	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-11

Lab Sample ID: 500-252291-27

Date Collected: 06/20/24 09:25

Matrix: Water

Date Received: 06/21/24 10:00

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.174		0.111	0.113	1.00	0.152	pCi/L	06/26/24 08:32	07/19/24 07:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		30 - 110					06/26/24 08:32	07/19/24 07:28	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.952		0.417	0.426	1.00	0.545	pCi/L	06/26/24 08:37	07/15/24 12:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.5		30 - 110					06/26/24 08:37	07/15/24 12:43	1
Y Carrier	81.1		30 - 110					06/26/24 08:37	07/15/24 12:43	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.13		0.432	0.441	5.00	0.545	pCi/L		07/22/24 09:18	1

Definitions/Glossary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Qualifiers

Rad

Qualifier	Qualifier Description
F	Duplicate RPD exceeds the control limit
G	The Sample MDC is greater than the requested RL.
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Rad

Prep Batch: 667443

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	PrecSep-21	
500-252291-2	MW-18	Total/NA	Water	PrecSep-21	
500-252291-3	MW-19	Total/NA	Water	PrecSep-21	
500-252291-4	MW-20	Total/NA	Water	PrecSep-21	
500-252291-5	MW-21	Total/NA	Water	PrecSep-21	
500-252291-6	MW-21D	Total/NA	Water	PrecSep-21	
MB 160-667443/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-667443/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-252291-1 DU	MW-17	Total/NA	Water	PrecSep-21	

Prep Batch: 667444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-1	MW-17	Total/NA	Water	PrecSep_0	
500-252291-2	MW-18	Total/NA	Water	PrecSep_0	
500-252291-3	MW-19	Total/NA	Water	PrecSep_0	
500-252291-4	MW-20	Total/NA	Water	PrecSep_0	
500-252291-5	MW-21	Total/NA	Water	PrecSep_0	
500-252291-6	MW-21D	Total/NA	Water	PrecSep_0	
MB 160-667444/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-667444/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-252291-1 DU	MW-17	Total/NA	Water	PrecSep_0	

Prep Batch: 667705

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-7	Duplicate 1	Total/NA	Water	PrecSep-21	
500-252291-8	MW-14	Total/NA	Water	PrecSep-21	
500-252291-9	MW-15	Total/NA	Water	PrecSep-21	
500-252291-10	MW-16	Total/NA	Water	PrecSep-21	
500-252291-11	MW-06	Total/NA	Water	PrecSep-21	
500-252291-12	MW-07	Total/NA	Water	PrecSep-21	
500-252291-13	MW-01	Total/NA	Water	PrecSep-21	
500-252291-14	MW-02	Total/NA	Water	PrecSep-21	
500-252291-15	MW-03	Total/NA	Water	PrecSep-21	
500-252291-16	MW-04	Total/NA	Water	PrecSep-21	
500-252291-17	MW-05	Total/NA	Water	PrecSep-21	
500-252291-18	MW-13	Total/NA	Water	PrecSep-21	
500-252291-19	Duplicate 2	Total/NA	Water	PrecSep-21	
500-252291-20	MW-10	Total/NA	Water	PrecSep-21	
MB 160-667705/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-667705/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 667709

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-7	Duplicate 1	Total/NA	Water	PrecSep_0	
500-252291-8	MW-14	Total/NA	Water	PrecSep_0	
500-252291-9	MW-15	Total/NA	Water	PrecSep_0	
500-252291-10	MW-16	Total/NA	Water	PrecSep_0	
500-252291-11	MW-06	Total/NA	Water	PrecSep_0	
500-252291-12	MW-07	Total/NA	Water	PrecSep_0	
500-252291-13	MW-01	Total/NA	Water	PrecSep_0	
500-252291-14	MW-02	Total/NA	Water	PrecSep_0	

Eurofins Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Rad (Continued)

Prep Batch: 667709 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-15	MW-03	Total/NA	Water	PrecSep_0	
500-252291-16	MW-04	Total/NA	Water	PrecSep_0	
500-252291-17	MW-05	Total/NA	Water	PrecSep_0	
500-252291-18	MW-13	Total/NA	Water	PrecSep_0	
500-252291-19	Duplicate 2	Total/NA	Water	PrecSep_0	
500-252291-20	MW-10	Total/NA	Water	PrecSep_0	
MB 160-667709/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-667709/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 668095

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-25	MW-09	Total/NA	Water	PrecSep-21	
500-252291-26	MW-12R	Total/NA	Water	PrecSep-21	
500-252291-27	MW-11	Total/NA	Water	PrecSep-21	
MB 160-668095/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-668095/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 668143

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-25	MW-09	Total/NA	Water	PrecSep_0	
500-252291-26	MW-12R	Total/NA	Water	PrecSep_0	
500-252291-27	MW-11	Total/NA	Water	PrecSep_0	
MB 160-668143/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-668143/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 668146

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-21	Duplicate 3	Total/NA	Water	PrecSep-21	
500-252291-22	MW-22	Total/NA	Water	PrecSep-21	
500-252291-23	MW-23	Total/NA	Water	PrecSep-21	
500-252291-24	MW-08	Total/NA	Water	PrecSep-21	
MB 160-668146/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-668146/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-252291-21 DU	Duplicate 3	Total/NA	Water	PrecSep-21	

Prep Batch: 668147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-252291-21	Duplicate 3	Total/NA	Water	PrecSep_0	
500-252291-22	MW-22	Total/NA	Water	PrecSep_0	
500-252291-23	MW-23	Total/NA	Water	PrecSep_0	
500-252291-24	MW-08	Total/NA	Water	PrecSep_0	
MB 160-668147/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-668147/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-252291-21 DU	Duplicate 3	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-667443/1-A
Matrix: Water
Analysis Batch: 670799

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 667443

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.03136	U	0.0790	0.0791	1.00	0.145	pCi/L	06/21/24 08:56	07/16/24 10:27	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					06/21/24 08:56	07/16/24 10:27	1

Lab Sample ID: LCS 160-667443/2-A
Matrix: Water
Analysis Batch: 670799

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 667443

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
	Result	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-226			11.3	10.47	1.12	1.00	0.140	pCi/L	92	75 - 125
Carrier	LCS		Limits							
Ba Carrier	%Yield	LCS Qualifier	30 - 110							

Lab Sample ID: 500-252291-1 DU
Matrix: Water
Analysis Batch: 670799

Client Sample ID: MW-17
Prep Type: Total/NA
Prep Batch: 667443

Analyte	Sample		DU	DU	Total	RL	MDC	Unit	RER	RER Limit
	Result	Sample Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.0995	U	0.06997	U	0.0828	1.00	0.135	pCi/L	0.18	1
Carrier	DU		Limits							
Ba Carrier	%Yield	DU Qualifier	30 - 110							

Lab Sample ID: MB 160-667705/1-A
Matrix: Water
Analysis Batch: 671146

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 667705

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.03999	U	0.0591	0.0592	1.00	0.135	pCi/L	06/24/24 09:07	07/18/24 21:20	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					06/24/24 09:07	07/18/24 21:20	1

Lab Sample ID: LCS 160-667705/2-A
Matrix: Water
Analysis Batch: 671146

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 667705

Analyte	LCS		Spike	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
	Result	LCS Qualifier	Added	Result	Uncert. (2σ+/-)					
Radium-226			11.3	10.97	1.14	1.00	0.113	pCi/L	97	75 - 125

Eurofins Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-667705/2-A
Matrix: Water
Analysis Batch: 671146

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 667705

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	97.0		30 - 110

Lab Sample ID: MB 160-668095/1-A
Matrix: Water
Analysis Batch: 671346

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 668095

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.04048	U	0.0755	0.0756	1.00	0.134	pCi/L	06/26/24 08:32	07/19/24 07:26	1

	MB	MB	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	99.0		30 - 110

	Prepared	Analyzed	Dil Fac
Ba Carrier	06/26/24 08:32	07/19/24 07:26	1

Lab Sample ID: LCS 160-668095/2-A
Matrix: Water
Analysis Batch: 671346

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 668095

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-226	11.3	10.13		1.11	1.00	0.125	pCi/L	89	75 - 125

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	97.3		30 - 110

Lab Sample ID: MB 160-668146/1-A
Matrix: Water
Analysis Batch: 671346

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 668146

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.07478	U	0.0656	0.0660	1.00	0.0965	pCi/L	06/26/24 08:45	07/19/24 09:18	1

	MB	MB	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	94.8		30 - 110

	Prepared	Analyzed	Dil Fac
Ba Carrier	06/26/24 08:45	07/19/24 09:18	1

Lab Sample ID: LCS 160-668146/2-A
Matrix: Water
Analysis Batch: 671346

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 668146

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-226	11.3	9.824		1.06	1.00	0.157	pCi/L	87	75 - 125

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	84.1		30 - 110

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: 500-252291-21 DU
Matrix: Water
Analysis Batch: 671465

Client Sample ID: Duplicate 3
Prep Type: Total/NA
Prep Batch: 668146

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.0103	U	-0.00413	U	0.0756	1.00	0.151	pCi/L	0.11	1
			2							
Carrier	DU	DU								
Ba Carrier	%Yield	Qualifier	Limits							
	98.0		30 - 110							

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-667444/1-A
Matrix: Water
Analysis Batch: 670163

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 667444

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.4386	U	0.340	0.342	1.00	0.520	pCi/L	06/21/24 09:00	07/11/24 12:10	1
Carrier	MB	MB								
Ba Carrier	%Yield	Qualifier	Limits				Prepared		Analyzed	
	98.3		30 - 110				06/21/24 09:00		07/11/24 12:10	
Y Carrier	82.2		30 - 110				06/21/24 09:00		07/11/24 12:10	

Lab Sample ID: LCS 160-667444/2-A
Matrix: Water
Analysis Batch: 670163

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 667444

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec	Limits
				Uncert. (2σ+/-)						
Radium-228	8.77	8.379		1.20	1.00	0.567	pCi/L	96	75 - 125	
Carrier	LCS	LCS								
Ba Carrier	%Yield	Qualifier	Limits							
	97.0		30 - 110							
Y Carrier	84.5		30 - 110							

Lab Sample ID: 500-252291-1 DU
Matrix: Water
Analysis Batch: 670163

Client Sample ID: MW-17
Prep Type: Total/NA
Prep Batch: 667444

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-228	0.998		-0.1351	U F	0.260	1.00	0.543	pCi/L	1.68	1
Carrier	DU	DU								
Ba Carrier	%Yield	Qualifier	Limits							
	88.6		30 - 110							
Y Carrier	83.7		30 - 110							

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: MB 160-667709/1-A
Matrix: Water
Analysis Batch: 670169

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 667709

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.1328	U	0.283	0.283	1.00	0.498	pCi/L	06/24/24 09:18	07/11/24 12:30	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	99.0		30 - 110		06/24/24 09:18	07/11/24 12:30	1			
Y Carrier	82.2		30 - 110		06/24/24 09:18	07/11/24 12:30	1			

Lab Sample ID: LCS 160-667709/2-A
Matrix: Water
Analysis Batch: 670169

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 667709

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-228	8.77	8.993		1.28	1.00	0.567	pCi/L	103	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	97.0		30 - 110						
Y Carrier	80.7		30 - 110						

Lab Sample ID: MB 160-668143/1-A
Matrix: Water
Analysis Batch: 670723

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 668143

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.1519	U	0.344	0.344	1.00	0.600	pCi/L	06/26/24 08:37	07/15/24 12:42	1
Carrier	MB %Yield	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac			
Ba Carrier	99.0		30 - 110		06/26/24 08:37	07/15/24 12:42	1			
Y Carrier	81.9		30 - 110		06/26/24 08:37	07/15/24 12:42	1			

Lab Sample ID: LCS 160-668143/2-A
Matrix: Water
Analysis Batch: 670723

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 668143

Analyte	Spike Added	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec Limits
		Result	Qual	Uncert. (2σ+/-)					
Radium-228	8.76	9.278		1.29	1.00	0.575	pCi/L	106	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	97.3		30 - 110						
Y Carrier	83.4		30 - 110						

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: MB 160-668147/1-A
Matrix: Water
Analysis Batch: 670478

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 668147

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.5511		0.330	0.334	1.00	0.472	pCi/L	06/26/24 08:49	07/12/24 11:29	1
Carrier	MB %Yield	MB Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.8		30 - 110					06/26/24 08:49	07/12/24 11:29	1
Y Carrier	81.1		30 - 110					06/26/24 08:49	07/12/24 11:29	1

Lab Sample ID: LCS 160-668147/2-A
Matrix: Water
Analysis Batch: 670478

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 668147

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-228	8.77	8.486		1.23	1.00	0.525	pCi/L	97	75 - 125
Carrier	LCS %Yield	LCS Qualifier	Limits						
Ba Carrier	84.1		30 - 110						
Y Carrier	81.1		30 - 110						

Lab Sample ID: 500-252291-21 DU
Matrix: Water
Analysis Batch: 670456


Client Sample ID: Duplicate 3
Prep Type: Total/NA
Prep Batch: 668147


Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					Limit
Radium-228	0.266	U	0.8835		0.428	1.00	0.580	pCi/L	0.76	1
Carrier	DU %Yield	DU Qualifier	Limits							
Ba Carrier	98.0		30 - 110							
Y Carrier	77.8		30 - 110							

Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-634-6200 Fax: 708-634-6211

Chain of Custody Record




Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>600-123641-49657 2</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@et.eurofins.com</u>		State of Origin: <u>IL</u>		Page <u>2 of 8</u> 1 of 1			
Company: <u>KPRG and Associates, Inc.</u>		PWSID:		Analysis Requested						Job #: <u>600-252291</u>	
Address: <u>14865 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		 500-252291 COC						Preservation Codes: D - HNO3 N - None	
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>								Other:	
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: <u>262-781-0475(Tel)</u>		PO #: <u>4602160845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR Event Desc: Quarterly Powerton CCR Sampling</u>		Project #: <u>60011612</u>									
Site: <u>Illinois</u>		SSOW#:		Total Number of Containers: <u>7</u>							
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Special Instructions/Note:	
MW-12								Water			
MW-13								Water			
MW-14								Water			
MW-15								Water			
MW-16								Water			
1 MW-17		<u>6/17/24</u>		<u>1446</u>		<u>G</u>		Water			
2 MW-18		<u>6/17/24</u>		<u>1539</u>				Water			
3 MW-19		<u>6/17/24</u>		<u>1620</u>				Water			
4 MW-20		<u>6/17/24</u>		<u>1337</u>				Water			
5 MW-21		<u>6/17/24</u>		<u>1136</u>				Water			
6 MW-21D		<u>6/17/24</u>		<u>1242</u>				Water			
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by			Date			Time			Method of Shipment:		
Relinquished by: <u>Kaelyn Sperle</u>			Date/Time: <u>6/17/24/1730</u>			Company: <u>KPRG</u>			Received by: <u>FedEx</u>		
Relinquished by:			Date/Time:			Company:			Received by: <u>Stephanie Hemondy</u>		
Relinquished by:			Date/Time:			Company:			Received by:		
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>5.0-4.6, 6.1-5.8</u>							

Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone 708-534-5200 Fax: 708-534-5211

Chain of Custody Record



Client Information		Sampler: <i>Jack Mizner</i>		Lab PM: Mockler, Diana J		Carrier Tracking No(s)		COC No: 500-123641-49657 2	
Client Contact: Kaelyn Sperle		Phone: <i>262-622-1143</i>		E-Mail: Diana Mockler@et.eurofinsus.com		State of Origin: <i>IL</i>		Page: <i>2 of 3</i> Page <i>1 of 1</i>	
Company: KPRG and Associates, Inc.		Address: 14665 West Lisbon Road, Suite 1A City: Brookfield State, Zip: WI, 53005		Project Name: Powerton CCR Event Desc Quarterly Powerton CCR Sampling		Project #: 50011612		Job #: <i>500-252291</i>	
Phone: 262-781-0475(Tel)		Email: kaelyns@kprginc.com		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		PO #: 4502160845		Preservation Codes: D HNO3 N None	
Project Name: Powerton CCR Event Desc Quarterly Powerton CCR Sampling		Site: Illinois		SSOW#:		Analysis Requested		Other:	
Due Date Requested: <i>Standard</i>		TAT Requested (days): <i>Standard</i>		Field Filtered Sample (Yes or No)		Performs (MS/MSD) (Yes or No)		Total Number of Containers	
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	903.0, 904.0	6020A, 7470A	2540C, 4500_F_C, SM4500_CLE	SM4500_SO4_E - Sulfate
				Preservation Code:		<input type="checkbox"/> D	<input type="checkbox"/> N	<input type="checkbox"/> N	<input type="checkbox"/> N
<i>7</i>	MW-12 <i>Duplicate 1</i>	<i>6/18/24</i>	<i>-</i>	<i>G</i>	<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
<i>8</i>	MW-13				<i>Water</i>				
<i>9</i>	MW-14				<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
<i>10</i>	MW-15	<i>6/18/24</i>	<i>0941</i>	<i>G</i>	<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
	MW-16	<i>6/18/24</i>	<i>1110</i>	<i>G</i>	<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
	MW-17				<i>Water</i>				
	MW-18				<i>Water</i>				
	MW-19				<i>Water</i>				
	MW-20				<i>Water</i>				
<i>11</i>	MW-21 <i>MW-06</i>	<i>6/18/24</i>	<i>1244</i>	<i>G</i>	<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
<i>12</i>	MW-22 <i>MW-07</i>	<i>6/18/24</i>	<i>1356</i>	<i>G</i>	<i>Water</i>	<i>N</i>	<i>N</i>	<i>X</i>	<i>X</i>
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested I, II, III, IV, Other (specify)					Special Instructions/QC Requirements				
Empty Kit Relinquished by		Date		Time		Method of Shipment:			
Relinquished by: <i>Jack Mizner</i>		Date/Time: <i>6/18/24 1700</i>		Company: <i>KPRG</i>		Received by: <i>FedEx</i>		Date/Time: <i>6/18/24 1700</i>	
Relinquished by:		Date/Time:		Company:		Received by: <i>Shw</i>		Date/Time: <i>6/19/24 0958</i>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and other Remarks: <i>5.29, 5.4 → 5.0</i>					

Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone 708-634-6200 Fax. 708-634-6211

Chain of Custody Record

eurofins | Environment Testing


Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>500-123641-49657 1</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@eurofins.com</u>		State of Origin: <u>IL</u>		Page: <u>Page 1 of 1</u>			
Company: <u>KPRG and Associates, Inc.</u>		PWSID:		Analysis Requested						Job #: <u>500-252291</u>	
Address: <u>14885 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>		Field Filtered Sample (Yes or No) <input type="checkbox"/> Perform MS/MS (Yes or No) <input type="checkbox"/>		903.0, 904.0 6020A, 7470A 2540C, 4500_F_C, SM4500_CLF SM4500_SO4_E - Sulfate		Preservation Codes: D - HNO3 N - None		Other:	
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>									
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: <u>262-781-0475(Tel)</u>		PO #: <u>4502180845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR Event Desc: Quarterly Powerton CCR Sampling</u>		Project #: <u>60011612</u>		SSOW#:							
Site: <u>Illinois</u>											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=wastewat, BT=Tissue, A=Air)		Special Instructions/Note:	
<u>13 MW-01</u>		<u>6/19/24</u>		<u>1106</u>		<u>G</u>		<u>Water</u>			
<u>14 MW-02</u>		<u>6/19/24</u>		<u>0857</u>				<u>Water</u>			
<u>15 MW-03</u>		<u>6/19/24</u>		<u>1002</u>				<u>Water</u>			
<u>16 MW-04</u>		<u>6/19/24</u>		<u>1220</u>				<u>Water</u>			
<u>17 MW-05</u>		<u>6/19/24</u>		<u>1318</u>				<u>Water</u>			
<u>18 MW-06 - Mw-13</u>		<u>6/19/24</u>		<u>1428</u>				<u>Water</u>			
<u>19 MW-07 Duplicate 2</u>		<u>6/19/24</u>		<u>-</u>				<u>Water</u>			
<u>20 MW-10</u>		<u>6/19/24</u>		<u>1532</u>				<u>Water</u>			
<u>MW-11</u>								<u>Water</u>			
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by				Date:		Time		Method of Shipment:			
Relinquished by: <u>Kaelyn Orule</u>				Date/Time: <u>6/19/24/1700</u>		Company: <u>KPRG</u>		Received by: <u>FedEx</u>		Date/Time: <u>6/19/24/1700</u>	
Relinquished by:				Date/Time:		Company:		Received by: <u>Shu Smith</u>		Date/Time: <u>6/20/24 0945</u>	
Relinquished by:				Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature (°C) and Other Remarks: <u>5.9-7.55, 5.4-7.50, 3.8-7.34</u>							

Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-534-5200 Fax: 708-534-5211

Chain of Custody Record

eurofins | Environment Testing

Client Information		Sampler: <u>Kaelyn Sperle</u>		Lab PM: <u>Mockler, Diana J</u>		Carrier Tracking No(s):		COC No: <u>500-123641-49657 1</u>			
Client Contact: <u>Kaelyn Sperle</u>		Phone: <u>262-278-1621</u>		E-Mail: <u>Diana.Mockler@et.eurofins.com</u>		State of Origin: <u>IL</u>		Page: <u>Page 1 of 1</u>			
Company: <u>KPRG and Associates, Inc.</u>		PWSID:		Analysis Requested				Job #: <u>500-252291</u>			
Address: <u>14865 West Lisbon Road, Suite 1A</u>		Due Date Requested: <u>Standard</u>						Preservation Codes: D - HNO3 N - None			
City: <u>Brookfield</u>		TAT Requested (days): <u>Standard</u>						Other:			
State, Zip: <u>WI, 53005</u>		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: <u>262-781-0475 (Tel)</u>		PO #: <u>4502180845</u>									
Email: <u>kaelyns@kprginc.com</u>		WO #:									
Project Name: <u>Powerton CCR Event Desc Quarterly Powerton CCR Sampling</u>		Project #: <u>60011812</u>		SSOW#:		Total Number of Containers: <u>7</u>					
Site: <u>Illinois</u>											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)		Special Instructions/Note:	
										Preservation Code	
<u>MW-01</u>								Water		D D N N	
<u>MW-02</u>								Water			
<u>MW-03</u>								Water			
<u>MW-04</u>								Water			
<u>21 MW-06 Duplicate 3</u>		<u>6/20/24</u>		<u>-</u>		<u>G</u>		Water		N N X X X X	
<u>22 MW-06 MW-22</u>		<u>6/20/24</u>		<u>1233</u>				Water			
<u>23 MW-07 MW-23</u>		<u>6/20/24</u>		<u>1147</u>				Water			
<u>24 MW-08</u>		<u>6/20/24</u>		<u>0829</u>				Water			
<u>25 MW-09</u>		<u>6/20/24</u>		<u>1034</u>				Water			
<u>26 MW-10 MW-12R</u>		<u>6/20/24</u>		<u>1316</u>				Water			
<u>27 MW-11</u>		<u>6/20/24</u>		<u>0925</u>				Water			
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)						
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months						
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:						
Empty Kit Relinquished by:		Date		Time		Method of Shipment:					
Relinquished by: <u>Kaelyn Sperle</u>		Date/Time: <u>6/20/24/1500</u>		Company: <u>KPRG</u>		Received by: <u>FedEx</u>		Date/Time: <u>6/20/24/1500</u>		Company: <u>FedEx</u>	
Relinquished by:		Date/Time:		Company:		Received by: <u>Stephanie Hernandez</u>		Date/Time: <u>6/21/24 1000</u>		Company: <u>EEPA</u>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>5.1+4.7, 0.1+0.2, 7.4+7.1</u>							

ORIGIN ID:PIAA (262) 278
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519
ST 25

JUN24
3 10:30
A
4143
06.18

Part # 1562932885
EXP 01/25

TO EUROFINS
2417 BOND ST.
UNIVERSITY PARK IL 60484



MPS# 0263 2 of 2
Mstr# 2760 2633 4143
XP JOTA

TUE - 18 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD



ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 17JUN24
ACTWGT: 60.60 LB
CAD: 6994780/SSFE2521
DIMS: 24x12x12 IN
BILL THIRD PARTY


Part # 1562932885

TO EUROFINS
2417 BOND ST.
UNIVERSITY PARK IL 60484



500-252291 Waybi


(556) 556-5556 REF: DEPT:



1 of 2
TRK# 0201 2760 2633 4132
MASTER

TUE - 18 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD

XP JOTA



ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 18JUN24
ACTWGT: 59.90 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x14 IN
BILL THIRD PARTY

TO EUROFINS

2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INU:
PO:

REF:

DEPT:

500-252291 Waybl -



FedEx
Express




RT 519
ST 22

5 10:30
A 2866
06.19

1 of 4
TRK# 2760 7640 2866
0201
MASTER

XP JOTA

WED - 19 JUN 10:30A
PRIORITY OVERNIGHT
AHS
60484
IL-US ORD



Part # 1562972106 QR00012EXP 01/25

ORIGIN ID:PIAA (262) 278-1621
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 18JUN24
ACTWGT: 59.90 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x14 IN
BILL THIRD PARTY

TO EUROFINS

2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INU:
PO:

REF:

DEPT:



FedEx
Express




RT 519

5 10:30

2877 10:30A
06.19
OVERNIGHT
AHS
60484
IL-US ORD

2 of 4
MPS# 2760 7640 287
0263
Mstr# 2760 7640 2866
ST 22
0201

XP JOTA



Part # 1562972106 QR00012EXP 01/25

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19JUN24
ACTWGT: 60.25 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x13 IN

BILL THIRD PARTY

TO EUROFINS

2417 BOND ST.

5.4PS



UNIVERSITY PARK IL 60484


500-252291 Waybr

(555) 666-6666

REF:

INU:
PO:

DEPT:



FedEx
Express



5 of 5

MPS# 2761 2064 9620


Mstr# 2761 2064 9583

0201

XP JOTA

60484
IL-US ORD

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT



RT 519

ST 21

5 10:30

A

9620
06.20

48PS

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19JUN24
ACTWGT: 60.25 LB

RT 519

ST 21

5 10:30

A

9583
06.20

TO EUROFINS

2417 BOND ST.

UNIVERSITY PARK IL 60484


3.8PS-4

(555) 666-6666

REF:

INU:
PO:

DEPT:



FedEx
Express



1 of 5


TRK# 2761 2064 9583

MASTER

XP JOTA

60484
IL-US ORD

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT



48PS

Do not lift using this tag.

ORIGIN ID:PIAA (555) 555-5555
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

SHIP DATE: 19 JUN 24
ACTWGT: 60.25 LB
CAD: 6994780/SSFE2521
DIMS: 24x13x13 IN
BILL THIRD PARTY

Part # 156293-689-9180WZ3EXP 01/25

TO **EUROFINS**


2417 BOND ST.

UNIVERSITY PARK IL 60484

(555) 555-5555
INV:
PO:

REF:

DEPT:



FedEx
Express



3 of 5

MPS# 2761 2064 9609
0263


Mstr# 2761 2064 9583

0201

XP JOTA

THU - 20 JUN 10:30A
PRIORITY OVERNIGHT

60484
IL-US ORD



46 3 98

Do not lift using this tag.

48 qt

ORIGIN ID:PIAA (000)
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519

5 10:30 A

E2521

ST 25

0955
06.21


TO SAMPLE RECL
EUROFINS
2417 BOND ST

UNIVERSITY PARK IL 60484

(000) 000-0000
INV:
PO:

REF:

DEPT:



FedEx
Express



AN10926204202427

4 of 5

MPS# 2761 6140 0955
0263


Mstr# 2761 6140 0922

0201

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT

XP JOTA

60484
IL-US ORD



Do not lift using this tag.

48 qt



500-252291 Waybi

ORIGIN ID:PIAA (000) 000-0000
KPRG AND ASSOCIATES
414 PLAZA DR STE 106
WESTMONT, IL 60559
UNITED STATES US

RT 519

5 10:30 A

ST 25

SH
ACT
CAD
DIMS

BILL T. PARTY


TO SAMPLE RECEIVING
EUROFINS
2417 BOND ST

UNIVERSITY PARK IL 60484

(000) 000-0000
INV:
PO:

REF:

DEPT:



FedEx
Express



AN10926204202427

2/ of 5

MPS# 2761 6140 0933
0263


Mstr# 2761 6140 0922

0201

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT

XP JOTA

60484
IL-US ORD



Do not include

489b

RT 519
ST 25
5 10:30
0944
06

ORIGIN ID:PIAA (000) 000-0000

KPRG AND ASSOCIATES
414 PLAZA DR STE 106

WESTMONT, IL 60559
UNITED STATES US

SHR
C.C.
D1.
BILL

Art # 156297-435 RRDW12 EXP 01/25
E386/1234/51895

TO SAMPLE RECEIVING
EUROFINS
2417 BOND ST


UNIVERSITY PARK IL 60484

5-1-A-7

(000) 000-0000
THU:
PO:

REF:

DEPT:



FedEx
Express



AN L0926304202024242

3 of 5

MPS# 2761 6140 0944
0263

FRI - 21 JUN 10:30A
PRIORITY OVERNIGHT


Mstr# 2761 6140 0922

0201

XP JOTA

60484

IL-US ORD



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:			
Client Contact: Shipping/Receiving		Phone:	Mockler, Diana J	State of Origin: Illinois	500-189589.1			
Company: TestAmerica Laboratories, Inc.		E-Mail: Diana.Mockler@et.eurofins.com		Page: Page 1 of 1				
Address: 13715 Rider Trail North,		Accreditations Required (See note): NELAP - Illinois		Job #: 500-252291-2				
City: Earth City	Due Date Requested: 6/28/2024	Preservation Codes:						
State, Zip: MO, 63045	TAT Requested (days):	Analysis Requested						
Phone: 314-298-8566(Tel) 314-298-8757(Fax)	PO #:	903.0/PreSep_21 Standard Target List						
Email: Powerton CCR	WO #:	904.0/PreSep_0 Standard Target List						
Project Name: Powerton CCR	Project #: 50011612	Perform MS/MSD (Yes or No)						
Site: MWG - Powerton	SSOW#:	Field Filtered Sample (Yes or No)						
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=water/Oil, BT=Tissue, ASAP)	Preservation Code:	Total Number of Containers	Special Instructions/Note:
MW-17 (500-252291-1)	6/17/24	14:46 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-18 (500-252291-2)	6/17/24	15:39 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-19 (500-252291-3)	6/17/24	16:20 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-20 (500-252291-4)	6/17/24	13:37 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-21 (500-252291-5)	6/17/24	11:36 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-21D (500-252291-6)	6/17/24	12:42 Central	Water	X	X	X	3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Special Instructions/QC Requirements:

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____ Received by: _____ Date/Time: _____
 Custody Seals Intact: _____ Custody Seal No.: _____
 Cooler Temperature(s) °C and Other Remarks:



Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM Mockler, Diana J	Carrier Tracking No(s) 500-189677-1						
Client Contact Shipping/Receiving		E-Mail Diana.Mockler@et.eurofins.com	Page Page 1 of 1						
Company TestAmerica Laboratories, Inc.		Accreditations Required (See note) NELAP - Illinois	Job # 500-252291-1						
Address 13715 Rider Trail North,		Preservation Codes:							
City Earth City		Analysis Requested							
State, Zip MO, 63045		Total Number of Containers							
Phone 314-298-8566(Tel) 314-298-8757(Fax)		Other:							
Email									
Project Name Powertron CCR									
Site MWG - Powertron									
Due Date Requested: 7/10/2024									
TAT Requested (days):									
PO #									
WO #									
Project # 50011612									
SSOW#									
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=G-grab)	Matrix (W=water, S=solid, O=oil, A=air)	Field Filtered Sample (Yes or No)	Form MS/MSD (Yes or No)	903.0/PrecSep_21 Standard Target List	904.0/PrecSep_0 Standard Target List	R226Ra228_GFPc
Duplicate 1 (500-252291-7)	6/18/24	Central	Water	Water	X	X	X	X	
MW-14 (500-252291-8)	6/18/24	09:41 Central	Water	Water	X	X	X	X	
MW-15 (500-252291-9)	6/18/24	11:10 Central	Water	Water	X	X	X	X	
MW-16 (500-252291-10)	6/18/24	15:13 Central	Water	Water	X	X	X	X	
MW-06 (500-252291-11)	6/18/24	12:44 Central	Water	Water	X	X	X	X	
MW-07 (500-252291-12)	6/18/24	13:56 Central	Water	Water	X	X	X	X	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago</p>									
<p>Possible Hazard Identification Unconfirmed <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months</p>									
<p>Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2</p>									
<p>Empty Kit Relinquished by: <i>Thu Ho</i> Date: 6/19/24 1500</p>									
<p>Relinquished by: <i>Thu Ho</i> Date/Time: 6/19/24 1500</p>									
<p>Relinquished by: <i>Thu Ho</i> Date/Time: 6/19/24 1500</p>									
<p>Relinquished by: <i>Thu Ho</i> Date/Time: 6/19/24 1500</p>									
<p>Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No</p>									
<p>Custody Seal No.:</p>									



Eurofins Chicago
 2417 Bond Street
 University Park, IL 60484
 Phone: 708-534-5200 Fax: 708-534-5211

Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Lab PM: Mockler, Diana J	Carrier Tracking No(s): 500-189737-1
Client Contact: Shipping/Receiving		E-Mail: Diana.Mockler@et.eurofins.com	Page Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note) NELAP - Illinois	Job # 500-252291-2
Address: 13715 Rider Trail North.		Preservation Codes:	
City: Earth City	State, Zip: MO, 63045	Analysis Requested	
Phone: 314-298-8566(Tel) 314-298-8757(Fax)	PO #	Total Number of Containers	
Email:	WC #	Other:	
Project Name: Powerton CCR (RAD)	Project #: 50011612	Special Instructions/Note:	
Site: MWG - Powerton	SSOW#	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs	
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)
MW-01 (500-252291-13)	6/19/24	11:06 Central	Water
MW-02 (500-252291-14)	6/19/24	08:57 Central	Water
MW-03 (500-252291-15)	6/19/24	10:02 Central	Water
MW-04 (500-252291-16)	6/19/24	12:20 Central	Water
MW-05 (500-252291-17)	6/19/24	13:18 Central	Water
MW-13 (500-252291-18)	6/19/24	14:28 Central	Water
Duplicate 2 (500-252291-19)	6/19/24	Central	Water
MW-10 (500-252291-20)	6/19/24	15:32 Central	Water
<p>Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be brought back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.</p>			
Possible Hazard Identification			
Unconfirmed			
Deliverable Requested: I, II, III, IV, Other (specify)		Primary Deliverable Rank: 2	
Empty Kit Relinquished by:		Date:	
Relinquished by: <i>John Smith</i>		Date/Time: 6/20/24 15:30	
Relinquished by:		Date/Time:	
Relinquished by:		Date/Time:	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:	
Received by: <i>M. Pinette</i>		Date/Time: JUN 21 2024 09:00	
Received by:		Date/Time:	
Cooler Temperature(s) °C and Other Remarks:		Method of Shipment:	
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months	
Special Instructions/QC Requirements:			



Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Sampler: Mockler, Diana J	Lab PM: Mockler, Diana J	Carrier Tracking No(s): 500-189784.1								
Client Contact: Shipping/Receiving		Phone: Diana Mockler@et.eurofins.com	E-Mail: Diana Mockler@et.eurofins.com	Page: Page 1 of 1								
Company: Test/America Laboratories, Inc.		Accreditations Required (See note): NELAP - Illinois		Job #: 500-252291-2								
Address: 13715 Rider Trail North, Earth City, MO, 63045		Date Requested: 7/10/2024		Preservation Codes:								
State, Zip: MO, 63045		TAT Requested (days):										
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		PO #:										
Email:		WO #:										
Project Name: Powertron CCR (RAD)		Project #: 50011612										
Site: MWG - Powertron		SSOW#:										
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oli, B=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0/PreSep_21 Standard Target List	904.0/PreSep_0 Standard Target List	Ra226Ra228_GFPc	Analysis Requested	Total Number of containers	Special Instructions/Note:
Duplicate 3 (500-252291-21)	6/20/24	Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-22 (500-252291-22)	6/20/24	12:33 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-23 (500-252291-23)	6/20/24	11:47 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-08 (500-252291-24)	6/20/24	08:29 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-09 (500-252291-25)	6/20/24	10:34 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-12R (500-252291-26)	6/20/24	13:16 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs
MW-11 (500-252291-27)	6/20/24	09:25 Central		Water		X	X	X			3	Full QC needed (dups, etc) Batch QC must be performed (dup, spikes, etc) - no NCMs

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by: *[Signature]* Date: *6/24/24* Time: *1600* Company: _____
 Relinquished by: *[Signature]* Date/Time: _____ Company: _____
 Relinquished by: _____ Date/Time: _____ Company: _____

Received by: *[Signature]* Date/Time: *JUN 24 2024 0900* Company: _____
 Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks:

Custody Seal No.: Yes No



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-2

Login Number: 252291

List Number: 1

Creator: Hernandez, Stephanie

List Source: Eurofins Chicago

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Water present in cooler; indicates evidence of melted ice.
Cooler Temperature is acceptable.	False	
Cooler Temperature is recorded.	True	4.6,5.8,5.9,5.0,5.5,5.0,3.4,4.7,0.2,7.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-2

Login Number: 252291

List Number: 2

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 06/19/24 12:04 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-2

Login Number: 252291

List Number: 3

Creator: Worthington, Sierra M

List Source: Eurofins St. Louis

List Creation: 06/20/24 04:00 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-2

Login Number: 252291

List Number: 4

Creator: Pinette, Meadow L

List Source: Eurofins St. Louis

List Creation: 06/21/24 01:18 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-252291-2

Login Number: 252291

List Number: 5

Creator: Pinette, Meadow L

List Source: Eurofins St. Louis

List Creation: 06/24/24 11:03 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-17

Date Collected: 06/17/24 14:46

Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670799	SCB	EET SL	07/16/24 10:28
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-18

Date Collected: 06/17/24 15:39

Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670799	SCB	EET SL	07/16/24 10:28
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-19

Date Collected: 06/17/24 16:20

Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670799	SCB	EET SL	07/16/24 10:28
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-20

Date Collected: 06/17/24 13:37

Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670800	SCB	EET SL	07/16/24 10:21
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-21
Date Collected: 06/17/24 11:36
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670800	SCB	EET SL	07/16/24 10:21
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-21D
Date Collected: 06/17/24 12:42
Date Received: 06/18/24 09:45

Lab Sample ID: 500-252291-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667443	KAK	EET SL	06/21/24 08:56
Total/NA	Analysis	903.0		1	670800	SCB	EET SL	07/16/24 10:21
Total/NA	Prep	PrecSep_0			667444	KAK	EET SL	06/21/24 09:00
Total/NA	Analysis	904.0		1	670163	SCB	EET SL	07/11/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: Duplicate 1
Date Collected: 06/18/24 00:00
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:49
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 12:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-14
Date Collected: 06/18/24 09:41
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:50
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 12:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-15
Date Collected: 06/18/24 11:10
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:50
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-16
Date Collected: 06/18/24 15:13
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:50
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-06
Date Collected: 06/18/24 12:44
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:52
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-07
Date Collected: 06/18/24 13:56
Date Received: 06/19/24 09:50

Lab Sample ID: 500-252291-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:52
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-01
Date Collected: 06/19/24 11:06
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:52
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-02
Date Collected: 06/19/24 08:57
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-14
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671146	CMM	EET SL	07/18/24 23:52
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:15

Client Sample ID: MW-03
Date Collected: 06/19/24 10:02
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671233	CMM	EET SL	07/18/24 23:58
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-04
Date Collected: 06/19/24 12:20
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671233	CMM	EET SL	07/18/24 23:58
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:31
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-05
Date Collected: 06/19/24 13:18
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-17
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671233	CMM	EET SL	07/18/24 23:58
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:32
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-13
Date Collected: 06/19/24 14:28
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-18
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671233	CMM	EET SL	07/18/24 23:58
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:32
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: Duplicate 2
Date Collected: 06/19/24 00:00
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-19
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671233	CMM	EET SL	07/18/24 23:58
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:32
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-10
Date Collected: 06/19/24 15:32
Date Received: 06/20/24 09:45

Lab Sample ID: 500-252291-20
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			667705	BMW	EET SL	06/24/24 09:07
Total/NA	Analysis	903.0		1	671346	SCB	EET SL	07/19/24 07:21
Total/NA	Prep	PrecSep_0			667709	BMW	EET SL	06/24/24 09:18
Total/NA	Analysis	904.0		1	670169	SWS	EET SL	07/11/24 14:32
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: Duplicate 3

Lab Sample ID: 500-252291-21

Date Collected: 06/20/24 00:00

Matrix: Water

Date Received: 06/21/24 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668146	MLT	EET SL	06/26/24 08:45
Total/NA	Analysis	903.0		1	671465	SCB	EET SL	07/19/24 09:36
Total/NA	Prep	PrecSep_0			668147	MLT	EET SL	06/26/24 08:49
Total/NA	Analysis	904.0		1	670477	SCB	EET SL	07/12/24 11:42
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-22

Lab Sample ID: 500-252291-22

Date Collected: 06/20/24 12:33

Matrix: Water

Date Received: 06/21/24 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668146	MLT	EET SL	06/26/24 08:45
Total/NA	Analysis	903.0		1	671465	SCB	EET SL	07/19/24 09:36
Total/NA	Prep	PrecSep_0			668147	MLT	EET SL	06/26/24 08:49
Total/NA	Analysis	904.0		1	670456	SCB	EET SL	07/12/24 11:36
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-23

Lab Sample ID: 500-252291-23

Date Collected: 06/20/24 11:47

Matrix: Water

Date Received: 06/21/24 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668146	MLT	EET SL	06/26/24 08:45
Total/NA	Analysis	903.0		1	671465	SCB	EET SL	07/19/24 09:36
Total/NA	Prep	PrecSep_0			668147	MLT	EET SL	06/26/24 08:49
Total/NA	Analysis	904.0		1	670456	SCB	EET SL	07/12/24 11:36
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-08

Lab Sample ID: 500-252291-24

Date Collected: 06/20/24 08:29

Matrix: Water

Date Received: 06/21/24 10:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668146	MLT	EET SL	06/26/24 08:45
Total/NA	Analysis	903.0		1	671465	SCB	EET SL	07/19/24 09:36
Total/NA	Prep	PrecSep_0			668147	MLT	EET SL	06/26/24 08:49
Total/NA	Analysis	904.0		1	670456	SCB	EET SL	07/12/24 11:36
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Client Sample ID: MW-09
Date Collected: 06/20/24 10:34
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-25
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668095	MLT	EET SL	06/26/24 08:32
Total/NA	Analysis	903.0		1	671346	SCB	EET SL	07/19/24 07:28
Total/NA	Prep	PrecSep_0			668143	MLT	EET SL	06/26/24 08:37
Total/NA	Analysis	904.0		1	670723	SCB	EET SL	07/15/24 12:43
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-12R
Date Collected: 06/20/24 13:16
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-26
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668095	MLT	EET SL	06/26/24 08:32
Total/NA	Analysis	903.0		1	671346	SCB	EET SL	07/19/24 07:28
Total/NA	Prep	PrecSep_0			668143	MLT	EET SL	06/26/24 08:37
Total/NA	Analysis	904.0		1	670723	SCB	EET SL	07/15/24 12:43
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:17

Client Sample ID: MW-11
Date Collected: 06/20/24 09:25
Date Received: 06/21/24 10:00

Lab Sample ID: 500-252291-27
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			668095	MLT	EET SL	06/26/24 08:32
Total/NA	Analysis	903.0		1	671346	SCB	EET SL	07/19/24 07:28
Total/NA	Prep	PrecSep_0			668143	MLT	EET SL	06/26/24 08:37
Total/NA	Analysis	904.0		1	670723	SCB	EET SL	07/15/24 12:43
Total/NA	Analysis	Ra226_Ra228		1	671637	FLC	EET SL	07/22/24 09:18

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Accreditation/Certification Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Laboratory: Eurofins St. Louis

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Illinois	NELAP	200023	11-30-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Tracer/Carrier Summary

Client: KPRG and Associates, Inc.
Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (30-110)	Y (30-110)
500-252291-1	MW-17	93.8	
500-252291-1 DU	MW-17	88.6	
500-252291-2	MW-18	92.1	
500-252291-3	MW-19	85.1	
500-252291-4	MW-20	94.3	
500-252291-5	MW-21	80.9	
500-252291-6	MW-21D	93.8	
500-252291-7	Duplicate 1	98.3	
500-252291-8	MW-14	95.0	
500-252291-9	MW-15	93.8	
500-252291-10	MW-16	97.5	
500-252291-11	MW-06	95.5	
500-252291-12	MW-07	96.5	
500-252291-13	MW-01	92.6	
500-252291-14	MW-02	84.6	
500-252291-15	MW-03	95.0	
500-252291-16	MW-04	89.1	
500-252291-17	MW-05	88.8	
500-252291-18	MW-13	91.6	
500-252291-19	Duplicate 2	94.3	
500-252291-20	MW-10	98.5	
500-252291-21	Duplicate 3	91.6	
500-252291-21 DU	Duplicate 3	98.0	
500-252291-22	MW-22	99.3	
500-252291-23	MW-23	94.8	
500-252291-24	MW-08	98.8	
500-252291-25	MW-09	85.6	
500-252291-26	MW-12R	87.1	
500-252291-27	MW-11	94.5	
LCS 160-667443/2-A	Lab Control Sample	97.0	
LCS 160-667705/2-A	Lab Control Sample	97.0	
LCS 160-668095/2-A	Lab Control Sample	97.3	
LCS 160-668146/2-A	Lab Control Sample	84.1	
MB 160-667443/1-A	Method Blank	98.3	
MB 160-667705/1-A	Method Blank	99.0	
MB 160-668095/1-A	Method Blank	99.0	
MB 160-668146/1-A	Method Blank	94.8	

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (30-110)	Y (30-110)
500-252291-1	MW-17	93.8	85.2
500-252291-1 DU	MW-17	88.6	83.7
500-252291-2	MW-18	92.1	81.1

Tracer/Carrier Summary

Client: KPRG and Associates, Inc.
 Project/Site: Powerton CCR (RAD)

Job ID: 500-252291-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Yield (Acceptance Limits)	
		Ba (30-110)	Y (30-110)
500-252291-3	MW-19	85.1	86.4
500-252291-4	MW-20	94.3	88.6
500-252291-5	MW-21	80.9	85.2
500-252291-6	MW-21D	93.8	86.4
500-252291-7	Duplicate 1	98.3	79.3
500-252291-8	MW-14	95.0	80.7
500-252291-9	MW-15	93.8	80.0
500-252291-10	MW-16	97.5	80.4
500-252291-11	MW-06	95.5	80.0
500-252291-12	MW-07	96.5	81.9
500-252291-13	MW-01	92.6	79.3
500-252291-14	MW-02	84.6	82.6
500-252291-15	MW-03	95.0	81.1
500-252291-16	MW-04	89.1	83.7
500-252291-17	MW-05	88.8	81.1
500-252291-18	MW-13	91.6	82.2
500-252291-19	Duplicate 2	94.3	82.2
500-252291-20	MW-10	98.5	83.0
500-252291-21	Duplicate 3	91.6	78.5
500-252291-21 DU	Duplicate 3	98.0	77.8
500-252291-22	MW-22	99.3	83.7
500-252291-23	MW-23	94.8	84.1
500-252291-24	MW-08	98.8	84.1
500-252291-25	MW-09	85.6	79.6
500-252291-26	MW-12R	87.1	88.6
500-252291-27	MW-11	94.5	81.1
LCS 160-667444/2-A	Lab Control Sample	97.0	84.5
LCS 160-667709/2-A	Lab Control Sample	97.0	80.7
LCS 160-668143/2-A	Lab Control Sample	97.3	83.4
LCS 160-668147/2-A	Lab Control Sample	84.1	81.1
MB 160-667444/1-A	Method Blank	98.3	82.2
MB 160-667709/1-A	Method Blank	99.0	82.2
MB 160-668143/1-A	Method Blank	99.0	81.9
MB 160-668147/1-A	Method Blank	94.8	81.1

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	1357
Sample Name	MW-13	Start Time	1358	
Condition of Well	good			
Water Level	30.22	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	Clear w/ Black Specs	
Volume Removed	10 qt	WL at Sample Time	30.49	
Method of Sample	Low flow bladder	Sample Characteristics	Clear w/ Black Specs	
Sample Analysis	CCA, CCR	Sample Time	1428	
Water Quality Meter	YSI Pro PSS			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1401	30.22	7.78	17.9	1.858	8.15	135.6	10.00
1404	-	7.75	17.6	1.804	5.07	-57.9	11.11
1407	-	7.77	17.6	1.814	4.10	-100.4	11.04
1410	-	7.75	17.0	1.800	3.06	-133.3	8.44
1413	-	7.74	17.4	1.775	2.67	-142.9	8.74
1416	-	7.73	17.0	1.782	2.37	-152.3	7.34
1419	-	7.73	17.1	1.759	2.13	-157.3	7.16
1422	-	7.72	17.1	1.735	1.94	-160.4	7.21
1425	-	7.71	17.0	1.722	1.81	-162.5	7.18

SAMPLING NOTES:
MCB

Sampler Name and
Company:

KPRG and Associates




PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	6/18/24
Sample Name	MW-14	Start Time	0922	
Condition of Well	Good			
Water Level	24.07	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	Clear	
Volume Removed	5 qt	WL at Sample Time	24.59	
Method of Sample	Low flow bladder	Sample Characteristics	Clear	
Sample Analysis	CCA, CCR	Sample Time	0941	
Water Quality Meter	YSI Pro DSS			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
0925	24.07	7.18	16.6	2.477	8.24	107.5	8.42
0928	-	6.93	15.0	3.750	5.01	119.9	12.02
0931	-	6.89	15.1	3.730	3.84	119.5	9.81
0934	-	6.86	15.2	3.691	3.37	119.1	9.84
0937	-	6.85	15.1	3.737	2.92	118.2	8.71

SAMPLING NOTES:
MCB

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	6/18/24
Sample Name	MW-15	Start Time	1044	
Condition of Well	Good			
Water Level	24.11	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	Cloudy, brown/orange	
Volume Removed	6 gts	WL at Sample Time	24.22	
Method of Sample	Low flow bladder	Sample Characteristics		
Sample Analysis	CCR, CCA	Sample Time	1110 1110	
Water Quality Meter	YSI Pro 155			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1048	24.11	6.84 6.84	18.3	2.044	7.07	95.7	40.48
1051	-	6.87	19.5	2.089	6.62	96.3	25.03
1054	-	6.90	20.5	2.117	6.86	97.6	18.32
1057	-	6.79	18.4	2.379	6.46	100.8	185.55
1100	-	6.66	16.4	2.414	4.25	97.1	87.64
1103	-	6.65	16.2	2.378	3.42	89.5	28.75
1106	-	6.64	16.0	2.386	2.94	65.6	16.75
1109	-	6.63	16.2	2.422	2.57	40 38.2	16.97
1112	24.22	6.62	16.2	2.461	2.41	33.1	16.02

SAMPLING NOTES:

ABB/ASB, MCB CCR Duplicate 1

- paused because MP50 came unplugged, took extra readings

Sampler Name and Company:

KPRG and Associates

KLS

PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	6/17/24
Sample Name	MW-17	Start Time	1430	
Condition of Well	good			
Water Level	19.42	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	clear	
Volume Removed	4 gts	WL at Sample Time	20.62	
Method of Sample	Low flow bladder	Sample Characteristics	clear	
Sample Analysis	CCR	Sample Time	1446	
Water Quality Meter	YSI Pro DSS			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1433	19.42	7.32	16.9	1.906	5.96	43.3	46.33
1436	-	7.20	16.5	1.908	3.95	23.3	25.38
1439	-	7.18	16.5	1.901	3.23	21.4	13.77
1442	20.62	7.17	16.0	1.900	2.81	22.1	9.95

SAMPLING NOTES:
ABB/ASB + MCB

Sampler Name and Company:

KPRG and Associates

KLS

PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	6/17/24
Sample Name	MW-20	Start Time	1314	
Condition of Well	Good			
Water Level	27.11	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	Clear/Slightly Cloudy	
Volume Removed	2qt	WL at Sample Time	27.48	
Method of Sample	Low flow bladder	Sample Characteristics	Clear	
Sample Analysis	CCR	Sample Time	1337	
Water Quality Meter	YSI Pro DSS			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
1318	27.11	6.65	19.9	2.696	5.74	-35.6	61.70
1321	-	6.56	18.2	2.297	4.41	-62.7	38.35
1324	-	6.47	17.8	2.046	3.66	-57.4	20.10
1327	-	6.44	18.1	1.954	3.12	-55.9	14.67
1330	-	6.45	17.9	1.973	2.85	-60.1	11.67
1333	-	6.46	17.8	1.991	2.56	-66.9	9.87

SAMPLING NOTES:

MCB

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	12313.1 - NRG - Powerton Station		DATE	6/17/24
Sample Name	MW 21	Start Time	1117	
Condition of Well	Good			
Water Level	27.11	Total Depth	-	
Well Diameter	PVC - 2 inch	Volume in Well	-	
Method of Purge	Low flow bladder	Purge Characteristics	Slightly Cloudy	
Volume Removed	2 gal	WL at Sample Time	29.01	
Method of Sample	Low flow bladder	Sample Characteristics	Clear	
Sample Analysis	CCR	Sample Time	1136	
Water Quality Meter				

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO [%] (mg/L)	ORP (mV)	Turbidity (NTU)
1120	27.11	6.41	18.9	1.141	50.2	-70.6	94.14
1123	-	6.47	17.9	1.144	36.7	-110.2	69.21
1126	-	6.52	17.7	1.122	28.2	-130.2	69.99
1129	-	6.53	17.5	1.114	23.4	-137.8	72.81
1132	-	6.52	17.5	1.089	20.0	-138.8	78.00

SAMPLING NOTES: MCB

Sampler Name and Company:

KPRG and Associates

