

DATA SUMMARY POSTING

Station: Midwest Generation Will County Generating Station

Regulated Unit(s): Pond 1N (IEPA ID No. W1978100011-01)
 Pond 1S (IEPA ID No. W1978100011-02)

In accordance with the new Ill. Adm. Code Title 35, Part 845: Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments (State CCR Rule) groundwater monitoring was completed during the 4th quarter 2024 which includes the entire list of parameters specified under Section 845.600(a)(1) and (b). Table 1 is a summary table of all available CCR monitoring data to date. In addition, Table 2 provides a summary of turbidity data which was collected as part of State CCR Rule requirements.

No background statistics or proposed Groundwater Protection Standards are included on these tables. The background statistics and proposed Groundwater Protection Standards were submitted to Illinois Environmental Protection Agency (EPA) as part of the Application for Initial Operating Permit for Ponds 1N and 1S dated March 31, 2022. Upon Illinois EPA approval of the Operating Permit and Proposed Groundwater Protection Standards, the approved comparison values will be included on the tables for subsequent data comparisons/evaluations.

Table 1A. Groundwater Analytical Results-Midwest Generation, LLC, Will County Station, Romeoville, IL, Pond 1N.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228 Combined	Selenium	Thallium
MW-01 up gradient	5/3/2021	2.6	170	F1 21	0.62	6.83	390	1200	< 0.003	< 0.001	0.095	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.034	< 0.0002	0.012	0.623	0.0093	< 0.002
	5/24/2021	2.5	200	18	0.63	6.86	350	1100	< 0.003	< 0.001	0.093	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.036	< 0.0002	F1 < 0.012	0.533	0.012	< 0.002
	6/7/2021	3.0	200	18	0.63	6.52	380	510	< 0.003	< 0.001	0.096	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.037	< 0.0002	0.013	< 0.372	0.01	< 0.002
	6/25/2021	B 2.6	200	20	0.59	6.64	410	1200	^+ < 0.003	< 0.001	0.097	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.037	< 0.0002	0.014	< 0.672	0.0042	< 0.002
	7/12/2021	2.4	190	16	0.60	6.55	320	1000	< 0.003	0.0012	0.100	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.045	< 0.0002	0.013	0.457	0.012	< 0.002
	8/2/2021	2.4	200	18	0.65	6.57	410	1300	< 0.003	0.001	0.100	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.044	< 0.0002	0.014	0.478	0.0095	< 0.002
	8/23/2021	2.4	200	18	0.61	6.99	400	1100	< 0.003	< 0.001	0.100	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.044	< 0.0002	0.014	0.697	0.0058	< 0.002
	11/19/2021	2.0	170	29	0.56	6.62	260	970	< 0.003	< 0.001	0.090	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.038	< 0.0002	0.0098	1.16	0.017	< 0.002
	2/21/2022	2.0	190	26	0.55	6.63	370	1200	< 0.003	< 0.001	0.086	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.032	< 0.0002	0.011	0.773	0.0079	< 0.002
	6/15/2022	2.6	180	33	0.61	6.43	350	1100	< 0.003	< 0.001	0.09	< 0.001	0.00054	< 0.005	< 0.001	< 0.0005	0.033	< 0.0002	0.015	0.945	0.0087	< 0.002
	8/24/2022	2.7	180	24	0.61	6.51	370	1400	< 0.003	< 0.001	0.093	< 0.001	^1+ 0.00092	< 0.005	0.0016	0.00078	0.038	< 0.0002	0.015	0.581	0.0047	< 0.002
	11/15/2022	2.9	190	22	0.60	6.59	360	1100	< 0.003	0.0011	0.097	^+ < 0.001	0.00052	< 0.005	0.001	0.00057	0.039	< 0.0002	0.014	< 0.63	0.0085	< 0.002
	2/22/2023	2	170	29	0.49	6.93	360	1000	< 0.003	< 0.001	0.082	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.031	< 0.0002	0.013	< 0.544	0.0092	< 0.002
	4/27/2023	2.4	120	77	0.69	6.79	400	1100	< 0.0030	< 0.0010	0.065	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.028	< 0.00020	0.041	0.824	< 0.0025	< 0.0020
	7/27/2023	2.3	170	29	0.58	6.54	320	1000	< 0.0030	< 0.0010	0.088	^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.036	< 0.00020	0.016	1.92	0.013	< 0.0020
	10/23/2023	2.1	160	21	0.55	6.47	240	1000	< 0.0030	< 0.0010	B 0.087	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.038	< 0.00020	0.012	< 0.625	0.0099	< 0.0020
	2/6/2024	2.8	120	72	0.75	6.83	400	1100	< 0.0030	< 0.0010	0.076	^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.10	< 0.00020	0.049	0.686	0.0032	< 0.0020
5/7/2024	2.7	100	78	0.75	7.39	400	980	< 0.0030	< 0.0010	0.063	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.025	< 0.00020	0.058	1.17	< 0.0025	< 0.0020	
8/6/2024	2.8	88	87	0.83	7.01	420	1100	< 0.0030	< 0.0010	0.063	< 0.0010	< 0.00050	< 0.0050	0.0014	< 0.00050	0.024	< 0.00020	0.065	< 0.504	< 0.0025	< 0.0020	
11/5/2024	2.8	120	67	0.69	7.12	380	1100	< 0.0030	< 0.0010	0.082	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.027	< 0.00020	0.042	0.715	< 0.0025	< 0.0020	
MW-02 up gradient	5/3/2021	5.3	87	28	0.41	7.76	500	1100	< 0.003	0.009	0.058	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.046	< 0.0002	0.072	1.3	< 0.0025	< 0.002
	5/24/2021	5.2	88	24	0.41	7.77	550	1100	< 0.003	0.0099	0.059	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.047	< 0.0002	0.07	1.19	< 0.0025	< 0.002
	6/7/2021	6.5	100	25	0.4	7.60	540	1100	< 0.003	0.011	0.057	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.045	< 0.0002	0.081	0.54	< 0.0025	< 0.002
	6/28/2021	B 5.3	95	23	0.36	7.93	500	1200	^+ < 0.003	0.012	0.059	< 0.001	< 0.0005	0.0057	< 0.001	< 0.0005	0.046	< 0.0002	0.075	0.8	< 0.0025	< 0.002
	7/12/2021	5.2	97	21	0.37	7.53	480	970	< 0.003	0.012	0.067	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.051	< 0.0002	0.071	1.07	< 0.0025	< 0.002
	8/2/2021	4.8	92	24	0.37	7.54	520	1200	< 0.003	0.011	0.06	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.048	< 0.0002	0.073	0.798	< 0.0025	< 0.002
	8/23/2021	5.0	92	26	0.38	8.02	530	830	< 0.003	0.011	0.06	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.048	< 0.0002	0.075	0.986	< 0.0025	< 0.002
	11/19/2021	5.2	86	27	0.38	7.72	520	1100	< 0.003	0.014	0.057	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.041	< 0.0002	0.068	1.43	< 0.0025	< 0.002
	2/21/2022	4.9	92	32	0.43	7.65	550	1000	< 0.003	0.01	0.06	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.044	< 0.0002	0.083	< 0.848	< 0.0025	< 0.002
	6/15/2022	5.3	91	30	0.39	7.32	460	1100	< 0.003	0.01	0.058	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.044	< 0.0002	0.073	1.17	< 0.0025	< 0.002
	8/24/2022	5.6	81	28	0.38	7.73	480	1100	< 0.003	0.015	0.059	< 0.001	^1+ < 0.0005	< 0.005	< 0.001	< 0.0005	0.043	< 0.0002	0.07	0.984	< 0.0025	< 0.002
	11/15/2022	6.5	99	27	0.64	7.64	530	1000	< 0.003	0.017	0.069	^+ < 0.001	< 0.0005	< 0.005	< 0.001	0.00052	0.047	< 0.0002	0.076	2.13	< 0.0025	< 0.002
	2/22/2023	4.6	89	29	0.38	7.86	460	980	< 0.003	0.0095	0.06	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.042	< 0.0002	0.075	0.974	< 0.0025	< 0.002
	4/27/2023	4.6	83	29	0.37	7.60	430	1000	< 0.0030	0.0088	0.053	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.043	< 0.00020	0.072	0.961	< 0.0025	< 0.0020
	7/27/2023	5.8	89	28	0.38	7.50	490	990	< 0.0030	0.011	0.056	^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.046	< 0.00020	0.073	1.31	< 0.0025	< 0.0020
	10/23/2023	5.7	93	26	0.36	7.56	480	1100	< 0.0030	0.012	B 0.061	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.050	< 0.00020	0.07	0.726	< 0.0025	< 0.0020
	2/6/2024	4.7	87	43	0.37	7.58	410	960	< 0.0030	0.011	0.066	^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.10	< 0.00020	0.067	< 0.532	< 0.0025	< 0.0020
5/7/2024	5.0	81	36	0.36	7.91	370	910	< 0.0030	0.0084	0.052	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.047	< 0.00020	0.064	0.783	< 0.0025	< 0.0020	
8/6/2024	B 5.3	87	34	0.36	7.62	380	970	< 0.0030	0.013	0.055	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.047	< 0.00020	0.067	0.776	< 0.0025	< 0.0020	
11/5/2024	5.0	87	32	0.39	8.07	410	950	< 0.0030	0.015	0.057	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.040	< 0.00020	0.071	0.736	< 0.0025	< 0.0020	
MW-07 down gradient	5/4/2021	4.0	130	110	0.69	8.29	490	1000	< 0.003	0.0022	0.063	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.026	< 0.0002	0.051	0.952	< 0.0025	< 0.002
	5/24/2021	4.2	150	140	0.53	8.38	590	1400	< 0.003	0.0022	0.064	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.028	< 0.0002	0.049	1.28	< 0.0025	< 0.0025
	6/7/2021	4.0	110	120	0.69	7.62	480	1000	< 0.003	0.0026	0.064	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.022	< 0.0002	0.07	1.25	< 0.0025	< 0.002
	6/25/2021	B 4.0	290	250	0.42	6.35	850	2300	^+ < 0.003	0.0024	0.12	< 0.001	< 0.0005	0.034	0.0012	< 0.0005	0.032					

Table 1B. Groundwater Analytical Results-Midwest Generation, LLC, Will County Station, Romeoville, IL, Pond 1S.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228 Combined	Selenium	Thallium
MW-03 up gradient	5/3/2021	3.3	140	18	0.31	6.90	240	890	< 0.003	0.0011	0.11	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.04	< 0.0002	0.017	0.993	< 0.0025	< 0.002
	5/24/2021	3.2	130	19	0.34	6.91	270	900	< 0.003	0.001	0.001	*1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.038	< 0.0002	0.018	0.922	0.0057	< 0.002
	6/8/2021	3.7	140	21	0.32	6.75	290	940	< 0.003	0.0014	0.10	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.041	< 0.0002	0.017	0.857	< 0.0025	< 0.002
	6/28/2021	B 3.6	120	23	0.32	7.17	290	930	*+ < 0.003	0.0023	0.091	< 0.001	< 0.0005	< 0.005	0.001	< 0.0005	0.044	< 0.0002	0.022	1.03	< 0.0025	< 0.002
	7/12/2021	3.8	120	27	0.33	6.88	270	870	< 0.003	0.0033	0.10	< 0.001	< 0.00053	< 0.005	< 0.001	< 0.0005	0.048	< 0.0002	0.028	1.97	< 0.0025	< 0.002
	8/2/2021	6.2	120	31	0.3	6.86	280	920	< 0.003	0.0053	0.096	< 0.001	< 0.0005	< 0.005	0.001	< 0.0005	0.043	< 0.0002	0.021	1.16	< 0.0025	< 0.002
	8/24/2021	3.3	120	FI F2.50	0.35	7.28	300	890	< 0.003	0.0021	0.091	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.042	< 0.0002	0.022	0.763	< 0.0025	< 0.002
	11/19/2021	3.7	160	27	0.32	6.67	330	970	< 0.003	0.0016	0.12	*1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.039	< 0.0002	0.025	2.47	0.0082	< 0.002
	2/24/2022	2.6	220	18	0.3	6.53	360	1200	< 0.003	0.0015	0.12	*1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.032	< 0.0002	0.014	1.11	0.046	< 0.002
	6/16/2022	4.0	140	18	0.31	6.62	300	910	< 0.003	0.0014	0.10	*1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.045	< 0.0002	0.022	1.38	< 0.0025	< 0.002
	8/24/2022	3.4	140	35	0.34	6.73	360	1200	< 0.003	< 0.001	0.096	< 0.001	*1+ < 0.0005	< 0.005	0.001	< 0.0005	0.035	< 0.0002	0.018	1.24	< 0.0025	< 0.002
	11/15/2022	3.5	140	43	FI 0.29	6.79	360	990	< 0.003	0.0039	0.095	*+ < 0.001	< 0.0005	< 0.005	0.0012	< 0.0005	0.037	< 0.0002	0.021	1.78	< 0.0025	< 0.002
	2/22/2023	2.4	180	14	0.24	6.83	330	1000	< 0.003	0.0099	0.099	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.03	< 0.0002	0.013	0.76	0.03	< 0.002
	4/27/2023	3.2	150	12	0.28	6.54	320	1000	< 0.0030	0.0013	0.090	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.040	< 0.00020	0.021	1.12	0.0057	< 0.0020
	7/27/2023	3.5	160	16	0.25	6.53	280	930	< 0.0030	0.0010	0.11	*+ < 0.0010	< 0.00050	< 0.0050	0.0010	< 0.00050	0.043	< 0.00020	0.013	1.43	0.0053	< 0.0020
	10/23/2023	3.7	140	19	0.26	6.63	200	900	< 0.0030	< 0.0010	B 0.10	< 0.0010	< 0.00050	< 0.0050	0.0012	< 0.00050	0.034	< 0.00020	0.011	1.90	0.0042	< 0.0020
	2/6/2024	3.9	150	14	0.28	6.73	270	890	*1+ < 0.0030	< 0.0010	0.097	*+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.10	< 0.00020	0.018	1.12	0.0041	< 0.0020
	5/7/2024	4.2	120	15	0.31	7.10	320	870	< 0.0030	< 0.0010	0.086	< 0.0010	< 0.00050	< 0.0050	< 0.0011	< 0.00050	0.044	< 0.00020	0.028	0.668	< 0.0025	< 0.0020
	8/6/2024	B 3.7	160	21	0.31	6.66	310	1000	< 0.0030	< 0.0010	0.099	< 0.0010	< 0.00050	< 0.0050	0.0012	< 0.00050	0.038	< 0.00020	0.017	0.865	< 0.0025	< 0.0020
	11/5/2024	3.2	160	26	0.33	7.06	300	990	< 0.0030	< 0.0010	0.098	< 0.0010	< 0.00050	< 0.0050	0.0013	< 0.00050	0.031	< 0.00020	0.015	1.3	< 0.0025	< 0.0020
MW-04 up gradient	5/3/2021	5.1	310	28	0.36	6.76	910	2000	< 0.003	0.003	0.046	< 0.001	< 0.0005	< 0.005	0.0019	< 0.0005	0.026	< 0.0002	0.026	1.16	< 0.0025	< 0.002
	5/24/2021	5.5	340	24	0.38	6.90	950	2000	< 0.003	0.0039	0.047	*1+ < 0.001	< 0.0005	< 0.005	0.0016	< 0.0005	0.027	< 0.0002	0.028	1.72	0.0051	< 0.002
	6/8/2021	5.7	310	24	0.37	6.58	910	2000	< 0.003	0.0026	0.043	< 0.001	< 0.0005	< 0.005	0.0016	< 0.0005	0.027	< 0.0002	0.028	< 0.459	0.0076	< 0.002
	6/28/2021	B 5.6	330	20	0.35	6.95	930	2100	*+ < 0.003	0.011	0.047	< 0.001	< 0.0005	< 0.005	0.0016	< 0.0005	0.025	< 0.0002	0.027	1.12	0.019	< 0.002
	7/12/2021	5.9	320	16	0.38	6.70	970	2100	< 0.003	0.01	0.049	< 0.001	< 0.0005	< 0.005	0.0016	< 0.0005	0.03	< 0.0002	0.033	1.68	0.0056	< 0.002
	8/2/2021	5.3	310	21	0.38	6.71	1000	2300	< 0.003	0.0039	0.046	< 0.001	< 0.0005	< 0.005	0.0018	< 0.0005	0.027	< 0.0002	0.033	1.18	< 0.0025	< 0.002
	8/24/2021	6.2	320	90	0.40	7.09	1100	1700	< 0.003	0.0075	0.046	< 0.001	< 0.0005	< 0.005	0.002	< 0.0005	0.028	< 0.0002	0.035	< 0.642	< 0.0025	< 0.002
	11/19/2021	6.1	300	23	0.36	6.69	840	1900	< 0.003	0.0063	0.044	*1+ < 0.001	< 0.0005	< 0.005	0.0022	< 0.0005	0.022	< 0.0002	0.023	1.17	< 0.0025	< 0.002
	2/24/2022	4.7	350	16	0.37	6.50	950	2100	< 0.003	0.02	0.039	*1+ < 0.001	< 0.0005	< 0.005	0.0017	< 0.0005	0.02	< 0.0002	0.028	< 0.424	0.09	< 0.002
	6/16/2022	5.5	310	22	0.37	6.55	990	2200	< 0.003	0.003	0.045	< 0.001	< 0.0005	< 0.005	0.0021	< 0.0005	0.023	< 0.0002	0.026	1.39	0.0044	< 0.002
	8/24/2022	5.8	280	18	0.40	6.57	810	2000	< 0.003	0.0053	0.044	< 0.001	*1+ < 0.0005	< 0.005	0.003	< 0.0005	0.019	< 0.0002	0.021	1.41	0.003	< 0.002
	11/15/2022	5.6	290	19	0.64	6.64	770	1700	< 0.003	0.011	0.047	*+ < 0.001	< 0.0005	< 0.005	0.0032	< 0.0005	0.02	< 0.0002	0.021	4.15	0.0061	< 0.002
	2/22/2023	3.7	390	36	0.38	6.77	1200	2500	< 0.003	0.0044	0.035	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.02	< 0.0002	0.032	0.795	0.067	< 0.002
	4/27/2023	4.3	310	25	0.33	6.51	870	2000	< 0.0030	0.0027	0.039	< 0.0010	< 0.00050	< 0.0050	0.0015	< 0.00050	0.021	< 0.00020	0.023	1.19	0.0091	< 0.0020
	7/27/2023	4.9	300	20	0.36	6.49	790	1700	< 0.0030	0.0017	0.041	*+ < 0.0010	< 0.00050	< 0.0050	0.0015	< 0.00050	0.021	< 0.00020	0.019	1.28	0.026	< 0.0020
	10/23/2023	4.6	210	12	0.40	6.55	500	1300	< 0.0030	0.0013	0.043	< 0.0010	< 0.00050	< 0.0050	0.0015	< 0.00050	0.019	< 0.00020	0.022	0.923	0.013	< 0.0020
	2/6/2024	4.2	350	59	0.28	6.51	950	2100	*1+ < 0.0030	0.0039	0.047	*+ < 0.0010	< 0.00050	< 0.0050	0.0012	< 0.00050	< 0.10	< 0.00020	0.039	0.770	0.043	< 0.0020
	5/8/2024	4.1	320	45	0.37	6.62	750	1800	< 0.0030	0.0011	0.048	< 0.0010	< 0.00050	< 0.0050	0.0011	< 0.00050	0.023	< 0.00020	0.022	0.651	0.014	< 0.0020
	8/6/2024	B 5.1	280	24	0.39	6.56	810	1900	< 0.0030	0.0015	0.049	< 0.0010	< 0.00050	< 0.0050	0.0013	< 0.00050	0.021	< 0.00020	0.024	0.885	0.0032	< 0.0020
	11/5/2024	4.6	250	17	0.40	6.92	570	1600	< 0.0030	0.0031	0.052	< 0.0010	< 0.00050	< 0.0050	0.0036	< 0.00050	0.018	< 0.00020	0.020	1.14	0.0043	< 0.0020
MW-08 down gradient	5/4/2021	2.6	190	290	0.51	6.95	490	1900	< 0.003	0.0073	0.081	< 0.001	< 0.0005	< 0.005	0.0015	< 0.0005	0.015	< 0.0002	0.047	0.873	< 0.0025	< 0.002
	5/25/2021	2.8	170	290	0.51	6.93	540	1600	< 0.003	0.0074	0.083	*1+ < 0.001	< 0.0005	< 0.005	0.001	< 0.0005	0.016	< 0.0002	0.044	1.06	< 0.0025	< 0.002
	6/7/2021	4.2	170	120	0.59	7.24	650	1400	< 0.003	0.01	0.067	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.021	< 0.0002	0.091	0.768	< 0.0025	< 0.002
	6/28/2021	B 3.0	160	190	0.53	7.17	480	1400	*+ < 0.003	0.014	0.083	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0011	0.019	< 0.0002	0.066	0.621	< 0.0025	< 0.002
	7/12/2021	7.0	200																			

Table 2A. Groundwater Turbidity - Pond 1N, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-01	2/23/2021	0.64
	4/10/2021	5.81
	4/25/2021	7.69
	5/3/2021	1.74
	5/24/2021	1.83
	6/7/2021	2.32
	6/25/2021	3.50
	7/12/2021	4.18
	8/2/2021	2.87
	8/23/2021	1.17
	9/24/2021	3.25
	11/19/2021	16.82
	2/21/2022	3.04
	6/15/2022	10.56
	8/24/2022	15.3
	11/15/2022	19.8
	2/22/2023	19.12
	4/27/2023	4.40
	7/27/2023	7.20
	10/23/2023	4.10
2/6/2024	12.10	
5/7/2024	23.76	
8/6/2024	17.92	
11/5/2024	5.71	
MW-02	2/25/2021	8.84
	4/10/2021	9.17
	4/25/2021	12.03
	5/3/2021	2.42
	5/24/2021	2.7
	6/7/2021	1.82
	6/28/2021	3.15
	7/12/2021	4.23
	8/2/2021	3.11
	8/23/2021	1.37
	9/24/2021	4.63
	11/19/2021	2.1
	2/21/2022	0.45
	6/15/2022	2.69
	8/24/2022	8.71
	11/15/2022	8.21
	2/22/2023	6.07
	4/27/2023	2.90
	7/27/2023	7.40
	10/23/2023	7.00
2/6/2024	12.70	
5/7/2024	11.18	
8/6/2024	13.32	
11/5/2024	28.86	
MW-07	3/1/2021	6.11
	4/10/2021	6.19
	4/25/2021	6.98
	5/4/2021	37.65
	5/24/2021	2.54
	6/7/2021	6.21
	6/25/2021	6.02
	7/12/2021	5.13
	8/2/2021	2.45
	8/25/2021	7.7
	9/24/2021	4.13
	11/19/2021	7.35
	2/22/2022	-0.02
	6/15/2022	5.58
	8/25/2022	2.27
	11/15/2022	41.3
	2/22/2023	13.55
	4/27/2023	8.90
	7/27/2023	1.00
	10/23/2023	8.10
2/7/2024	0.41	
5/8/2024	17.65	
8/5/2024	50.71	
11/4/2024	3.04	
MW-14	5/4/2021	6.88
	5/25/2021	3.5
	6/7/2021	2.55
	6/28/2021	7.44
	7/12/2021	4.89
	8/2/2021	9.8
	8/25/2021	11.7
	9/24/2021	6.87
	11/19/2021	5.19
	2/23/2022	45.11
	6/14/2022	3.98
	8/23/2022	2.71
	11/17/2022	2.8
	2/21/2023	6.71
	4/25/2023	5.0
	7/25/2023	3.7
	10/19/2023	1.7
	2/5/2024	2.6
	5/7/2024	7.12
	8/1/2024	3.94
11/4/2024	5.40	

Table 2A. Groundwater Turbidity - Pond 1N, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-15	5/4/2021	28.65
	5/25/2021	8.89
	6/7/2021	8.82
	6/28/2021	6.48
	7/12/2021	8.52
	8/2/2021	22.71
	8/25/2021	12.4
	9/24/2021	11.44
	11/19/2021	10.83
	2/22/2022	17.05
	6/14/2022	11.83
	8/23/2022	33.2
	11/17/2022	148.2
	2/21/2023	41.83
	4/25/2023	11.2
	7/25/2023	35.6
	10/19/2023	55.2
	2/6/2024	20.5
	5/7/2024	89.52
	8/1/2024	59.82
11/5/2024	40.81	

Table 2B. Groundwater Turbidity - Pond 1S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-03	3/1/2021	0.0
	4/10/2021	1.45
	4/25/2021	3.41
	5/3/2021	1.61
	5/24/2021	2.06
	6/8/2021	2.34
	6/28/2021	2.69
	7/12/2021	4.07
	8/2/2021	1.98
	8/24/2021	5.1
	9/24/2021	4.18
	11/19/2021	0.47
	2/24/2022	-1.1
	6/16/2022	1.7
	8/24/2022	6.4
	11/15/2022	9.7
	2/22/2023	6.9
4/27/2023	2.00	
7/27/2023	7.20	
10/23/2023	0.50	
2/6/2024	0.20	
5/7/2024	8.73	
8/6/2024	0.75	
11/5/2024	1.42	
MW-04	2/22/2021	9.87
	4/10/2021	42.2
	4/25/2021	7.41
	5/3/2021	4.2
	5/24/2021	4.45
	6/8/2021	2.8
	6/28/2021	12.93
	7/12/2021	3.93
	8/2/2021	3.75
	8/24/2021	10.1
	9/24/2021	5.74
	11/19/2021	15.15
	2/24/2022	2.04
	6/16/2022	3.13
	8/24/2022	4.7
	11/15/2022	14.2
	2/22/2023	20.1
4/27/2023	8.40	
7/27/2023	6.00	
10/23/2023	3.5	
2/6/2024	16.3	
5/8/2024	10.72	
8/6/2024	24.01	
11/5/2024	37.84	
MW-08	3/1/2021	2.3
	4/10/2021	270.98
	4/25/2021	26.73
	5/4/2021	6.6
	5/28/2021	6.51
	6/7/2021	4.58
	6/28/2021	5.67
	7/12/2021	6.71
	8/2/2021	14.15
	8/25/2021	8.9
	9/24/2021	7.21
	11/19/2021	2.34
	2/24/2022	40.05
	6/15/2022	5.01
	8/25/2022	9.02
	11/17/2022	13.9
	2/23/2023	43.13
4/27/2023	29.20	
7/26/2023	16.90	
10/24/2023	11.30	
2/7/2024	39.80	
5/8/2024	51.31	
8/5/2024	3.52	
11/4/2024	18.02	
MW-09	3/1/2021	0.86
	4/10/2021	6.91
	4/25/2021	2.08
	5/25/2021	14.12
	6/11/2021	2.39
	6/29/2021	2.97
	7/12/2021	3.94
	8/4/2021	0.0
	8/25/2021	19.9
	9/24/2021	3.67
	11/23/2021	19.07
	2/22/2022	0.59
	6/15/2022	113.77
	8/25/2022	1.93
	11/16/2022	11.73
	2/23/2023	10.34
	4/26/2023	2.90
7/26/2023	6.50	
10/24/2023	9.50	
2/7/2024	9.30	
5/8/2024	8.90	
8/5/2024	2.67	
11/4/2024	30.58	
MW-13	5/4/2021	20.6
	5/25/2021	9.8
	6/7/2021	6.49
	6/28/2021	8.25
	7/12/2021	5.89
	8/2/2021	2.91
	8/26/2021	12.9
	9/24/2021	9.13
	11/23/2021	17.83
	2/23/2022	24.33
	6/14/2022	81.91
	8/23/2022	47.3
	11/16/2022	77.2
	2/21/2023	41.7
	4/25/2023	41.90
	7/25/2023	16.70
	10/19/2023	47.10
2/5/2024	22.00	
2/5/2024	12.61	
8/1/2024	9.80	
11/4/2024	11.79	

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: James Thorne
Midwest Generation EME LLC
1800 Channahon Road
Joliet, Illinois 60436

Generated 11/25/2024 4:20:33 PM

JOB DESCRIPTION

Will County CCR

JOB NUMBER

500-259528-1

Eurofins Chicago

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

Authorization



Generated
11/25/2024 4:20:33 PM

Authorized for release by
Diana Mockler, Project Manager I
Diana.Mockler@et.eurofinsus.com
(219)252-7570



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	18
QC Association	19
QC Sample Results	22
Chain of Custody	27
Receipt Checklists	29
Chronicle	30

Case Narrative

Client: Midwest Generation EME LLC
Project: Will County CCR

Job ID: 500-259528-1

Job ID: 500-259528-1

Eurofins Chicago

Job Narrative 500-259528-1

Receipt

The samples were received on 11/4/2024 4:25 PM and 11/6/2024 8:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 5 coolers at receipt time were 1.6°C, 1.9°C, 2.7°C, 4.1°C and 5.4°C.

Metals

Method 6020B - Total Recoverable: The following samples were diluted to mitigate any potential carry-over from high concentrations of Boron: MW-02 (500-259528-8), MW-03 (500-259528-9), MW-04 (500-259528-10) and MW-15 (500-259528-11). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Chicago

Method Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR

Job ID: 500-259528-1

Method	Method Description	Protocol	Laboratory
6020B	Metals (ICP/MS)	SW846	EET CHI
7470A	Mercury (CVAA)	SW846	EET CHI
300.0	Anions, Ion Chromatography	EPA	EET CHI
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CHI
SM 4500 F C	Fluoride	SM	EET CHI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CHI
7470A	Preparation, Mercury	SW846	EET CHI

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR

Job ID: 500-259528-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-259528-1	MW-07	Water	11/04/24 14:06	11/04/24 16:25
500-259528-2	MW-08	Water	11/04/24 11:54	11/04/24 16:25
500-259528-3	MW-09	Water	11/04/24 09:40	11/04/24 16:25
500-259528-4	MW-13	Water	11/04/24 10:42	11/04/24 16:25
500-259528-5	MW-14	Water	11/04/24 13:26	11/04/24 16:25
500-259528-6	1N/1S Duplicate	Water	11/04/24 00:00	11/04/24 16:25
500-259528-7	MW-01	Water	11/05/24 14:24	11/06/24 08:35
500-259528-8	MW-02	Water	11/05/24 13:27	11/06/24 08:35
500-259528-9	MW-03	Water	11/05/24 11:54	11/06/24 08:35
500-259528-10	MW-04	Water	11/05/24 10:44	11/06/24 08:35
500-259528-11	MW-15	Water	11/05/24 15:19	11/06/24 08:35

1

2

3

4

5

6

7

8

9

10

11

12

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-07
Date Collected: 11/04/24 14:06
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-1
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:00	1
Arsenic	0.0020		0.0010		mg/L		11/22/24 06:45	11/22/24 17:00	1
Barium	0.044		0.0025		mg/L		11/22/24 06:45	11/22/24 17:00	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:00	1
Boron	2.6	F1	0.050		mg/L		11/22/24 06:45	11/22/24 17:00	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:00	1
Calcium	66		0.20		mg/L		11/22/24 06:45	11/22/24 17:00	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:00	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:00	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:00	1
Lithium	0.016		0.010		mg/L		11/22/24 06:45	11/22/24 17:00	1
Molybdenum	0.085		0.0050		mg/L		11/22/24 06:45	11/22/24 17:00	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:00	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:00	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:36	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	110		20		mg/L			11/20/24 04:58	20
Sulfate (EPA 300.0)	440		20		mg/L			11/20/24 04:58	20
Total Dissolved Solids (SM 2540C)	1100		10		mg/L			11/07/24 02:38	1
Fluoride (SM 4500 F C)	0.79		0.10		mg/L			11/20/24 17:12	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-08
Date Collected: 11/04/24 11:54
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-2
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:17	1
Arsenic	0.0079		0.0010		mg/L		11/22/24 06:45	11/22/24 17:17	1
Barium	0.069		0.0025		mg/L		11/22/24 06:45	11/22/24 17:17	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:17	1
Boron	3.7		0.050		mg/L		11/22/24 06:45	11/22/24 17:17	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:17	1
Calcium	150		0.20		mg/L		11/22/24 06:45	11/22/24 17:17	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:17	1
Cobalt	0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:17	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:17	1
Lithium	0.018		0.010		mg/L		11/22/24 06:45	11/22/24 17:17	1
Molybdenum	0.094		0.0050		mg/L		11/22/24 06:45	11/22/24 17:17	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:17	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:17	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	130		20		mg/L			11/20/24 05:14	20
Sulfate (EPA 300.0)	520		20		mg/L			11/20/24 05:14	20
Total Dissolved Solids (SM 2540C)	1300		10		mg/L			11/07/24 02:41	1
Fluoride (SM 4500 F C)	0.63		0.10		mg/L			11/20/24 17:17	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-09
 Date Collected: 11/04/24 09:40
 Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-3
 Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:19	1
Arsenic	0.0096		0.0010		mg/L		11/22/24 06:45	11/22/24 17:19	1
Barium	0.036		0.0025		mg/L		11/22/24 06:45	11/22/24 17:19	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:19	1
Boron	2.0		0.050		mg/L		11/22/24 06:45	11/22/24 17:19	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:19	1
Calcium	39		0.20		mg/L		11/22/24 06:45	11/22/24 17:19	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:19	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:19	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:19	1
Lithium	<0.010		0.010		mg/L		11/22/24 06:45	11/22/24 17:19	1
Molybdenum	0.077		0.0050		mg/L		11/22/24 06:45	11/22/24 17:19	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:19	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:19	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	200		10		mg/L			11/20/24 05:29	10
Sulfate (EPA 300.0)	230		10		mg/L			11/20/24 05:29	10
Total Dissolved Solids (SM 2540C)	780		10		mg/L			11/07/24 02:43	1
Fluoride (SM 4500 F C)	0.57		0.10		mg/L			11/20/24 17:32	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-13
Date Collected: 11/04/24 10:42
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-4
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:21	1
Arsenic	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:21	1
Barium	0.091		0.0025		mg/L		11/22/24 06:45	11/22/24 17:21	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:21	1
Boron	1.2		0.050		mg/L		11/22/24 06:45	11/22/24 17:21	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:21	1
Calcium	130		0.20		mg/L		11/22/24 06:45	11/22/24 17:21	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:21	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:21	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:21	1
Lithium	<0.010		0.010		mg/L		11/22/24 06:45	11/22/24 17:21	1
Molybdenum	0.012		0.0050		mg/L		11/22/24 06:45	11/22/24 17:21	1
Selenium	0.0078		0.0025		mg/L		11/22/24 06:45	11/22/24 17:21	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:21	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	110		10		mg/L			11/20/24 05:45	10
Sulfate (EPA 300.0)	110		10		mg/L			11/20/24 05:45	10
Total Dissolved Solids (SM 2540C)	820		10		mg/L			11/07/24 02:46	1
Fluoride (SM 4500 F C)	0.37		0.10		mg/L			11/20/24 17:37	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-14
Date Collected: 11/04/24 13:26
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-5
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:24	1
Arsenic	0.0020		0.0010		mg/L		11/22/24 06:45	11/22/24 17:24	1
Barium	0.078		0.0025		mg/L		11/22/24 06:45	11/22/24 17:24	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:24	1
Boron	3.0		0.050		mg/L		11/22/24 06:45	11/22/24 17:24	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:24	1
Calcium	85		0.20		mg/L		11/22/24 06:45	11/22/24 17:24	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:24	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:24	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:24	1
Lithium	0.019		0.010		mg/L		11/22/24 06:45	11/22/24 17:24	1
Molybdenum	0.069		0.0050		mg/L		11/22/24 06:45	11/22/24 17:24	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:24	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:24	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	100		20		mg/L			11/20/24 06:32	20
Sulfate (EPA 300.0)	400		20		mg/L			11/20/24 06:32	20
Total Dissolved Solids (SM 2540C)	1000		10		mg/L			11/07/24 02:48	1
Fluoride (SM 4500 F C)	0.64		0.10		mg/L			11/20/24 17:42	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: 1N/1S Duplicate

Lab Sample ID: 500-259528-6

Date Collected: 11/04/24 00:00

Matrix: Water

Date Received: 11/04/24 16:25

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:26	1
Arsenic	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:26	1
Barium	0.096		0.0025		mg/L		11/22/24 06:45	11/22/24 17:26	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:26	1
Boron	1.3		0.050		mg/L		11/22/24 06:45	11/22/24 17:26	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:26	1
Calcium	130		0.20		mg/L		11/22/24 06:45	11/22/24 17:26	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:26	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:26	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:26	1
Lithium	<0.010		0.010		mg/L		11/22/24 06:45	11/22/24 17:26	1
Molybdenum	0.013		0.0050		mg/L		11/22/24 06:45	11/22/24 17:26	1
Selenium	0.0086		0.0025		mg/L		11/22/24 06:45	11/22/24 17:26	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:26	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	110		20		mg/L			11/20/24 06:47	20
Sulfate (EPA 300.0)	120		20		mg/L			11/20/24 06:47	20
Total Dissolved Solids (SM 2540C)	780		10		mg/L			11/07/24 02:51	1
Fluoride (SM 4500 F C)	0.37		0.10		mg/L			11/20/24 18:12	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-01
Date Collected: 11/05/24 14:24
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-7
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:29	1
Arsenic	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:29	1
Barium	0.082		0.0025		mg/L		11/22/24 06:45	11/22/24 17:29	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:29	1
Boron	2.8		0.050		mg/L		11/22/24 06:45	11/22/24 17:29	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:29	1
Calcium	120		0.20		mg/L		11/22/24 06:45	11/22/24 17:29	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:29	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:29	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:29	1
Lithium	0.027		0.010		mg/L		11/22/24 06:45	11/22/24 17:29	1
Molybdenum	0.042		0.0050		mg/L		11/22/24 06:45	11/22/24 17:29	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:29	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:29	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	67		20		mg/L			11/20/24 07:03	20
Sulfate (EPA 300.0)	380		20		mg/L			11/20/24 07:03	20
Total Dissolved Solids (SM 2540C)	1100		10		mg/L			11/11/24 00:37	1
Fluoride (SM 4500 F C)	0.69		0.10		mg/L			11/20/24 18:17	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-02
Date Collected: 11/05/24 13:27
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-8
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:41	1
Arsenic	0.015		0.0010		mg/L		11/22/24 06:45	11/22/24 17:41	1
Barium	0.057		0.0025		mg/L		11/22/24 06:45	11/22/24 17:41	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:41	1
Boron	5.0		0.25		mg/L		11/22/24 06:45	11/25/24 12:06	5
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:41	1
Calcium	87		0.20		mg/L		11/22/24 06:45	11/22/24 17:41	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:41	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:41	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:41	1
Lithium	0.040		0.010		mg/L		11/22/24 06:45	11/22/24 17:41	1
Molybdenum	0.071		0.0050		mg/L		11/22/24 06:45	11/22/24 17:41	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:41	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:41	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	32		20		mg/L			11/20/24 07:19	20
Sulfate (EPA 300.0)	410		20		mg/L			11/20/24 07:19	20
Total Dissolved Solids (SM 2540C)	950		10		mg/L			11/11/24 00:40	1
Fluoride (SM 4500 F C)	0.39		0.10		mg/L			11/20/24 18:33	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-03
Date Collected: 11/05/24 11:54
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-9
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:43	1
Arsenic	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:43	1
Barium	0.098		0.0025		mg/L		11/22/24 06:45	11/22/24 17:43	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:43	1
Boron	3.2		0.25		mg/L		11/22/24 06:45	11/25/24 12:08	5
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:43	1
Calcium	160		0.20		mg/L		11/22/24 06:45	11/22/24 17:43	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:43	1
Cobalt	0.0013		0.0010		mg/L		11/22/24 06:45	11/22/24 17:43	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:43	1
Lithium	0.031		0.010		mg/L		11/22/24 06:45	11/22/24 17:43	1
Molybdenum	0.015		0.0050		mg/L		11/22/24 06:45	11/22/24 17:43	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:43	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:43	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	26		20		mg/L			11/19/24 17:33	20
Sulfate (EPA 300.0)	300		20		mg/L			11/19/24 17:33	20
Total Dissolved Solids (SM 2540C)	990		10		mg/L			11/11/24 00:42	1
Fluoride (SM 4500 F C)	0.33		0.10		mg/L			11/20/24 18:40	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-04
Date Collected: 11/05/24 10:44
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-10
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:46	1
Arsenic	0.0031		0.0010		mg/L		11/22/24 06:45	11/22/24 17:46	1
Barium	0.052		0.0025		mg/L		11/22/24 06:45	11/22/24 17:46	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:46	1
Boron	4.6		0.25		mg/L		11/22/24 06:45	11/25/24 12:10	5
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:46	1
Calcium	250		0.20		mg/L		11/22/24 06:45	11/22/24 17:46	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:46	1
Cobalt	0.0036		0.0010		mg/L		11/22/24 06:45	11/22/24 17:46	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:46	1
Lithium	0.018		0.010		mg/L		11/22/24 06:45	11/22/24 17:46	1
Molybdenum	0.020		0.0050		mg/L		11/22/24 06:45	11/22/24 17:46	1
Selenium	0.0043		0.0025		mg/L		11/22/24 06:45	11/22/24 17:46	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:46	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:59	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	17		1.0		mg/L			11/20/24 13:31	1
Sulfate (EPA 300.0)	570		50		mg/L			11/19/24 18:20	50
Total Dissolved Solids (SM 2540C)	1600		10		mg/L			11/11/24 00:45	1
Fluoride (SM 4500 F C)	0.40		0.10		mg/L			11/20/24 18:44	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-15
Date Collected: 11/05/24 15:19
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-11
Matrix: Water

Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 17:48	1
Arsenic	0.0046		0.0010		mg/L		11/22/24 06:45	11/22/24 17:48	1
Barium	0.086		0.0025		mg/L		11/22/24 06:45	11/22/24 17:48	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:48	1
Boron	4.0		0.25		mg/L		11/22/24 06:45	11/25/24 12:13	5
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:48	1
Calcium	190		0.20		mg/L		11/22/24 06:45	11/22/24 17:48	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 17:48	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 17:48	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 17:48	1
Lithium	0.024		0.010		mg/L		11/22/24 06:45	11/22/24 17:48	1
Molybdenum	0.030		0.0050		mg/L		11/22/24 06:45	11/22/24 17:48	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 17:48	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 17:48	1

Method: SW846 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 18:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride (EPA 300.0)	99		20		mg/L			11/19/24 18:35	20
Sulfate (EPA 300.0)	600		20		mg/L			11/19/24 18:35	20
Total Dissolved Solids (SM 2540C)	1500		10		mg/L			11/11/24 00:47	1
Fluoride (SM 4500 F C)	0.49		0.10		mg/L			11/20/24 18:49	1

Definitions/Glossary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR

Job ID: 500-259528-1

Qualifiers

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Metals

Prep Batch: 796023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	7470A	
500-259528-2	MW-08	Total/NA	Water	7470A	
500-259528-3	MW-09	Total/NA	Water	7470A	
500-259528-4	MW-13	Total/NA	Water	7470A	
500-259528-5	MW-14	Total/NA	Water	7470A	
500-259528-6	1N/1S Duplicate	Total/NA	Water	7470A	
500-259528-7	MW-01	Total/NA	Water	7470A	
500-259528-8	MW-02	Total/NA	Water	7470A	
500-259528-9	MW-03	Total/NA	Water	7470A	
500-259528-10	MW-04	Total/NA	Water	7470A	
500-259528-11	MW-15	Total/NA	Water	7470A	
MB 500-796023/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-796023/13-A	Lab Control Sample	Total/NA	Water	7470A	

Analysis Batch: 796189

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	7470A	796023
500-259528-2	MW-08	Total/NA	Water	7470A	796023
500-259528-3	MW-09	Total/NA	Water	7470A	796023
500-259528-4	MW-13	Total/NA	Water	7470A	796023
500-259528-5	MW-14	Total/NA	Water	7470A	796023
500-259528-6	1N/1S Duplicate	Total/NA	Water	7470A	796023
500-259528-7	MW-01	Total/NA	Water	7470A	796023
500-259528-8	MW-02	Total/NA	Water	7470A	796023
500-259528-9	MW-03	Total/NA	Water	7470A	796023
500-259528-10	MW-04	Total/NA	Water	7470A	796023
500-259528-11	MW-15	Total/NA	Water	7470A	796023
MB 500-796023/12-A	Method Blank	Total/NA	Water	7470A	796023
LCS 500-796023/13-A	Lab Control Sample	Total/NA	Water	7470A	796023

Prep Batch: 796509

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total Recoverable	Water	3005A	
500-259528-2	MW-08	Total Recoverable	Water	3005A	
500-259528-3	MW-09	Total Recoverable	Water	3005A	
500-259528-4	MW-13	Total Recoverable	Water	3005A	
500-259528-5	MW-14	Total Recoverable	Water	3005A	
500-259528-6	1N/1S Duplicate	Total Recoverable	Water	3005A	
500-259528-7	MW-01	Total Recoverable	Water	3005A	
500-259528-8	MW-02	Total Recoverable	Water	3005A	
500-259528-9	MW-03	Total Recoverable	Water	3005A	
500-259528-10	MW-04	Total Recoverable	Water	3005A	
500-259528-11	MW-15	Total Recoverable	Water	3005A	
MB 500-796509/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-796509/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
500-259528-1 MS	MW-07	Total Recoverable	Water	3005A	
500-259528-1 MSD	MW-07	Total Recoverable	Water	3005A	
500-259528-1 DU	MW-07	Total Recoverable	Water	3005A	

QC Association Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR

Job ID: 500-259528-1

Metals

Analysis Batch: 796821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total Recoverable	Water	6020B	796509
500-259528-2	MW-08	Total Recoverable	Water	6020B	796509
500-259528-3	MW-09	Total Recoverable	Water	6020B	796509
500-259528-4	MW-13	Total Recoverable	Water	6020B	796509
500-259528-5	MW-14	Total Recoverable	Water	6020B	796509
500-259528-6	1N/1S Duplicate	Total Recoverable	Water	6020B	796509
500-259528-7	MW-01	Total Recoverable	Water	6020B	796509
500-259528-8	MW-02	Total Recoverable	Water	6020B	796509
500-259528-9	MW-03	Total Recoverable	Water	6020B	796509
500-259528-10	MW-04	Total Recoverable	Water	6020B	796509
500-259528-11	MW-15	Total Recoverable	Water	6020B	796509
MB 500-796509/1-A	Method Blank	Total Recoverable	Water	6020B	796509
LCS 500-796509/2-A	Lab Control Sample	Total Recoverable	Water	6020B	796509
500-259528-1 MS	MW-07	Total Recoverable	Water	6020B	796509
500-259528-1 MSD	MW-07	Total Recoverable	Water	6020B	796509
500-259528-1 DU	MW-07	Total Recoverable	Water	6020B	796509

Analysis Batch: 796945

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-8	MW-02	Total Recoverable	Water	6020B	796509
500-259528-9	MW-03	Total Recoverable	Water	6020B	796509
500-259528-10	MW-04	Total Recoverable	Water	6020B	796509
500-259528-11	MW-15	Total Recoverable	Water	6020B	796509

General Chemistry

Analysis Batch: 794246

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	SM 2540C	
500-259528-2	MW-08	Total/NA	Water	SM 2540C	
500-259528-3	MW-09	Total/NA	Water	SM 2540C	
500-259528-4	MW-13	Total/NA	Water	SM 2540C	
500-259528-5	MW-14	Total/NA	Water	SM 2540C	
500-259528-6	1N/1S Duplicate	Total/NA	Water	SM 2540C	
MB 500-794246/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-794246/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 794697

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-7	MW-01	Total/NA	Water	SM 2540C	
500-259528-8	MW-02	Total/NA	Water	SM 2540C	
500-259528-9	MW-03	Total/NA	Water	SM 2540C	
500-259528-10	MW-04	Total/NA	Water	SM 2540C	
500-259528-11	MW-15	Total/NA	Water	SM 2540C	
MB 500-794697/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-794697/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 796063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	300.0	
500-259528-2	MW-08	Total/NA	Water	300.0	

Eurofins Chicago

QC Association Summary

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

General Chemistry (Continued)

Analysis Batch: 796063 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-3	MW-09	Total/NA	Water	300.0	
500-259528-4	MW-13	Total/NA	Water	300.0	
500-259528-5	MW-14	Total/NA	Water	300.0	
500-259528-6	1N/1S Duplicate	Total/NA	Water	300.0	
500-259528-7	MW-01	Total/NA	Water	300.0	
500-259528-8	MW-02	Total/NA	Water	300.0	
MB 500-796063/3	Method Blank	Total/NA	Water	300.0	
LCS 500-796063/4	Lab Control Sample	Total/NA	Water	300.0	

Analysis Batch: 796079

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-9	MW-03	Total/NA	Water	300.0	
500-259528-10	MW-04	Total/NA	Water	300.0	
500-259528-11	MW-15	Total/NA	Water	300.0	
MB 500-796079/3	Method Blank	Total/NA	Water	300.0	
LCS 500-796079/4	Lab Control Sample	Total/NA	Water	300.0	
500-259528-9 MS	MW-03	Total/NA	Water	300.0	
500-259528-9 MSD	MW-03	Total/NA	Water	300.0	

Analysis Batch: 796264

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-10	MW-04	Total/NA	Water	300.0	
MB 500-796264/3	Method Blank	Total/NA	Water	300.0	
LCS 500-796264/4	Lab Control Sample	Total/NA	Water	300.0	
500-259528-10 MS	MW-04	Total/NA	Water	300.0	
500-259528-10 MSD	MW-04	Total/NA	Water	300.0	

Analysis Batch: 796396

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	SM 4500 F C	
500-259528-2	MW-08	Total/NA	Water	SM 4500 F C	
500-259528-3	MW-09	Total/NA	Water	SM 4500 F C	
500-259528-4	MW-13	Total/NA	Water	SM 4500 F C	
500-259528-5	MW-14	Total/NA	Water	SM 4500 F C	
500-259528-6	1N/1S Duplicate	Total/NA	Water	SM 4500 F C	
500-259528-7	MW-01	Total/NA	Water	SM 4500 F C	
500-259528-8	MW-02	Total/NA	Water	SM 4500 F C	
500-259528-9	MW-03	Total/NA	Water	SM 4500 F C	
500-259528-10	MW-04	Total/NA	Water	SM 4500 F C	
500-259528-11	MW-15	Total/NA	Water	SM 4500 F C	
MB 500-796396/3	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-796396/4	Lab Control Sample	Total/NA	Water	SM 4500 F C	

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 500-796509/1-A
Matrix: Water
Analysis Batch: 796821

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Antimony	<0.0030		0.0030		mg/L		11/22/24 06:45	11/22/24 16:55	1
Arsenic	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 16:55	1
Barium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 16:55	1
Beryllium	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 16:55	1
Boron	<0.050		0.050		mg/L		11/22/24 06:45	11/22/24 16:55	1
Cadmium	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 16:55	1
Calcium	<0.20		0.20		mg/L		11/22/24 06:45	11/22/24 16:55	1
Chromium	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 16:55	1
Cobalt	<0.0010		0.0010		mg/L		11/22/24 06:45	11/22/24 16:55	1
Lead	<0.00050		0.00050		mg/L		11/22/24 06:45	11/22/24 16:55	1
Lithium	<0.010		0.010		mg/L		11/22/24 06:45	11/22/24 16:55	1
Molybdenum	<0.0050		0.0050		mg/L		11/22/24 06:45	11/22/24 16:55	1
Selenium	<0.0025		0.0025		mg/L		11/22/24 06:45	11/22/24 16:55	1
Thallium	<0.0020		0.0020		mg/L		11/22/24 06:45	11/22/24 16:55	1

Lab Sample ID: LCS 500-796509/2-A
Matrix: Water
Analysis Batch: 796821

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	0.100	0.0990		mg/L		99	80 - 120
Barium	0.500	0.507		mg/L		101	80 - 120
Beryllium	0.0500	0.0483		mg/L		97	80 - 120
Boron	1.00	0.953		mg/L		95	80 - 120
Cadmium	0.0500	0.0509		mg/L		102	80 - 120
Calcium	10.0	8.50		mg/L		85	80 - 120
Chromium	0.200	0.199		mg/L		99	80 - 120
Cobalt	0.500	0.521		mg/L		104	80 - 120
Lead	0.100	0.0983		mg/L		98	80 - 120
Lithium	0.100	0.0962		mg/L		96	80 - 120
Molybdenum	1.00	0.977		mg/L		98	80 - 120
Selenium	0.100	0.101		mg/L		101	80 - 120
Thallium	0.100	0.0996		mg/L		100	80 - 120

Lab Sample ID: 500-259528-1 MS
Matrix: Water
Analysis Batch: 796821

Client Sample ID: MW-07
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	Sample	Sample	Spike Added	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier		Result	Qualifier				
Antimony	<0.0030		0.500	0.515		mg/L		103	75 - 125
Arsenic	0.0020		0.100	0.0984		mg/L		96	75 - 125
Barium	0.044		0.500	0.515		mg/L		94	75 - 125
Beryllium	<0.0010		0.0500	0.0445		mg/L		89	75 - 125
Boron	2.6	F1	1.00	3.29	F1	mg/L		65	75 - 125
Cadmium	<0.00050		0.0500	0.0478		mg/L		96	75 - 125
Calcium	66		10.0	69.8	4	mg/L		36	75 - 125
Chromium	<0.0050		0.200	0.181		mg/L		91	75 - 125
Cobalt	<0.0010		0.500	0.475		mg/L		95	75 - 125

Eurofins Chicago

QC Sample Results

Client: Midwest Generation EME LLC
Project/Site: Will County CCR

Job ID: 500-259528-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-259528-1 MS
Matrix: Water
Analysis Batch: 796821

Client Sample ID: MW-07
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	<0.00050		0.100	0.0898		mg/L		90	75 - 125
Lithium	0.016		0.100	0.103		mg/L		87	75 - 125
Molybdenum	0.085		1.00	1.02		mg/L		94	75 - 125
Selenium	<0.0025		0.100	0.0992		mg/L		99	75 - 125
Thallium	<0.0020		0.100	0.0903		mg/L		90	75 - 125

Lab Sample ID: 500-259528-1 MSD
Matrix: Water
Analysis Batch: 796821

Client Sample ID: MW-07
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Antimony	<0.0030		0.500	0.533		mg/L		106	75 - 125	3	20
Arsenic	0.0020		0.100	0.102		mg/L		100	75 - 125	4	20
Barium	0.044		0.500	0.538		mg/L		99	75 - 125	4	20
Beryllium	<0.0010		0.0500	0.0463		mg/L		93	75 - 125	4	20
Boron	2.6	F1	1.00	3.47		mg/L		83	75 - 125	5	20
Cadmium	<0.00050		0.0500	0.0494		mg/L		99	75 - 125	3	20
Calcium	66		10.0	72.3	4	mg/L		61	75 - 125	3	20
Chromium	<0.0050		0.200	0.188		mg/L		94	75 - 125	4	20
Cobalt	<0.0010		0.500	0.492		mg/L		98	75 - 125	3	20
Lead	<0.00050		0.100	0.0941		mg/L		94	75 - 125	5	20
Lithium	0.016		0.100	0.106		mg/L		91	75 - 125	3	20
Molybdenum	0.085		1.00	1.07		mg/L		98	75 - 125	4	20
Selenium	<0.0025		0.100	0.0972		mg/L		97	75 - 125	2	20
Thallium	<0.0020		0.100	0.0956		mg/L		96	75 - 125	6	20

Lab Sample ID: 500-259528-1 DU
Matrix: Water
Analysis Batch: 796821

Client Sample ID: MW-07
Prep Type: Total Recoverable
Prep Batch: 796509

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Antimony	<0.0030		<0.0030		mg/L		NC	20
Arsenic	0.0020		0.00193		mg/L		5	20
Barium	0.044		0.0440		mg/L		0.7	20
Beryllium	<0.0010		<0.0010		mg/L		NC	20
Boron	2.6	F1	2.61		mg/L		1	20
Cadmium	<0.00050		<0.00050		mg/L		NC	20
Calcium	66		64.6		mg/L		2	20
Chromium	<0.0050		<0.0050		mg/L		NC	20
Cobalt	<0.0010		<0.0010		mg/L		NC	20
Lead	<0.00050		<0.00050		mg/L		NC	20
Lithium	0.016		0.0156		mg/L		2	20
Molybdenum	0.085		0.0829		mg/L		2	20
Selenium	<0.0025		<0.0025		mg/L		NC	20
Thallium	<0.0020		<0.0020		mg/L		NC	20

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-796023/12-A
Matrix: Water
Analysis Batch: 796189

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 796023

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		11/19/24 11:00	11/19/24 17:10	1

Lab Sample ID: LCS 500-796023/13-A
Matrix: Water
Analysis Batch: 796189

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 796023

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00200	0.00216		mg/L		108	80 - 120

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 500-796063/3
Matrix: Water
Analysis Batch: 796063

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/20/24 03:25	1
Sulfate	<1.0		1.0		mg/L			11/20/24 03:25	1

Lab Sample ID: LCS 500-796063/4
Matrix: Water
Analysis Batch: 796063

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	18.4		mg/L		92	90 - 110
Sulfate	20.0	20.2		mg/L		101	90 - 110

Lab Sample ID: MB 500-796079/3
Matrix: Water
Analysis Batch: 796079

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/19/24 17:02	1
Sulfate	<1.0		1.0		mg/L			11/19/24 17:02	1

Lab Sample ID: LCS 500-796079/4
Matrix: Water
Analysis Batch: 796079

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	19.8		mg/L		99	90 - 110
Sulfate	20.0	20.8		mg/L		104	90 - 110

Lab Sample ID: 500-259528-9 MS
Matrix: Water
Analysis Batch: 796079

Client Sample ID: MW-03
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	26		200	217		mg/L		96	80 - 120
Sulfate	300		200	518		mg/L		110	80 - 120

Eurofins Chicago

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 500-259528-9 MSD
Matrix: Water
Analysis Batch: 796079

Client Sample ID: MW-03
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	26		200	216		mg/L		95	80 - 120	0	20
Sulfate	300		200	522		mg/L		112	80 - 120	1	20

Lab Sample ID: MB 500-796264/3
Matrix: Water
Analysis Batch: 796264

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<1.0		1.0		mg/L			11/20/24 11:57	1

Lab Sample ID: LCS 500-796264/4
Matrix: Water
Analysis Batch: 796264

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	19.7		mg/L		99	90 - 110

Lab Sample ID: 500-259528-10 MS
Matrix: Water
Analysis Batch: 796264

Client Sample ID: MW-04
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	17		10.0	27.9		mg/L		105	80 - 120

Lab Sample ID: 500-259528-10 MSD
Matrix: Water
Analysis Batch: 796264

Client Sample ID: MW-04
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	17		10.0	28.0		mg/L		106	80 - 120	1	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-794246/1
Matrix: Water
Analysis Batch: 794246

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			11/07/24 02:05	1

Lab Sample ID: LCS 500-794246/2
Matrix: Water
Analysis Batch: 794246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	258		mg/L		103	80 - 120

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 500-794697/1
 Matrix: Water
 Analysis Batch: 794697

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			11/11/24 00:09	1

Lab Sample ID: LCS 500-794697/2
 Matrix: Water
 Analysis Batch: 794697

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	256		mg/L		102	80 - 120

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-796396/3
 Matrix: Water
 Analysis Batch: 796396

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			11/20/24 16:28	1

Lab Sample ID: LCS 500-796396/4
 Matrix: Water
 Analysis Batch: 796396

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	10.0		mg/L		100	90 - 119

Chain of Custody Record


Client Information		Sampler: <u>IAN JOHN HENNINGSON</u>		Lab PM: Mockler, Diana J		Carrier Tracking No(s):		COC No: 500-129757-45943 1			
Client Contact: Patrick Allenstein		Phone: <u>630 290 6850</u>		E-Mail: Diana.Mockler@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1			
Company: KPRG and Associates, Inc.		PWSID:		Analysis Requested						Job #: <u>500-259528</u>	
Address: 14665 West Lisbon Road, Suite 1A		Due Date Requested:		Field Filtered Sample (Yes or No) <input type="checkbox"/> Perform MS/MS (Yes or No) <input type="checkbox"/> 903.0, 904.0 <input type="checkbox"/> 8010C, 8020A, 7470A <input type="checkbox"/> 2540C, 4500_F_C, SM4500_C1_E, SM4500_S04_E <input type="checkbox"/>						Preservation Codes: D HNO3, N None	
City: Brookfield		TAT Requested (days):								Total Number of Containers:	
State Zip: WI, 53005		Compliance Project <input type="checkbox"/> Yes <input type="checkbox"/> No									
Phone: 500-259528 COC		PO #: 4502116506									
Email: patricka@kprginc.com		WO #:									
Project Name: Will County 1N/1S Event Desc Quarterly GW Monitoring CCR		Project #: 50011609		SSOW#:		Other:		Special Instructions/Note:			
Site: Illinois											
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oli, BT=Tissue, A=Air)		Preservation Code:	
										D D N	
MW-01		—		—		—		Water			
MW-02		—		—		—		Water			
MW-03		—		—		—		Water			
MW-04		—		—		—		Water			
1 MW-07		11-4-24		14:06		G		Water		N N X X X	
2 MW-08		11-4-24		11:54		G		Water		N N X X X	
3 MW-09		11-4-24		09:40		G		Water		N N X X X	
4 MW-13		11-4-24		10:42		G		Water		N N X X X	
5 MW-14		11-4-24		13:26		G		Water		N N X X X	
MW-15		—		—		—		Water			
6 1N/1S Duplicate		11-4-24		—		G		Water		N N X X X	
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by			Date			Time			Method of Shipment		
Relinquished by <u>[Signature]</u>			Date/Time: 11-4-24 16:25			Company: KPRG			Received by <u>[Signature]</u>		
			Date/Time:			Company:			Date/Time: 11/4/24 1625		
			Date/Time:			Company:			Date/Time:		
			Date/Time:			Company:			Date/Time:		
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No			Custody Seal No			Cooler Temperature(s) °C and Other Remarks: <u>2.0-7.9, 5.5-25.4, 1.9-7.6</u>					



Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-534-5200 Fax 708 534-5211

Chain of Custody Record

Client Information		Sampler <i>IAI JOHN HANESON</i>		Lab PM Mockler, Diana J		Carrier Tracking No(s)		COC No 500-129757-45943 1	
Client Contact Patrick Allenstein		Phone <i>330 290 6850</i>		E Mail Diana Mockler@et eurofinsus.com		State of Origin		Page 1 of 1	
Company KPRG and Associates, Inc.				PWSID		Analysis Requested			
Address 14665 West Lisbon Road, Suite 1A		Due Date Requested		Field Filtered Sample Types or No 903.0, 904.0 6010C, 6020A, 7470A 2540C, 4500_F_C, SM4500, CL_E, SM4500_S04_E		Total Number of Containers		Job # <i>500-259528</i> Preservation Codes D HNO3 N None	
City Brookfield		TAT Requested (days)						 500-259528 COC	
State Zip WI, 53005		Compliance Project <input type="checkbox"/> Yes <input type="checkbox"/> No							
Phone		PO # 4502116506							
Email patricka@kprginc.com		WVO #							
Project Name Will County 1N/1S Event Desc. Quarterly GW Monitoring <i>CCR</i>		Project # 50011609		SSOW#		Other		Special Instructions/Note:	
Site Illinois									
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	
								Preservation Code:	
7 MW-01		11-5-24		14:24		G		Water	
8 MW-02		11-5-24		13:27		G		Water	
9 MW-03		11-5-24		11:54		G		Water	
10 MW-04		11-5-24		10:44		G		Water	
MW-07		—		—		—		Water	
MW-08		—		—		—		Water	
MW-09		—		—		—		Water	
MW-13		—		—		—		Water	
MW-14		—		—		—		Water	
11 MW-15		11-5-24		15:19		G		Water	
1N/1S Duplicate		—		—		—		Water	
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested II, III, IV, Other (specify)					Special Instructions/QC Requirements				
Empty Kit Relinquished by			Date		Time		Method of Shipment.		
Relinquished by <i>[Signature]</i>			Date/Time <i>11-5-24 08:35</i>		Company <i>KPRG</i>		Received by <i>[Signature]</i>		Date/Time <i>11/6/24 08:35</i>
Relinquished by			Date/Time		Company		Received by		Date/Time
Relinquished by			Date/Time		Company		Received by		Date/Time
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.			Cooler Temperature(s) °C and Other Remarks <i>28+27, 4.2+4.1</i>				



Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-259528-1

Login Number: 259528

List Number: 1

Creator: Scott, Sherri L

List Source: Eurofins Chicago

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.9,5.4,1.6,2.7,4.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-07

Date Collected: 11/04/24 14:06

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:00
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:36
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 04:58
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:38
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 17:12

Client Sample ID: MW-08

Date Collected: 11/04/24 11:54

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:17
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:37
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 05:14
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:41
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 17:17

Client Sample ID: MW-09

Date Collected: 11/04/24 09:40

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:19
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:39
Total/NA	Analysis	300.0		10	796063	NMB	EET CHI	11/20/24 05:29
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:43
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 17:32

Client Sample ID: MW-13

Date Collected: 11/04/24 10:42

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:21
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:41
Total/NA	Analysis	300.0		10	796063	NMB	EET CHI	11/20/24 05:45

Eurofins Chicago

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-13
Date Collected: 11/04/24 10:42
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:46
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 17:37

Client Sample ID: MW-14
Date Collected: 11/04/24 13:26
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:24
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:43
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 06:32
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:48
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 17:42

Client Sample ID: 1N/1S Duplicate
Date Collected: 11/04/24 00:00
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:26
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:44
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 06:47
Total/NA	Analysis	SM 2540C		1	794246	CLB	EET CHI	11/07/24 02:51
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:12

Client Sample ID: MW-01
Date Collected: 11/05/24 14:24
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:29
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:50
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 07:03
Total/NA	Analysis	SM 2540C		1	794697	CLB	EET CHI	11/11/24 00:37
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:17

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-02
Date Collected: 11/05/24 13:27
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:41
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		5	796945	RN	EET CHI	11/25/24 12:06
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:52
Total/NA	Analysis	300.0		20	796063	NMB	EET CHI	11/20/24 07:19
Total/NA	Analysis	SM 2540C		1	794697	CLB	EET CHI	11/11/24 00:40
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:33

Client Sample ID: MW-03
Date Collected: 11/05/24 11:54
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:43
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		5	796945	RN	EET CHI	11/25/24 12:08
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:57
Total/NA	Analysis	300.0		20	796079	MM	EET CHI	11/19/24 17:33
Total/NA	Analysis	SM 2540C		1	794697	CLB	EET CHI	11/11/24 00:42
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:40

Client Sample ID: MW-04
Date Collected: 11/05/24 10:44
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:46
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		5	796945	RN	EET CHI	11/25/24 12:10
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 17:59
Total/NA	Analysis	300.0		50	796079	MM	EET CHI	11/19/24 18:20
Total/NA	Analysis	300.0		1	796264	MM	EET CHI	11/20/24 13:31
Total/NA	Analysis	SM 2540C		1	794697	CLB	EET CHI	11/11/24 00:45
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:44

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR

Job ID: 500-259528-1

Client Sample ID: MW-15

Lab Sample ID: 500-259528-11

Date Collected: 11/05/24 15:19

Matrix: Water

Date Received: 11/06/24 08:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		1	796821	RN	EET CHI	11/22/24 17:48
Total Recoverable	Prep	3005A			796509	DAJ	EET CHI	11/22/24 06:45 - 11/22/24 12:45 ¹
Total Recoverable	Analysis	6020B		5	796945	RN	EET CHI	11/25/24 12:13
Total/NA	Prep	7470A			796023	S1Z	EET CHI	11/19/24 11:00 - 11/19/24 13:00 ¹
Total/NA	Analysis	7470A		1	796189	S1Z	EET CHI	11/19/24 18:00
Total/NA	Analysis	300.0		20	796079	MM	EET CHI	11/19/24 18:35
Total/NA	Analysis	SM 2540C		1	794697	CLB	EET CHI	11/11/24 00:47
Total/NA	Analysis	SM 4500 F C		1	796396	SO	EET CHI	11/20/24 18:49

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200





ANALYTICAL REPORT

PREPARED FOR

Attn: James Thorne
Midwest Generation EME LLC
1800 Channahon Road
Joliet, Illinois 60436

Generated 12/10/2024 9:45:59 AM

JOB DESCRIPTION

Will County CCR (RAD)

JOB NUMBER

500-259528-2

Eurofins Chicago

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

Authorization



Generated
12/10/2024 9:45:59 AM

Authorized for release by
Diana Mockler, Project Manager I
Diana.Mockler@et.eurofinsus.com
(219)252-7570



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	18
QC Association	19
QC Sample Results	20
Chain of Custody	23
Receipt Checklists	27
Chronicle	30
Tracer Carrier Summary	33

Case Narrative

Client: Midwest Generation EME LLC
Project: Will County CCR (RAD)

Job ID: 500-259528-2

Job ID: 500-259528-2

Eurofins Chicago

Job Narrative 500-259528-2

Receipt

The samples were received on 11/4/2024 4:25 PM and 11/6/2024 8:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 5 coolers at receipt time were 1.6°C, 1.9°C, 2.7°C, 4.1°C and 5.4°C.

Gas Flow Proportional Counter

Method 904.0: Radium 228 batch 687303

The detection goal was not met for the following sample due to the reduced sample volume attributed to the presence of matrix interferences: MW-13 (500-259528-4). Analytical results are reported with the detection limit achieved.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Rad

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Sample Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-259528-1	MW-07	Water	11/04/24 14:06	11/04/24 16:25
500-259528-2	MW-08	Water	11/04/24 11:54	11/04/24 16:25
500-259528-3	MW-09	Water	11/04/24 09:40	11/04/24 16:25
500-259528-4	MW-13	Water	11/04/24 10:42	11/04/24 16:25
500-259528-5	MW-14	Water	11/04/24 13:26	11/04/24 16:25
500-259528-6	1N/1S Duplicate	Water	11/04/24 00:00	11/04/24 16:25
500-259528-7	MW-01	Water	11/05/24 14:24	11/06/24 08:35
500-259528-8	MW-02	Water	11/05/24 13:27	11/06/24 08:35
500-259528-9	MW-03	Water	11/05/24 11:54	11/06/24 08:35
500-259528-10	MW-04	Water	11/05/24 10:44	11/06/24 08:35
500-259528-11	MW-15	Water	11/05/24 15:19	11/06/24 08:35

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-07

Lab Sample ID: 500-259528-1

Date Collected: 11/04/24 14:06

Matrix: Water

Date Received: 11/04/24 16:25

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.311		0.119	0.123	1.00	0.116	pCi/L	11/07/24 08:36	12/01/24 14:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.3		30 - 110					11/07/24 08:36	12/01/24 14:48	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.30		0.514	0.527	1.00	0.647	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	80.3		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	72.9		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.61		0.528	0.541	5.00	0.647	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-08
Date Collected: 11/04/24 11:54
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-2
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.322		0.126	0.129	1.00	0.128	pCi/L	11/07/24 08:36	12/01/24 14:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.0		30 - 110					11/07/24 08:36	12/01/24 14:48	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.553	U	0.428	0.431	1.00	0.655	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	77.0		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	75.9		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.875		0.446	0.450	5.00	0.655	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-09
Date Collected: 11/04/24 09:40
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-3
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0485	U	0.0605	0.0607	1.00	0.0993	pCi/L	11/07/24 08:36	12/01/24 14:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.8		30 - 110					11/07/24 08:36	12/01/24 14:48	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.734		0.410	0.416	1.00	0.583	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	86.8		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	78.1		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.782		0.414	0.420	5.00	0.583	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-13
Date Collected: 11/04/24 10:42
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-4
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.199	U	0.165	0.166	1.00	0.242	pCi/L	11/07/24 08:36	12/01/24 14:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.3		30 - 110					11/07/24 08:36	12/01/24 14:48	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.62	G	0.783	0.797	1.00	1.05	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.3		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	82.6		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.82		0.800	0.814	5.00	1.05	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-14
Date Collected: 11/04/24 13:26
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-5
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.446		0.135	0.141	1.00	0.117	pCi/L	11/07/24 08:36	12/01/24 14:48	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.4		30 - 110					11/07/24 08:36	12/01/24 14:48	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.06		0.441	0.452	1.00	0.578	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.4		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	79.3		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.51		0.461	0.473	5.00	0.578	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: 1N/1S Duplicate

Lab Sample ID: 500-259528-6

Date Collected: 11/04/24 00:00

Matrix: Water

Date Received: 11/04/24 16:25

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0965	U	0.100	0.100	1.00	0.157	pCi/L	11/07/24 08:36	12/01/24 14:49	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.8		30 - 110					11/07/24 08:36	12/01/24 14:49	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.149	U	0.432	0.432	1.00	0.846	pCi/L	11/07/24 08:40	11/25/24 12:00	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.8		30 - 110					11/07/24 08:40	11/25/24 12:00	1
Y Carrier	78.1		30 - 110					11/07/24 08:40	11/25/24 12:00	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	-0.0529	U	0.443	0.443	5.00	0.846	pCi/L		12/03/24 22:52	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-01

Lab Sample ID: 500-259528-7

Date Collected: 11/05/24 14:24

Matrix: Water

Date Received: 11/06/24 08:35

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.368		0.134	0.138	1.00	0.144	pCi/L	11/08/24 08:24	12/03/24 07:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.0		30 - 110					11/08/24 08:24	12/03/24 07:26	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.347	U	0.362	0.364	1.00	0.585	pCi/L	11/08/24 08:26	11/25/24 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.0		30 - 110					11/08/24 08:26	11/25/24 11:52	1
Y Carrier	77.8		30 - 110					11/08/24 08:26	11/25/24 11:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.715		0.386	0.389	5.00	0.585	pCi/L		12/06/24 18:06	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-02

Lab Sample ID: 500-259528-8

Date Collected: 11/05/24 13:27

Matrix: Water

Date Received: 11/06/24 08:35

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.311		0.116	0.119	1.00	0.115	pCi/L	11/08/24 08:24	12/03/24 07:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.3		30 - 110					11/08/24 08:24	12/03/24 07:26	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.425	U	0.331	0.334	1.00	0.506	pCi/L	11/08/24 08:26	11/25/24 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.3		30 - 110					11/08/24 08:26	11/25/24 11:52	1
Y Carrier	83.7		30 - 110					11/08/24 08:26	11/25/24 11:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.736		0.351	0.355	5.00	0.506	pCi/L		12/06/24 18:06	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-03

Lab Sample ID: 500-259528-9

Date Collected: 11/05/24 11:54

Matrix: Water

Date Received: 11/06/24 08:35

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.398		0.125	0.130	1.00	0.112	pCi/L	11/08/24 08:24	12/03/24 07:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					11/08/24 08:24	12/03/24 07:26	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.905		0.379	0.388	1.00	0.475	pCi/L	11/08/24 08:26	11/25/24 11:52	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					11/08/24 08:26	11/25/24 11:52	1
Y Carrier	82.2		30 - 110					11/08/24 08:26	11/25/24 11:52	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.30		0.399	0.409	5.00	0.475	pCi/L		12/06/24 18:06	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-04

Lab Sample ID: 500-259528-10

Date Collected: 11/05/24 10:44

Matrix: Water

Date Received: 11/06/24 08:35

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.275		0.105	0.108	1.00	0.104	pCi/L	11/08/24 08:24	12/03/24 07:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.4		30 - 110					11/08/24 08:24	12/03/24 07:26	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.866		0.437	0.444	1.00	0.609	pCi/L	11/08/24 08:26	11/25/24 11:56	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.4		30 - 110					11/08/24 08:26	11/25/24 11:56	1
Y Carrier	74.4		30 - 110					11/08/24 08:26	11/25/24 11:56	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.14		0.449	0.457	5.00	0.609	pCi/L		12/06/24 18:06	1

Client Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-15
Date Collected: 11/05/24 15:19
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-11
Matrix: Water

Method: EPA 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.112	U	0.0833	0.0839	1.00	0.119	pCi/L	11/08/24 08:28	12/02/24 20:56	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					11/08/24 08:28	12/02/24 20:56	1

Method: EPA 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.406	U	0.408	0.410	1.00	0.657	pCi/L	11/08/24 08:30	11/26/24 15:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.6		30 - 110					11/08/24 08:30	11/26/24 15:05	1
Y Carrier	76.3		30 - 110					11/08/24 08:30	11/26/24 15:05	1

Method: TAL-STL Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.518	U	0.416	0.418	5.00	0.657	pCi/L		12/06/24 18:06	1

Definitions/Glossary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Qualifiers

Rad

Qualifier	Qualifier Description
G	The Sample MDC is greater than the requested RL.
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Rad

Prep Batch: 687302

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	PrecSep-21	
500-259528-2	MW-08	Total/NA	Water	PrecSep-21	
500-259528-3	MW-09	Total/NA	Water	PrecSep-21	
500-259528-4	MW-13	Total/NA	Water	PrecSep-21	
500-259528-5	MW-14	Total/NA	Water	PrecSep-21	
500-259528-6	1N/1S Duplicate	Total/NA	Water	PrecSep-21	
MB 160-687302/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-687302/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 687303

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-1	MW-07	Total/NA	Water	PrecSep_0	
500-259528-2	MW-08	Total/NA	Water	PrecSep_0	
500-259528-3	MW-09	Total/NA	Water	PrecSep_0	
500-259528-4	MW-13	Total/NA	Water	PrecSep_0	
500-259528-5	MW-14	Total/NA	Water	PrecSep_0	
500-259528-6	1N/1S Duplicate	Total/NA	Water	PrecSep_0	
MB 160-687303/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-687303/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 687519

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-7	MW-01	Total/NA	Water	PrecSep-21	
500-259528-8	MW-02	Total/NA	Water	PrecSep-21	
500-259528-9	MW-03	Total/NA	Water	PrecSep-21	
500-259528-10	MW-04	Total/NA	Water	PrecSep-21	
MB 160-687519/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-687519/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 687520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-7	MW-01	Total/NA	Water	PrecSep_0	
500-259528-8	MW-02	Total/NA	Water	PrecSep_0	
500-259528-9	MW-03	Total/NA	Water	PrecSep_0	
500-259528-10	MW-04	Total/NA	Water	PrecSep_0	
MB 160-687520/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-687520/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

Prep Batch: 687522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-11	MW-15	Total/NA	Water	PrecSep-21	
MB 160-687522/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-687522/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

Prep Batch: 687524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-259528-11	MW-15	Total/NA	Water	PrecSep_0	
MB 160-687524/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-687524/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

QC Sample Results

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-687302/1-A
Matrix: Water
Analysis Batch: 691257

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687302

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.01010	U	0.0574	0.0575	1.00	0.117	pCi/L	11/07/24 08:36	12/01/24 14:46	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					11/07/24 08:36	12/01/24 14:46	1
	81.3									

Lab Sample ID: LCS 160-687302/2-A
Matrix: Water
Analysis Batch: 691257

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687302

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec	Limits
				Uncert. (2σ+/-)					Limits	
Radium-226	9.58	8.139		0.899	1.00	0.117	pCi/L	85	75 - 125	
Carrier	LCS		Limits							
Ba Carrier	%Yield	LCS Qualifier	30 - 110							
	92.7									

Lab Sample ID: MB 160-687519/1-A
Matrix: Water
Analysis Batch: 691378

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687519

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.008620	U	0.0490	0.0490	1.00	0.0995	pCi/L	11/08/24 08:24	12/02/24 15:32	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					11/08/24 08:24	12/02/24 15:32	1
	92.4									

Lab Sample ID: LCS 160-687519/2-A
Matrix: Water
Analysis Batch: 691378

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687519

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec	Limits
				Uncert. (2σ+/-)					Limits	
Radium-226	9.58	8.593		0.927	1.00	0.107	pCi/L	90	75 - 125	
Carrier	LCS		Limits							
Ba Carrier	%Yield	LCS Qualifier	30 - 110							
	97.5									

Lab Sample ID: MB 160-687522/1-A
Matrix: Water
Analysis Batch: 691381

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687522

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.01892	U	0.0430	0.0430	1.00	0.106	pCi/L	11/08/24 08:28	12/02/24 20:55	1

Euromins Chicago

QC Sample Results

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: MB 160-687522/1-A
Matrix: Water
Analysis Batch: 691381

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687522

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	94.4		30 - 110	11/08/24 08:28	12/02/24 20:55	1

Lab Sample ID: LCS 160-687522/2-A
Matrix: Water
Analysis Batch: 691381

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687522

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Radium-226	9.58	10.17		1.11	1.00	0.167	pCi/L	106	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	86.6		30 - 110

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-687303/1-A
Matrix: Water
Analysis Batch: 690403

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687303

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.2452	U	0.334	0.335	1.00	0.561	pCi/L	11/07/24 08:40	11/25/24 11:59	1

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	81.3		30 - 110	11/07/24 08:40	11/25/24 11:59	1
Y Carrier	80.7		30 - 110	11/07/24 08:40	11/25/24 11:59	1

Lab Sample ID: LCS 160-687303/2-A
Matrix: Water
Analysis Batch: 690403

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687303

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits
Radium-228	8.31	9.559		1.33	1.00	0.616	pCi/L	115	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	92.7		30 - 110
Y Carrier	78.9		30 - 110

Lab Sample ID: MB 160-687520/1-A
Matrix: Water
Analysis Batch: 690405

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687520

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.2564	U	0.312	0.312	1.00	0.515	pCi/L	11/08/24 08:26	11/25/24 11:49	1

Eurofins Chicago

QC Sample Results

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: MB 160-687520/1-A
Matrix: Water
Analysis Batch: 690405

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687520

Carrier	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	92.4		30 - 110	11/08/24 08:26	11/25/24 11:49	1
Y Carrier	81.9		30 - 110	11/08/24 08:26	11/25/24 11:49	1

Lab Sample ID: LCS 160-687520/2-A
Matrix: Water
Analysis Batch: 690405

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687520

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	97.5		30 - 110
Y Carrier	84.9		30 - 110

Lab Sample ID: MB 160-687524/1-A
Matrix: Water
Analysis Batch: 690619

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 687524

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.2295	U	0.399	0.400	1.00	0.683	pCi/L	11/08/24 08:30	11/26/24 15:05	1

Carrier	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Yield	Qualifier				
Ba Carrier	94.4		30 - 110	11/08/24 08:30	11/26/24 15:05	1
Y Carrier	75.9		30 - 110	11/08/24 08:30	11/26/24 15:05	1

Lab Sample ID: LCS 160-687524/2-A
Matrix: Water
Analysis Batch: 690619

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 687524

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec Limits

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	86.6		30 - 110
Y Carrier	81.1		30 - 110

Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone 708-534-5200 Fax. 708-534-5211

Chain of Custody Record

eurofins | Environment Testing


Client Information		Sampler: <u>IAN JOHN HENNINGSON</u>		Lab PM: Mockler, Diana J		Carrier Tracking No(s):		COC No: 500-129757-45943 1									
Client Contact: Patrick Allenstein		Phone: <u>630 290 6850</u>		E-Mail: Diana.Mockler@et.eurofinsus.com		State of Origin:		Page: Page 1 of 1									
Company: KPRG and Associates, Inc.		PWSID:		Analysis Requested					Job #: <u>500-259528</u>								
Address: 14665 West Lisbon Road, Suite 1A		Due Date Requested:		Field Filtered Sample (Yes or No) <input type="checkbox"/> Perform MS/MS (Yes or No) <input type="checkbox"/> 903.0, 904.0 <input type="checkbox"/> 8010C, 8020A, 7470A <input type="checkbox"/> 2540C, 4500_F_C, SM4500_C1_E, SM4500_S04_E <input type="checkbox"/>					Preservation Codes: D HNO3 N None								
City: Brookfield		TAT Requested (days):							Other:								
State Zip: WI, 53005		Compliance Project <input type="checkbox"/> Yes <input type="checkbox"/> No							Special Instructions/Note:								
Phone: 500-259528 COC		PO #: 4502116506							Total Number of Containers:								
Email: patricka@kprginc.com		WO #:															
Project Name: Will County 1N/1S Event Desc Quarterly GW Monitoring CCR		Project #: 50011609															
Site: Illinois		SSOW#:															
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, O=waste/col, G=grab)		Matrix (W=water, S=solid, BT=Tissue, A=Air)		Field Filtered Sample (Yes or No)		Perform MS/MS (Yes or No)		Preservation Code:		Special Instructions/Note:	
MW-01		—		—		—		Water		<input type="checkbox"/>		<input type="checkbox"/>		D D N			
MW-02		—		—		—		Water		<input type="checkbox"/>		<input type="checkbox"/>					
MW-03		—		—		—		Water		<input type="checkbox"/>		<input type="checkbox"/>					
MW-04		—		—		—		Water		<input type="checkbox"/>		<input type="checkbox"/>					
1 MW-07		11-4-24		14:06		G		Water		N N		X X X				5	
2 MW-08		11-4-24		11:54		G		Water		N N		X X X				5	
3 MW-09		11-4-24		09:40		G		Water		N N		X X X				5	
4 MW-13		11-4-24		10:42		G		Water		N N		X X X				5	
5 MW-14		11-4-24		13:26		G		Water		N N		X X X				5	
MW-15		—		—		—		Water		<input type="checkbox"/>		<input type="checkbox"/>					
1N/1S Duplicate		11-4-24		—		G		Water		N N		X X X				5	
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)											
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months											
Deliverable Requested <input type="checkbox"/> I <input type="checkbox"/> II <input type="checkbox"/> III, IV, Other (specify)						Special Instructions/QC Requirements											
Empty Kit Relinquished by		Date		Time		Method of Shipment											
Relinquished by: <u>[Signature]</u>		Date/Time: 11-4-24 16:25		Company: KPRG		Received by: <u>[Signature]</u>		Date/Time: 11/4/24 16:25		Company: BETA							
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:							
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:							
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks: <u>2.0-7.9, 5.5-25.4, 1.9-7.6</u>													

1
2
3
4
5
6
7
8
9
10
11
12
13

Eurofins Chicago

2417 Bond Street
 University Park, IL 60484
 Phone 708-534-5200 Fax 708 534-5211

Chain of Custody Record


Client Information		Sampler <i>IAI JOHN HANESON</i>		Lab PM Mockler, Diana J		Carrier Tracking No(s)		COC No 500-129757-45943 1			
Client Contact Patrick Allenstein		Phone <i>330 290 6850</i>		E Mail Diana Mockler@et eurofinsus.com		State of Origin		Page Page 1 of 1			
Company KPRG and Associates, Inc.				PWSID		Analysis Requested					
Address 14665 West Lisbon Road, Suite 1A		Due Date Requested		Field Filtered Sample Types or No. 903.0, 904.0 6010C, 6020A, 7470A 2540C, 4500_F_C, SM4500, CL_E, SM4500_S04_E		Total Number of Containers		Job # <i>500-259528</i>			
City Brookfield		TAT Requested (days)						Preservation Codes D HNO3 N None			
State Zip WI, 53005		Compliance Project <input type="checkbox"/> Yes <input type="checkbox"/> No						 500-259528 COC			
Phone		PO # 4502116506								Other	
Email patricka@kprginc.com		WVO #								Special Instructions/Note:	
Project Name Will County 1N/1S Event Desc. Quarterly GW Monitoring <i>CCR</i>		Project # 50011609									
Site Illinois		SSOW#									
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample Types or No.	Field Filtered Sample Types or No.	Field Filtered Sample Types or No.	Field Filtered Sample Types or No.		
						D	D	N			
7	MW-01	11-5-24	14:24	G	Water	N	X	X	X		
8	MW-02	11-5-24	13:27	G	Water	N	X	X	X		
9	MW-03	11-5-24	11:54	G	Water	N	X	X	X		
10	MW-04	11-5-24	10:44	G	Water	N	X	X	X		
	MW-07	—	—	—	Water						
	MW-08	—	—	—	Water						
	MW-09	—	—	—	Water						
	MW-13	—	—	—	Water						
	MW-14	—	—	—	Water						
11	MW-15	11-5-24	15:19	G	Water	N	X	X	X		
	1N/1S Duplicate	—	—	—	Water						
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)					
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months					
Deliverable Requested II, III, IV, Other (specify)						Special Instructions/QC Requirements					
Empty Kit Relinquished by			Date		Time		Method of Shipment.				
Relinquished by <i>[Signature]</i>			Date/Time 11-5-24 08:35		Company KPRG		Received by <i>[Signature]</i>		Date/Time 11/6/24 08:35		
Relinquished by			Date/Time		Company		Received by		Company		
Relinquished by			Date/Time		Company		Received by		Company		
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks <i>28+27, 4.2+4.1</i>							



Eurofins Chicago

2417 Bond Street
University Park, IL 60484
Phone: 708-534-5200 Fax: 708-534-5211

Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s)	COC No.
Client Contact: Mckler, Diana J		N/A	Mckler, Diana J	N/A	500-194696 1
Shipping/Receiving Company: TestAmerica Laboratories, Inc.		Phone: N/A	E-Mail: Diana.Mckler@et.eurofins.com	State of Origin: Illinois	Page: 1 of 1
Address: 13715 Rider Trail North, Earth City, MO, 63045		Accreditations Required (See note): NELAP - Illinois		Job #: 500-259528-2	Preservation Codes:
PO #: N/A		Due Date Requested: 11/25/2024		Analysis Requested:	
WO #: N/A		TAT Requested (days): N/A		904.0/PreSep_0 Standard Target List	
Project #: N/A		Field Filtered Sample (Yes or No):		903.0/PreSep_21 Standard Target List	
Will County CCR (RAD)		Matrix (W=water, S=solid, O=wastewater, BT=issue, A=Air)		Total Number of containers	
Site: NRG Midwest Generation Will County		Sample Type (C=Comp, G=grab)		Other: N/A	
Sample Date		Sample Time		Special Instructions/Note:	
11/14/24		14:06 Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
11/14/24		11:54 Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
11/14/24		09:40 Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
11/14/24		10:42 Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
11/14/24		13:26 Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
11/14/24		Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	
1N/1S Duplicate (500-259528-6)		Central		Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;	

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification
Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2

Sample Disposal (A Fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Empty Kit Relinquished by: _____ Date: _____ Method of Shipment: _____

Relinquished by: *[Signature]* Date/Time: 11/25/24 14:45 Company: Company

Relinquished by: *[Signature]* Date/Time: NOV 06 2024 Company: Company

Relinquished by: *[Signature]* Date/Time: _____ Company: Company

Custody Seals Intact: Yes No Cooler Temperature(s) °C and Other Remarks: _____



Eurofins Chicago
 2417 Bond Street
 University Park, IL 60484
 Phone: 708-534-5200 Fax: 708-534-5211

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Lab PM: Mockler, Diana J	Carrier Tracking No(s): N/A	COC No: 500-194787-1
Client Contact: N/A		E-Mail: Diana.Mockler@et.eurofins.com	State of Origin: Illinois	Page: Page 1 of 1
Shipping/Receiving: N/A		Job #: 500-259528-2		
Company: Ties/America Laboratories, Inc.		Preservation Codes: NELAP - Illinois		
Address: 13715 Ridler Trail North, Earth City, MO, 63045		Analysis Requested:		
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		Perform MS/MSD (Yes or No)		
Email: N/A		Field Filtered Sample (Yes or No)		
Project Name: Will County CCR (RAD)		903.0/PrecSep_21 Standard Target List		
Site: NRG Midwest Generation Will County		904.0/PrecSep_0 Standard Target List		
Due Date Requested: 11/25/2024		Ra226Ra228 GFPC		
TAT Requested (days): N/A		Total Number of Containers		
Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Soil, Sediment, Other)	Special Instructions/Note:
11/5/24	14:24 Central	G	Water	Batch QC must be performed (dup. spikes, etc.) - no NCMs concerning limited volume.
11/5/24	13:27 Central	G	Water	Batch QC must be performed (dup. spikes, etc.) - no NCMs concerning limited volume.
11/5/24	11:54 Central	G	Water	Batch QC must be performed (dup. spikes, etc.) - no NCMs concerning limited volume.
11/5/24	10:44 Central	G	Water	Batch QC must be performed (dup. spikes, etc.) - no NCMs concerning limited volume.
11/5/24	15:19 Central	G	Water	Batch QC must be performed (dup. spikes, etc.) - no NCMs concerning limited volume.

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) _____
 Empty Kit Relinquished by: _____ Date: _____
 Relinquished by: *David Swellman* Date/Time: 11/6/24 16:00
 Relinquished by: *Chyenne Forrest* Date/Time: 08:45 NOV 07 2024
 Relinquished by: _____ Date/Time: _____
 Custody Seal Intact: _____ Custody Seal No.: _____
 Δ Yes Δ No

Method of Shipment: _____
 Received by: _____ Date/Time: _____
 Received by: **Chyenne Forrest** Date/Time: 08:45 NOV 07 2024
 Received by: _____ Date/Time: _____
 Cooler Temperature(s) °C and Other Remarks: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements: _____



Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-259528-2

Login Number: 259528

List Source: Eurofins Chicago

List Number: 1

Creator: Scott, Sherri L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.9,5.4,1.6,2.7,4.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-259528-2

Login Number: 259528

List Number: 2

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/06/24 11:59 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-259528-2

Login Number: 259528

List Number: 3

Creator: Forrest, Cheyenne L

List Source: Eurofins St. Louis

List Creation: 11/07/24 12:34 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

This receipt checklist is generated for all samples received in this Login. It may not be applicable to all Jobs associated with this Login.



Lab Chronicle

Client: Midwest Generation EME LLC
Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-07

Date Collected: 11/04/24 14:06

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:48
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Client Sample ID: MW-08

Date Collected: 11/04/24 11:54

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:48
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Client Sample ID: MW-09

Date Collected: 11/04/24 09:40

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:48
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Client Sample ID: MW-13

Date Collected: 11/04/24 10:42

Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:48
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-14
Date Collected: 11/04/24 13:26
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:48
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Client Sample ID: 1N/1S Duplicate
Date Collected: 11/04/24 00:00
Date Received: 11/04/24 16:25

Lab Sample ID: 500-259528-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687302	BCE	EET SL	11/07/24 08:36
Total/NA	Analysis	903.0		1	691257	FLC	EET SL	12/01/24 14:49
Total/NA	Prep	PrecSep_0			687303	BCE	EET SL	11/07/24 08:40
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 12:00
Total/NA	Analysis	Ra226_Ra228		1	691727	EMH	EET SL	12/03/24 22:52

Client Sample ID: MW-01
Date Collected: 11/05/24 14:24
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687519	BCE	EET SL	11/08/24 08:24
Total/NA	Analysis	903.0		1	691705	FLC	EET SL	12/03/24 07:26
Total/NA	Prep	PrecSep_0			687520	BCE	EET SL	11/08/24 08:26
Total/NA	Analysis	904.0		1	690405	SCB	EET SL	11/25/24 11:52
Total/NA	Analysis	Ra226_Ra228		1	692301	FLC	EET SL	12/06/24 18:06

Client Sample ID: MW-02
Date Collected: 11/05/24 13:27
Date Received: 11/06/24 08:35

Lab Sample ID: 500-259528-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687519	BCE	EET SL	11/08/24 08:24
Total/NA	Analysis	903.0		1	691705	FLC	EET SL	12/03/24 07:26
Total/NA	Prep	PrecSep_0			687520	BCE	EET SL	11/08/24 08:26
Total/NA	Analysis	904.0		1	690405	SCB	EET SL	11/25/24 11:52
Total/NA	Analysis	Ra226_Ra228		1	692301	FLC	EET SL	12/06/24 18:06

Lab Chronicle

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Client Sample ID: MW-03

Lab Sample ID: 500-259528-9

Date Collected: 11/05/24 11:54

Matrix: Water

Date Received: 11/06/24 08:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687519	BCE	EET SL	11/08/24 08:24
Total/NA	Analysis	903.0		1	691705	FLC	EET SL	12/03/24 07:26
Total/NA	Prep	PrecSep_0			687520	BCE	EET SL	11/08/24 08:26
Total/NA	Analysis	904.0		1	690405	SCB	EET SL	11/25/24 11:52
Total/NA	Analysis	Ra226_Ra228		1	692301	FLC	EET SL	12/06/24 18:06

Client Sample ID: MW-04

Lab Sample ID: 500-259528-10

Date Collected: 11/05/24 10:44

Matrix: Water

Date Received: 11/06/24 08:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687519	BCE	EET SL	11/08/24 08:24
Total/NA	Analysis	903.0		1	691705	FLC	EET SL	12/03/24 07:26
Total/NA	Prep	PrecSep_0			687520	BCE	EET SL	11/08/24 08:26
Total/NA	Analysis	904.0		1	690403	FLC	EET SL	11/25/24 11:56
Total/NA	Analysis	Ra226_Ra228		1	692301	FLC	EET SL	12/06/24 18:06

Client Sample ID: MW-15

Lab Sample ID: 500-259528-11

Date Collected: 11/05/24 15:19

Matrix: Water

Date Received: 11/06/24 08:35

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			687522	BCE	EET SL	11/08/24 08:28
Total/NA	Analysis	903.0		1	691381	FLC	EET SL	12/02/24 20:56
Total/NA	Prep	PrecSep_0			687524	BCE	EET SL	11/08/24 08:30
Total/NA	Analysis	904.0		1	690619	FLC	EET SL	11/26/24 15:05
Total/NA	Analysis	Ra226_Ra228		1	692301	FLC	EET SL	12/06/24 18:06

Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Tracer/Carrier Summary

Client: Midwest Generation EME LLC
 Project/Site: Will County CCR (RAD)

Job ID: 500-259528-2

Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
500-259528-1	MW-07	80.3
500-259528-2	MW-08	77.0
500-259528-3	MW-09	86.8
500-259528-4	MW-13	83.3
500-259528-5	MW-14	89.4
500-259528-6	1N/1S Duplicate	87.8
500-259528-7	MW-01	83.0
500-259528-8	MW-02	85.3
500-259528-9	MW-03	91.6
500-259528-10	MW-04	90.4
500-259528-11	MW-15	91.6
LCS 160-687302/2-A	Lab Control Sample	92.7
LCS 160-687519/2-A	Lab Control Sample	97.5
LCS 160-687522/2-A	Lab Control Sample	86.6
MB 160-687302/1-A	Method Blank	81.3
MB 160-687519/1-A	Method Blank	92.4
MB 160-687522/1-A	Method Blank	94.4

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)	Y (30-110)
500-259528-1	MW-07	80.3	72.9
500-259528-2	MW-08	77.0	75.9
500-259528-3	MW-09	86.8	78.1
500-259528-4	MW-13	83.3	82.6
500-259528-5	MW-14	89.4	79.3
500-259528-6	1N/1S Duplicate	87.8	78.1
500-259528-7	MW-01	83.0	77.8
500-259528-8	MW-02	85.3	83.7
500-259528-9	MW-03	91.6	82.2
500-259528-10	MW-04	90.4	74.4
500-259528-11	MW-15	91.6	76.3
LCS 160-687303/2-A	Lab Control Sample	92.7	78.9
LCS 160-687520/2-A	Lab Control Sample	97.5	84.9
LCS 160-687524/2-A	Lab Control Sample	86.6	81.1
MB 160-687303/1-A	Method Blank	81.3	80.7
MB 160-687520/1-A	Method Blank	92.4	81.9
MB 160-687524/1-A	Method Blank	94.4	75.9

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-5-24
Sample Name	MW-01	Start Time	14:06	
Condition of Well	GOOD			
Water Level	11.14	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS SLIGHT ODOUR	
Volume Removed	1.75 QTS.	W L at Sample Time	11.15	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED.	
Sample Analysis	CCA + CCR	Sample Time	14:24	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm).	DO (mg/L)	ORP (mV)	Turbidity (NTU)
14:09	11.18	7.38	15.3	1.523	7.05	-125.2	4.39
14:12	11.19	7.15	14.8	1.583	4.45	-56.2	3.63
14:15	11.15	7.13	15.0	1.587	3.98	-43.5	4.33
14:18	11.15	7.12	15.0	1.592	3.09	-40.8	5.11
14:21	—	7.12	15.0	1.593	2.51	-40.5	5.65
14:24	11.15	7.12	15.0	1.594	2.38	-40.4	5.71
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-5-24
Sample Name	MN-02	Start Time	13:12	
Condition of Well	GOOD.			
Water Level	12.15	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS TASTE MOD ODOR TURB	
Volume Removed	1.75 GALS.	W L at Sample Time	12.15	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED.	
Sample Analysis	CCA + CCR	Sample Time	13:27	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
13:15	12.18	7.96	15.4	1.451	5.05	-115.4	6.28
13:18	12.16	8.04	15.3	1.474	2.87	-115.0	17.85
13:21	12.15	8.06	15.5	1.484	2.31	-128.9	37.38
13:24	12.17	8.07	15.4	1.490	1.47	-143.4	31.33
13:27	12.15	8.07	15.4	1.489	1.45	-144.1	28.86
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-5-24
Sample Name	MW-03	Start Time	11:33	
Condition of Well	GOOD			
Water Level	12.23	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS ODORLESS	
Volume Removed	2.25 Gals.	W L at Sample Time	12.40	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED	
Sample Analysis	CCA + CCR	Sample Time	11:54	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
11:36	12.31	7.14	14.5	1.562	7.09	-73.9	5.23
11:39	12.35	7.11	13.7	1.483	6.11	-50.3	1.70
11:42	12.38	7.08	13.6	1.472	2.45	-36.2	1.27.
11:45	12.41	7.07	13.6	1.474	1.90	-35.0	1.24
11:48	12.41	7.06	13.5	1.478	1.40	-39.5	1.26
11:51	12.44	7.06	13.5	1.480	1.16	-42.7	1.28
11:54	12.40	7.06	13.5	1.480	1.11	-43.9	1.42
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-5-24
Sample Name	MW-04	Start Time	10:29	
Condition of Well	Good			
Water Level	12.37	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS TASTE ODORLESS TURB.	
Volume Removed	1.75 QTS.	W L at Sample Time	12.40	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CLA FILTERED	
Sample Analysis	CLA + CLR	Sample Time	10:44	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
10:32	12.46	7.12	14.6	2.219	8.00	8.4	4.86
10:35	12.48	6.95	14.0	2.125	5.72	7.9	16.78
10:38	12.46	6.92	13.9	2.067	3.34	5.3	49.84
10:41	12.45	6.92	13.9	2.053	3.05	2.7	45.23
10:44	12.40	6.92	13.9	2.049	2.99	2.1	37.84
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-4-24
Sample Name	MW-07	Start Time	13:54	
Condition of Well	GOOD			
Water Level	12.13	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS SLIGHT ODEUR	
Volume Removed	1.0 QT.	W L at Sample Time	12.44	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED.	
Sample Analysis	CCA + CCR	Sample Time	14:06	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
13:57	12.35	6.96	14.5	1.829	5.86	-120.9	3.45
14:00	12.42	7.20	14.4	1.752	3.95	-111.5	3.07
14:03	12.44	7.43	14.3	1.706	3.30	-109.2	3.32
14:06	12.44	7.48	14.3	1.690	3.10	-109.5	3.04
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-4-24
Sample Name	MW-08	Start Time	11:36	
Condition of Well	GOOD			
Water Level	12.30	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS SLIGHT ODOR	
Volume Removed	2.25 Gals.	W L at Sample Time	12.57	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED.	
Sample Analysis	CCA + CCR + CCA ^{DUPS.}	Sample Time	11:54	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
11:39	12.37	7.55	14.7	1.914	8.77	-105.8	41.34
11:42	12.44	7.51	14.6	1.957	8.63	-109.1	41.45
11:45	12.47	7.46	14.6	1.991	6.50	-92.0	11.28
11:48	12.49	7.42	14.1	1.971	3.13	-76.1	24.72
11:51	12.54	7.43	14.1	1.960	3.17	-70.5	20.71
11:54	12.57	7.43	14.1	1.949	3.11	-68.8	18.02
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-4-24
Sample Name	MW-09	Start Time	09:22	
Condition of Well	GOOD			
Water Level	12.72	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORED TRACE ODORLESS TURB	
Volume Removed	2.25 GTS	W L at Sample Time	12.91	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR CCA FILTERED	
Sample Analysis	IN/IS 25/35 CCA + CCR + CCR	Sample Time	09:40	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
09:25	12.86	8.09	14.4	1.391	6.16	-150.6	2.48
09:28	12.97	8.53	14.4	1.392	5.24	-155.5	16.41
09:31	12.97	8.81	14.3	1.396	4.30	-163.0	30.27
09:34	12.92	8.96	14.4	1.398	3.59	-170.0	30.32
09:37	12.93	9.00	14.4	1.400	3.18	-171.4	30.84
09:40	12.91	9.01	14.4	1.401	3.02	-170.4	30.58
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-4-24
Sample Name	MW-13	Start Time	10:27	
Condition of Well	GOOD			
Water Level	11.18	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS ODORLESS	
Volume Removed	2.0 QRS.	W L at Sample Time	11.46	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS TAN CLEAR → TINT	
Sample Analysis	CCR + CCR DUA ^{IN/IS}	Sample Time	10:42	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
10:30	11.24	7.30	14.6	1.632	7.19	-11.9	14.38
10:33	11.29	7.27	14.6	1.525	5.40	-21.4	7.64
10:36	11.33	7.27	14.6	1.482	4.35	-23.8	14.27
10:39	11.39	7.27	14.6	1.453	3.73	-26.2	10.85
10:42	11.46	7.27	14.6	1.441	3.55	-26.9	11.79
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-4-24
Sample Name	MW-14	Start Time	13:08	
Condition of Well	GOOD			
Water Level	11.43	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS ODORLESS	
Volume Removed	2.25 Gals.	W L at Sample Time	11.52	
Method of Sample	Low-Flow	Sample Characteristics		
Sample Analysis	CCR	Sample Time	13:26	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
13:11	11.48	7.65	13.3	1.587	5.54	-2.6	4.39
13:14	11.53	7.91	13.2	1.502	3.44	-68.8	6.00
13:17	11.56	8.09	13.3	1.477	1.97	-108.7	6.01
13:20	11.52	8.12	13.2	1.464	1.39	-125.4	5.34
13:23	11.53	8.10	13.2	1.464	1.18	-130.7	5.17
13:26	11.52	8.09	13.2	1.467	1.11	-131.5	5.40
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	11-5-24
Sample Name	MW-15	Start Time	14:58	
Condition of Well	GOOD			
Water Level	10.92	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	MED TAN → CLEAR ODORLESS MOD TURB	
Volume Removed	2.000L	W L at Sample Time	11.52	
Method of Sample	Low-Flow	Sample Characteristics	TAN → CLEAR	
Sample Analysis	CCR	Sample Time	15:19	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
15:01	11.13	7.24	13.5	1.941	4.12	-74.6	72.31
15:04	11.46	7.37	14.1	1.939	4.02	-80.2	158.6
15:07	11.53	7.31	13.7	1.939	3.20	-88.3	133.36
15:10	—	7.24	13.6	1.933	1.84	-87.9	90.13
15:13	11.59	7.20	13.6	1.928	1.53	-85.4	62.23
15:16	—	7.18	13.7	1.926	1.42	-83.9	47.08
15:19	11.62	7.15	13.7	1.925	1.36	-79.8	40.81
—							

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates