## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	<ol><li>CCR Unit Instrumentation should be inspected once per week (typically on Sunday).</li></ol>								
Date	e: 7-17-22 Time: 8:456 Type of Insp	ection: We	ekly 🗷 S	itorm Event	<b>_</b>				
<u>PO</u>	PONDS 25 AND 3S:								
GE	NERAL INFORMATION:	POND 2S		POND 3S					
1)	General Condition	ЕМРТУ 🗆	FULL 🗆	EMPTY 🗷	FULL 🗆				
+1		PARTIALLY FULL		PARTIALLY FULL					
		NORMAL #		NORM	NORMAL				
2)	Water Level in Pond	HIGH		HIGH					
		LOW		LOW	₽Ē				
3)	Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO-₹				
4)	In Service?	YES 🗷	NO 🗆	YES 🗆	NO 🗷				
PHYSICAL INSPECTION:									
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗷	YES 🗆	NO 🖫				
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио 🏋	YES 🗆	NO Œ				
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	ио 🕸	YES 🗆	NO 🗷				
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO Æ				
5)	Animal Burrows on embankments?	YES 🗆	NO D	YES 🗆	NO 🖳				
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.									
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	ио 🔀	YES 🗆	NO 🗵				
7)	Slope Erosion on berms or embankments?	YES 🗆	NO Æ	YES 🗆	NO 🗷				
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗷				
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO Æ				
10)	Visible Releases	YES 🗆	NO Œ	YES 🗆	NO Eť				

12) 15	there any damage to Pond Liner: YES 🗆 NO 🙇
12	.a) If YES, Describe in Detail:
12	.b) Specific Location:
12	.c) Is Water Level Below Damage? YES  NO  N/A
12	.d) If No, Did You Reduce Pond Level? YES 🗀 N/A 🗆
12	.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12	.f) Notified Station Management of Damage? YES   Date Notified: N/A
12	.g) Additional Comments:
1)	IS THERE ANY VISIBLE WATER POOLING 1N? YES NO S  IS THERE ANY VISIBLE WATER POOLING 1S? YES NO S  If Yes – contact the Environmental Specialist
25 Lev	LEVEL INSTRUMENTATION  el (ft) Gauge Marking Elevation (FT/MSL) (Use <u>2S</u> EL Gauging Chart App A)  el (ft) Gauge Marking Elevation (FT/MSL) (Use <u>3S</u> EL Gauging Chart App B)
Sauge	Marker Instrument is in good condition and readable YES ℤ NO□

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS**:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).						
Date: 7.90-33 Time: 11'00 Type of Inspection: Weekly Storm Event							
	NDS 2S AND 3S: NERAL INFORMATION:	POND 2S		POND 3S			
1)	General Condition	EMPTY ☐ FULL ☐ PARTIALLY FULL ☑		EMPTY   FULL □  PARTIALLY FULL □			
2)	Water Level in Pond		AL <b>D</b>	NORM HIGH LOW			
3)	Is Ash Being Removed?	YES 🗆	NO K	YES 🗀	NO ∡		
4)	In Service?	YES 💢	NO.	YES 🗆	NO E		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠	YES 🗆	NO ⋤∕		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗷	YES 🗆	NO ⊭		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗷	YES 🗆	NO ₩		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆	NO ₹		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO ⊈		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗷	YES 🗆	№ 🔀		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🏻		
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 💆		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
10)	Visible Releases	YES 🗆	NO 🔽	YES 🗆	NO 🗖		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES NO				
12.b) Specific Location:				
12.c) Is Water Level Below Damage? YES  NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA NA				
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A				
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □				
12.g) Additional Comments:				
PONDS 1N, 1S:				
1) IS THERE ANY VISIBLE WATER POOLING 1S? YES   2) IS THERE ANY VISIBLE WATER POOLING 1S? YES   NOTE:				
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES  NO				
If Yes – contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION				
2S Level (ft) Gauge Marking Elevation (FT/MSL) Use 2S EL Gauging Chart App A)				
3S Level (ft) Gauge Marking Elevation (FT/MSL) (Use 3S EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES 🔀 NO 🗆				
Qualified Person's Name:				

\* . 1