TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).						
)ati	e:8-30-2003 Time: 1100 HR5 Type of Inspe	ection: We	ekly 🗹 S	itorm Event (
PONDS 25 AND 35: GENERAL INFORMATION:		POND 2S		POND 35		
1)	General Condition	EMPTY PARTIALLY	FULL I	EMPTY □ PARTIALLY F	FULL 🗆	
2)	Water Level in Pond	NORM HIGH LOW	IAL O	NORM/ HIGH LOW	AL O	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	In Service?		NO 🗹		NO 🗹	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆 🗎	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO D	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO I	YES 🗆	NO 🗹	
10)) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO O	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) is there any damage to Pond Liner: YES NO					
12.a) If YES, Describe in Detail:					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES □ NO □ N/A □					
12.d) If No, Did You Reduce Pond Level? YES N/A					
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A					
12.f) Notified Station Management of Damage? YES Date Notified: N/A					
12.g) Additional Comments:					
PONDS 1N, 15:					
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES . NO .					
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES IN NO IN					
If Yes — contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION					
2S Level (ft) Gauge Marking Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A)					
3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 3S EL Gauging Chart App 8)					
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆					
Qualified Person's Name:					

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

Date: 9-2-2023 Time: 1100 HP SType of Inspection: Weekly 12 S PONDS 2S AND 3S: GENERAL INFORMATION:	POND 3S EMPTY FULL PARTIALLY FULL					
POND 25	EMPTY FULL PARTIALLY FULL					
	PARTIALLY FULL					
1) General Condition EMPTY TO FULL TO PARTIALLY FULL TO						
2) Water Level in Pond HIGH LOW I	NORMAL □ HIGH □ LOW □					
3) Is Ash Being Removed? YES NO	YES D NO 🗹					
4) In Service?	NO 🗹					
PHYSICAL INSPECTION:						
1) Seepage from or through embankment? Includes roads around ponds and outside fence.	YES NO T					
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES NO 1					
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES NO 1					
4) Cracking on Embankments/Berms? YES \(\square\) NO \(\square\)	YES NO DO					
5) Animal Burrows on embankments? YES I NO 🖸	YES NO LO					
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) YES NO NO	YES 🗆 NO 🗹					
7) Slope Erosion on berms or embankments? YES \(\Boxed{\text{YES}}\) NO \(\boxed{\text{M}}\)	YES NO D					
8) Debris on embankments/berms? YES \(\begin{array}{cccccccccccccccccccccccccccccccccccc	YES NO O					
9) Deterioration, malfunctions, or improper operation of overtopping control systems	YES NO 12					
10) Visible Releases YES NO 🗹	YES NO Ø					

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES NO				
12.a) If YES, Describe in Detail:				
12.b) Specific Location:				
12.c) Is Water Level Below Damage? YES □ NO □ N/A □				
12.d) If No, Did You Reduce Pond Level? YES N/A				
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A				
12.f) Notified Station Management of Damage? YES Date Notified: N/A				
12.g) Additional Comments:				
PONDS 1N, 1S:				
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO				
2) IS THERE ANY VISIBLE WATER POOLING 15? YES D NO D				
If Yes – contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION				
2S Level (ft) Gauge Marking D Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES V NO				
Qualified Person's Name:				