## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

		e per week (I		Sunday). Storm Event	- · ·
	NDS 25 AND 35: NERAL INFORMATION:	PON	D 2S	PON	D 3S
1)	General Condition	EMPTY  PARTIALLY	FULL D	EMPTY  PARTIALLY F	FULL 🗆
2)	Water Level in Pond	NORM HIGH LOW	AL D	NORM HIGH LOW	AL O
3)	Is Ash Being Removed?	YES 🗆	NO X	YES 🗆	NO X
4)	In Service?	YES 🗆	NO	YES 🗆	NO X
PH	YSICAL INSPECTION:				
1)	Seepage from or through embankment? includes roads around ponds and outside fence.	YES 🗆	NO	YES 🗆	NO X
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO	YES 🗆	NO X
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO X	YES 🗆	NO X
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🕅	YES 🗆	NO 💢
5)	Animal Burrows on embankments?	YES 🗆	NO X	YES 🗆	NO SC
The orea	3 descriptions (#6-8) below refer to areas to East, Soutl	h, and West o	f ponds incl	uding outside	the fence
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO X	YES 🗆	NO 💢
7)	Slope Erosion on berms or embankments?	YES 🗆	NO S	YES 🗆	NO 💢
8)	Debris on embankments/berms?	YES 🗆	NO 💆	YES 🗆	NO X
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 😾	YES 🗆	NO 5
10)	Visible Releases	YES 🗆	NO 🔼	YES 🗆	NO X

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO X 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A N/A NO NO N/A NO N/A NO NO N/A NO NO N/A NO N/A NO NO N/A NO N/A NO NO N/A
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   NO   NO   NO   If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION  25 Level (ft) Gauge Marking / Elevation (FT/MSL) 588.4 (Use 25 EL Gauging Chart App A)  35 Level (ft) Gauge Marking 2: Elevation (FT/MSL) 584: (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO   NO
Qualified Person's Name:

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&35) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

SENERAL INFORMATION:	POND 2S		POND 3S	
.) General Condition	EMPTY  PARTIALLY	FULL D	EMPTY D	FULL 🗆
2) Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM HIGH LOW	AL O
l) Is Ash Being Removed?	YES 🗆	NO ,	YES 🗆	NO.8
) In Service?	YES 🗆	NO 📮	YES 🗆	NO 🗗
PHYSICAL INSPECTION:	1		,	
<ol> <li>Seepage from or through embankment? Includes roads around ponds and outside fence.</li> </ol>	YES 🗆	NO 🛮	YES 🗆	NO 🗹
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO E	YES 🗆	NO Z
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
1) Cracking on Embankments/Berms?	YES 🗆	NO 🗆	YES 🗆	NO 🗷
5) Animal Burrows on embankments?	YES 🗆	NO 5	YES 🗆	NO 🗹
he 3 descriptions (#6-8) below refer to areas to East, Sou rea.	th, and West	of ponds inc	luding outside	the fence
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗵
7) Slope Erosion on berms or embankments?	YES 🗆	NO Ø	YES 🗆	NO 🗹
3) Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO Ø
<ul> <li>Deterioration, malfunctions, or improper operation of overtopping control systems</li> </ul>	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10) Visible Releases	YES 🗆	NO 🗸	YES 🗆	NO 🗷

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES D NO D  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □  12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO  NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \( \square\) NO \( \square\)
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking
3S Level (ft) Gauge Marking 2./ Elevation (FT/MSL) 584. (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
Qualified Person's Name: