TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).

 4) Inactive ponds are required to be maintained with s 5) CCR Unit Instrumentation should be inspected once 	water levels below e per week (typicall	1 foot. y on Sund	lay).	
Date: 7-3-2024 Time: 08:00 Type of Inspection: Weekly Storm Event				
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S		POND 35	
1) General Condition	EMPTY ☐ FULL ☐ PARTIALLY FULL 🔼		EMPTY ☐ FULL ☐ PARTIALLY FULL 🏂	
2) Water Level in Pond	NORMAL □ HIGH □ LOW		NORM HIGH LOW	AL □ □ □ □ □ ✓
3) Is Ash Being Removed?	YES - NO	X	YES 🗆	NO DE
4) In Service?	NO Y	Z 1		NO 🔯
PHYSICAL INSPECTION:				
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES NO	7 2 Y	ES 🗆	NO Ø
Sinkholes/Depressions/Bulges in Pond or embankments?	YES NO	725. Y	ES 🗆	NO 🔀
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆 NO	/ 2	es 🗆	NO D
4) Cracking on Embankments/Berms?	YES NO	XX Y	'ES 🗆	NO 💆
5) Animal Burrows on embankments?	YES NO	₽ Y	'ES 🗆	NO X
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.				
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES NO	50 Y	'ES 🗆	NO DA
7) Slope Erosion on berms or embankments?	YES 🗆 NO	JXI Y	ES 🗆	NO 🔀
8) Debris on embankments/berms?	YES NO	Z Y	ES 🗆	NO 781
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆 NO	1 20 \	res 🗆	NO 🔯
10) Visible Releases	YES 🗆 NO	X 0 \	/ES 🗆	ио 🗷

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO 12.a) If YES, Describe in Detail:
12.df ii 12.5, 02.2cmoc iii 00ctoii.
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO
2) IS THERE ANY VISIBLE WATER POOLING 15? YES IN NO 5
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 583.3 (Use 35 EL Gauging Chart App B)
3S Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 503.3 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ▼ NO □
Qualified Person's Name: