TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

4	This is for all active (25&35) and inactive ponds (1No. 4) Inactive ponds are required to be maintained with (5) CCR Unit Instrumentation should be inspected once	&S). water levels l	below 1 foot ypically on S	t. Sunday).			
Date	: 7-7-2004 Time: 1100 HC Type of Insp	ection: We	ekly 🗹 S	torm Event (
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 35			
1)	General Condition	EMPTY D FULL D PARTIALLY FULL D		EMPTY ☐ FULL ☐ PARTIALLY FULL ☑			
		NORM	IAL 🗆	NORMAL			
2)	Water Level in Pond	HIGH		HIGH			
		LOW	Ø	LOW			
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO I		
4)	In Service?		NO 🗹		NO 🗹		
PH	PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO E		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO D		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO D		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO D		
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🖪		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
ONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO
2) IS THERE ANY VISIBLE WATER POOLING 15? YES \(\Boxed{1} \) NO \(\overline{\overlin
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking Elevation (FT/MSL) <u>588.3</u> (Use <u>25</u> EL Gauging Chart App A)
S Level (ft) Gauge Marking $\frac{1.3}{583}$ Elevation (FT/MSL) $\frac{5833}{5}$ (Use $\frac{35}{5}$ EL Gauging Chart App B)
Sauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&35) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

•	1024 Time: (1:30 Type of Ins	•		Storm Event		
PONDS 2S AND 3S: GENERAL INFORMATION:		Р	POND 2S		POND 35	
1) General Cor	ndition	EMPTY PARTIAI	□ FULL [X			
2) Water Level	l in Pond	HIC		NORM HIGH LOW	MAL	
3) Is Ash Being	Removed?	YES	□ NO 🗹	YES 🗆	NO ⊠	
4) In Service?	114984		NO 🗷		NO 💢 🖯	
PHYSICAL INSP	ECTION:					
, , , —	m or through embankment? Includes and ponds and outside fence.	YES 🗆	NO 🔀	YES 🗆	NO 🔀	
2) Sinkholes/D embankme	epressions/Bulges in Pond or nts?	YES 🗆	NO 🗹	YES 🗆	NO 🔀	
Signs of Pip on embanki	ing/Channels or other Internal Erosion ments?	YES 🗆			NO 🙇	
4) Cracking on	Embankments/Berms?	YES [NO 🛚	YES 🗆	NO 🗹	
5) Animal Buri	rows on embankments?	YES [NO 🛚	YES 🗆	NO 🔀	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
'	r Lacking Vegetative Cover on nts? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7) Slope Erosio	on on berms or embankments?	YES [NO 🖸	YES 🗆	NO 🗷	
8) Debris on e	mbankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🛣	
	on, malfunctions, or improper operation ing control systems	YES 🗆	NO 🗹	YES 🗆	NO 🕱	
10) Visible Rele	ases	YES [NO 🗵	YES 🗆	NO 🔼	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 💢 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA
PONDS 1N, 15: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO If Yes — contact the Environmental Specialist
25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 58.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 583.3 (Use 35 EL Gauging Chart App B) Gauge Marker Instrument is in good condition and readable YES NO
Qualified Person's Name: