TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit instrumentation should be inspected once per week (typically on Sunday).						
Date: 7-14-2024 Time: 08:00 Type of Inspection: Weekly Storm Event						
PC	PONDS 2S AND 3S:					
GENERAL INFORMATION:		POND 2S		POND 35		
1)	General Condition	ЕМРТУ 🗆	FULL	EMPTY 🗆	FULL 🗌	
		PARTIALLY FULL 🖎		PARTIALLY F	PARTIALLY FULL	
	Water Level in Pond	NORMAL		NORMAL		
2)		HIGH		HIGH		
		LOW	K	rom)X	
3)	Is Ash Being Removed?	YES 🗆	NO 🔽	YES 🗆	NO 🔀	
4)	In Service?		NO DE	99	NO 🔯	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗀	ио 🕱	YES 🗆	NO 🗹	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🛛	YES 🗀	NO 🖾	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES. 🗆	NO 🔯	YES 🗆	NO 🕱	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🛛	YES 🗆	NO 🗷	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🛭	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔯	YES 🗆	NO ∑	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	
8)	Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO 🖾	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🕱	YES 🗆	NO 🗵	
10)	Visible Releases	YES 🗆	NO 🕰	YES 🗆	NO 💢	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO 🕱
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 🗹
2) IS THERE ANY VISIBLE WATER POOLING 15? YES NO NO
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 598.3 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 593.3 (Use 35 EL Gauging Chart App B)
3S Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 593.3 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🛣 NO 🗆
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

	 4) Inactive ponds are required to be maintained with 5) CCR Unit Instrumentation should be inspected once 					
Date	e: 7-17-2024 Time: 0800HR Type of Insp	ection: We	eekly 🗷 S	itorm Event [
PONDS 25 AND 35:		POND 2S		POND 3S		
GE	NERAL INFORMATION:	. 0,75				
1)	General Condition	ЕМРТУ 🗆	FULL 📮	ЕМРТУ 🗆	FULL 🗆	
		PARTIALLY FULL		PARTIALLY FULL		
		NORMAL		NORMAL		
2)	Water Level in Pond	HIGH		HIGH		
		LOW	<u> </u>	FOM	I Z	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	In Service?		NO 🗹		NO 🗹	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO I	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO I	
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO I	
10)	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO I
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NO N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO
2) IS THERE ANY VISIBLE WATER POOLING 15? YES □ NO ☑
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking Elevation (FT/MSL) <u>588.5</u> (Use <u>25</u> EL Gauging Chart App A) 35 Level (ft) Gauge Marking <u>1.5</u> Elevation (FT/MSL) <u>583.5</u> (Use <u>35</u> EL Gauging Chart App B)
3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name

eti ti

40