TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
<u>Dati</u>	:: 12-8-2024 Time: 09:30 Type of Insp	ection: W	eekiy 🕱 🧐	Storm Event				
PO	PONDS 25 AND 35:							
GENERAL INFORMATION:		POND 2S		POND 3S				
[General Condition	ЕМРТУ 🗆	FULL 🗆	EMPTY 🗆	FULL 🗆			
1)		PARTIALLY FULL 🖾		PARTIALLY FULL				
		NORMAL		NORMAL				
2)	Water Level in Pond	нібн		HIGH				
		LOW	蚁	row	7			
3)	Is Ash Being Removed?	YES 🗆	NO 🛛	YES 🗆	NO 🖾			
4)	In Service?		ио 🛛		NO 🗹			
PH	PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🛛	YES 🗆	NO 🕱			
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио ⊠	YES 🗆	NO 🗖			
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🕱	YES 🗆	NO ⊠			
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗹			
5)	Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🗹			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.								
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO ⊠			
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🔀			
8)	Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🖾			
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🖾	YES 🗆	NO ⊠			
10)	Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO 🔯			
_	1 of 2		_74.874 54	-				

1) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
2) Is there any damage to Pond Liner: YES D NO 💢
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
ONDS 1N, 15: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 💢
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO
If Yes – contact the Environmental Specialist
OND LEVEL INSTRUMENTATION
i Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 35 EL Gauging Chart App B)
auge Marker Instrument is in good condition and readable YES 🛱 NO 🗆
ualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

PΩ	NDS 25 AND 3S:					
GENERAL INFORMATION:		POND 2S		POND 3S		
1)	General Condition	EMPTY FULL PARTIALLY FULL		EMPTY ☐ FULL ☐ PARTIALLY FULL ☑		
2)	Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM HIGH LOW	AL []	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	In Service?		NO 🕡		NO 🗹	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗔	YES 🗆	NO D	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🔯	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖬	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10)	Visible Releases	YES 🗆	NO 🖬	YES 🗆	NO B	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES NO NO O					
12.a) If YES, Describe in Detail:					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES 🗆 NO 🗆 N/A 🗆					
12.d) If No, Did You Reduce Pond Level? YES N/A					
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A					
12.f) Notified Station Management of Damage? YES Date Notified: N/A					
12.g) Additional Comments:					
PONDS 1N, 1S:					
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO					
2) IS THERE ANY VISIBLE WATER POOLING 15? YES NO O					
If Yes — contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION					
2S Level (ft) Gauge Marking D Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.5' Elevation (FT/MSL) 583.5 (Use 3S EL Gauging Chart App B)					
3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 3S EL Gauging Chart App B)					
Gauge Marker Instrument is in good condition and readable YES ☑ NO □					
Qualified Person's Name:					