## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&35) and inactive ponds (1N&S).

ection: We	ekly 💢 S	torm Event(	3
POND 2S		POND 3S	
EMPTY  PARTIALLY I	FULL D	EMPTY  PARTIALLY F	FULL 🏻
NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	AL □ □ p <b>x</b>
YES 🗆	NO 🌠	YES 🗆	NO 525
	NO Z		NO 🗡
, <u></u>			
YES 🗆	NO X	YES 🗆	NO 🔯
YES 🗆	ио 🔀	YES 🗆	NO 🔯
YES 🗆	ио ⊠	YES 🗆	NO 💢
YES 🗆	NO 🔽	YES 🗆	NO B
YES 🗆	ио 🔀	YES 🗆	NO 🌠
h, and West	of ponds inc	luding outside	e the fence
YES 🗆	NO 💢	YES 🗆	NO 150
YES 🗆	NO 🔽	YES 🗆	NO DX
YES 🗆	NO X	YES 🗆	NO 🔀
YES 🗆	NO 🛛	YES 🗆	ио 🔯
YES 🗆	NO 🛛	YES 🗆	NO D
	PONI  EMPTY   PARTIALLY NORM HIGH LOW YES   YES	POND 2S  POND 2S  EMPTY   FULL   PARTIALLY FULL   PARTIAL	POND 2S  EMPTY   FULL   EMPTY   PARTIALLY FULL   PARTIALY

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO Y 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES IN NO DE
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES 🗆 NO 🎽
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION  25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 589,3 (Use 25 EL Gauging Chart App A)  35 Level (ft) Gauge Marking 1.6 Elevation (FT/MSL) 583.6 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ♥ NO □
Qualified Person's Name:

;

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

<ul> <li>3) This is for all active (25&amp;35) and inactive ponds (</li> <li>4) Inactive ponds are required to be maintained wi</li> <li>5) CCR Unit Instrumentation should be inspected o</li> </ul>	th water levels below	1 foot. ly on Sunday).		
Date: 02/21/2029 Time: 0945 Type of Ir		,		
PONDS 25 AND 3S:	POND 2S	PO	POND 3S	
GENERAL INFORMATION:	, 4,12 23			
1) General Condition	EMPTY ☐ FUL PARTIALLY FULL	اما		
	NORMAL [	NOR	NORMAL	
2) Water Level in Pond	HIGH C	] нібн		
•	row (	row	t t	
3) Is Ash Being Removed?	YES 🗆 NO	YES 🗆	NO ₩	
4) In Service?	NO		NO 🗹	
PHYSICAL INSPECTION:				
<ol> <li>Seepage from or through embankment? Includes roads around ponds and outside fence.</li> </ol>	YES 🗆 NO	YES 🗆	NO 🖭	
<ol><li>Sinkholes/Depressions/Bulges in Pond or embankments?</li></ol>	YES 🗆 NO	VES 🗆	NO E	
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆 NO		NO I	
4) Cracking on Embankments/Berms?	YES NO	YES 🗆	NO 🗹	
5) Animal Burrows on embankments?	'	1 YES □	NO 🖾	
The 3 descriptions (#6-8) below refer to areas to East, Sarea.	outh, and West of por	nds including outs	ide the fence	
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆 NO	YES 🗆	NO I	
7) Slope Erosion on berms or embankments?	YES NO	YES 🗆	NO 🗹	
8) Debris on embankments/berms?	YES NO	YES 🗆	NO 🗗	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES NO	YES 🗆	NO ₫	
10) Visible Releases	YES 🗆 NO	YES 🗆	NO C	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □  12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO 10
2) IS THERE ANY VISIBLE WATER POOLING 15? YES \( \Boxed{1} \) NO \( \boxed{1} \)
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking O Elevation (FT/MSL) 58,7 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.6 Elevation (FT/MSL) 583.6 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ▼ NO □
Qualified Person's Name: