

DATA SUMMARY POSTING

Station: Midwest Generation Will County Generating Station

Regulated Unit(s): Pond 1N (IEPA ID No. W1978100011-01)
 Pond 1S (IEPA ID No. W1978100011-02)

In accordance with the new Ill. Adm. Code Title 35, Part 845: Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments (State CCR Rule) groundwater monitoring was completed during the 4th quarter 2021 which includes the entire list of parameters specified under Section 845.600(a)(1) and (b). Table 1 is a summary table of all available CCR monitoring data to date. In addition, Table 2 provides a summary of turbidity data which was collected as part of State CCR Rule requirements.

No background statistics or proposed Groundwater Protection Standards (GWPSs) are included on these tables. Background statistics are in the process of being developed and will be submitted as part of the Application for Initial Operating Permit for Ponds 1N and 1S by no later than March 31, 2022. Upon Illinois Environmental Protection Agency approval of the Operating Permit, the approved comparison values will be included for subsequent data comparisons/evaluations.

Table 2. Groundwater Turbidity - Ponds 1N/1S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-01	2/23/2021	0.64
	4/10/2021	5.81
	4/25/2021	7.69
	5/3/2021	1.74
	5/24/2021	1.83
	6/7/2021	2.32
	6/25/2021	3.50
	7/12/2021	4.18
	8/2/2021	2.87
	8/23/2021	1.17
	9/24/2021	3.25
11/19/2021	16.82	
MW-02	2/25/2021	8.84
	4/10/2021	9.17
	4/25/2021	12.03
	5/3/2021	2.42
	5/24/2021	2.7
	6/7/2021	1.82
	6/28/2021	3.15
	7/12/2021	4.23
	8/2/2021	3.11
	8/23/2021	1.37
	9/24/2021	4.63
11/19/2021	2.10	
MW-03	3/1/2021	0.0
	4/10/2021	1.45
	4/25/2021	3.41
	5/3/2021	1.61
	5/24/2021	2.06
	6/8/2021	2.34
	6/28/2021	2.69
	7/12/2021	4.07
	8/2/2021	1.98
	8/24/2021	5.1
9/24/2021	4.18	
11/19/2021	0.47	
MW-04	2/22/2021	9.87
	4/10/2021	42.2
	4/25/2021	7.41
	5/3/2021	4.2
	5/24/2021	4.45
	6/8/2021	2.8
	6/28/2021	12.93
	7/12/2021	3.93
	8/2/2021	3.75
	8/24/2021	10.1
9/24/2021	5.74	
11/19/2021	15.15	
MW-07	3/1/2021	6.11
	4/10/2021	6.19
	4/25/2021	6.98
	5/4/2021	37.65
	5/24/2021	2.54
	6/7/2021	6.21
	6/25/2021	6.02
	7/12/2021	5.13
	8/2/2021	2.45
	8/25/2021	7.7
9/24/2021	4.13	
11/19/2021	7.35	

Table 2. Groundwater Turbidity - Ponds 1N and 1S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-08	3/1/2021	2.3
	4/10/2021	270.98
	4/25/2021	26.73
	5/4/2021	6.6
	5/28/2021	6.51
	6/7/2021	4.58
	6/28/2021	5.67
	7/12/2021	6.71
	8/2/2021	14.15
	8/25/2021	8.9
9/24/2021	7.21	
11/19/2021	2.34	
MW-13	5/4/2021	20.6
	5/25/2021	9.8
	6/7/2021	6.49
	6/28/2021	8.25
	7/12/2021	5.89
	8/2/2021	2.91
	8/26/2021	12.9
	9/24/2021	9.13
11/23/2021	17.83	
MW-14	5/4/2021	6.88
	5/25/2021	3.5
	6/7/2021	2.55
	6/28/2021	7.44
	7/12/2021	4.89
	8/2/2021	9.8
	8/25/2021	11.7
	9/24/2021	6.87
11/19/2021	5.19	
MW-15	5/4/2021	28.65
	5/25/2021	8.89
	6/7/2021	8.82
	6/28/2021	6.48
	7/12/2021	8.52
	8/2/2021	22.71
	8/25/2021	12.4
	9/24/2021	11.44
11/19/2021	10.83	

ANALYTICAL REPORT

Eurofins TestAmerica, Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

Laboratory Job ID: 500-208740-1
Client Project/Site: Will County CCR

For:
KPRG and Associates, Inc.
14665 West Lisbon Road,
Suite 1A
Brookfield, Wisconsin 53005

Attn: Richard Gnat



Authorized for release by:
12/16/2021 12:22:47 PM

Diana Mockler, Project Manager I
(219)252-7570
Diana.Mockler@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	4
Sample Summary	5
Client Sample Results	6
Definitions	22
QC Association	23
QC Sample Results	28
Chain of Custody	36
Receipt Checklists	38
Chronicle	39

Case Narrative

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Job ID: 500-208740-1

Laboratory: Eurofins TestAmerica, Chicago

Narrative

**Job Narrative
500-208740-1**

Comments

No additional comments.

Receipt

The samples were received on 11/19/2021 3:30 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 7 coolers at receipt time were 1.5° C, 1.8° C, 1.9° C, 3.4° C, 3.6° C, 4.8° C and 5.4° C.

Metals

Method 6020A: The initial low level continuing calibration verification (ICVL) associated with batch 500-633145 recovered above the upper control limit for Beryllium. The samples associated with this ICVL were non-detects for the affected analyte; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Method Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method	Method Description	Protocol	Laboratory
6010C	Metals (ICP)	SW846	TAL CHI
6020A	Metals (ICP/MS)	SW846	TAL CHI
7470A	Mercury (CVAA)	SW846	TAL CHI
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL CHI
SM 4500 Cl- E	Chloride, Total	SM	TAL CHI
SM 4500 F C	Fluoride	SM	TAL CHI
SM 4500 SO4 E	Sulfate, Total	SM	TAL CHI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	TAL CHI
7470A	Preparation, Mercury	SW846	TAL CHI

Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:


TAL CHI = Eurofins TestAmerica, Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

Sample Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-208740-1	MW-01	Water	11/19/21 11:28	11/19/21 15:30
500-208740-2	MW-02	Water	11/19/21 12:15	11/19/21 15:30
500-208740-3	MW-03	Water	11/19/21 13:06	11/19/21 15:30
500-208740-4	MW-04	Water	11/19/21 13:58	11/19/21 15:30
500-208740-5	MW-07	Water	11/19/21 12:45	11/19/21 15:30
500-208740-6	MW-08	Water	11/19/21 11:40	11/19/21 15:30
500-208740-7	MW-14	Water	11/19/21 13:28	11/19/21 15:30
500-208740-8	MW-15	Water	11/19/21 12:15	11/19/21 15:30
500-208740-9	MW-05	Water	11/23/21 11:40	11/24/21 13:40
500-208740-10	MW-06	Water	11/23/21 13:21	11/24/21 13:40
500-208740-11	MW-09	Water	11/23/21 12:30	11/24/21 13:40
500-208740-12	MW-10	Water	11/23/21 13:26	11/24/21 13:40
500-208740-13	MW-11	Water	11/23/21 12:14	11/24/21 13:40
500-208740-14	MW-12	Water	11/23/21 14:20	11/24/21 13:40
500-208740-15	MW-13	Water	11/23/21 11:35	11/24/21 13:40
500-208740-16	DUPLICATE	Water	11/23/21 00:00	11/24/21 13:40



Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-01

Lab Sample ID: 500-208740-1

Date Collected: 11/19/21 11:28

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.038		0.010		mg/L		12/09/21 07:20	12/15/21 16:52	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 16:03	1
Arsenic	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 16:03	1
Barium	0.090		0.0025		mg/L		12/09/21 07:20	12/09/21 16:03	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 16:03	1
Boron	2.0		0.25		mg/L		12/09/21 07:20	12/10/21 11:49	5
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:03	1
Calcium	170		0.20		mg/L		12/09/21 07:20	12/09/21 16:03	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 16:03	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 16:03	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:03	1
Molybdenum	0.0098		0.0050		mg/L		12/09/21 07:20	12/09/21 16:03	1
Selenium	0.017		0.0025		mg/L		12/09/21 07:20	12/09/21 16:03	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 16:03	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:42	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	970		10		mg/L			11/23/21 08:16	1
Chloride	29		2.0		mg/L			11/22/21 16:40	1
Fluoride	0.56		0.10		mg/L			12/10/21 14:29	1
Sulfate	260		50		mg/L			11/22/21 18:07	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-02

Lab Sample ID: 500-208740-2

Date Collected: 11/19/21 12:15

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.041		0.010		mg/L		12/09/21 07:20	12/15/21 17:08	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 16:20	1
Arsenic	0.014		0.0010		mg/L		12/09/21 07:20	12/09/21 16:20	1
Barium	0.057		0.0025		mg/L		12/09/21 07:20	12/09/21 16:20	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 16:20	1
Boron	5.2		1.0		mg/L		12/09/21 07:20	12/10/21 12:07	20
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:20	1
Calcium	86		0.20		mg/L		12/09/21 07:20	12/09/21 16:20	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 16:20	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 16:20	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:20	1
Molybdenum	0.068		0.0050		mg/L		12/09/21 07:20	12/09/21 16:20	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 16:20	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 16:20	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:44	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			11/23/21 08:19	1
Chloride	27		2.0		mg/L			11/22/21 16:41	1
Fluoride	0.38		0.10		mg/L			12/10/21 14:32	1
Sulfate	520		100		mg/L			11/22/21 18:09	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-03
Date Collected: 11/19/21 13:06
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-3
Matrix: Water

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.039		0.010		mg/L		12/09/21 07:20	12/15/21 17:12	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 16:23	1
Arsenic	0.0016		0.0010		mg/L		12/09/21 07:20	12/09/21 16:23	1
Barium	0.12		0.0025		mg/L		12/09/21 07:20	12/09/21 16:23	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 16:23	1
Boron	3.7		0.50		mg/L		12/09/21 07:20	12/10/21 12:10	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:23	1
Calcium	160		0.20		mg/L		12/09/21 07:20	12/09/21 16:23	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 16:23	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 16:23	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:23	1
Molybdenum	0.025		0.0050		mg/L		12/09/21 07:20	12/09/21 16:23	1
Selenium	0.0082		0.0025		mg/L		12/09/21 07:20	12/09/21 16:23	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 16:23	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	970		10		mg/L			11/23/21 08:21	1
Chloride	27		2.0		mg/L			11/22/21 16:41	1
Fluoride	0.32		0.10		mg/L			12/10/21 14:35	1
Sulfate	330		50		mg/L			11/22/21 18:09	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-04

Lab Sample ID: 500-208740-4

Date Collected: 11/19/21 13:58

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.022		0.010		mg/L		12/09/21 07:20	12/15/21 17:15	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 16:27	1
Arsenic	0.0063		0.0010		mg/L		12/09/21 07:20	12/09/21 16:27	1
Barium	0.044		0.0025		mg/L		12/09/21 07:20	12/09/21 16:27	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 16:27	1
Boron	6.1		1.0		mg/L		12/09/21 07:20	12/10/21 12:14	20
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:27	1
Calcium	300		4.0		mg/L		12/09/21 07:20	12/10/21 12:14	20
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 16:27	1
Cobalt	0.0022		0.0010		mg/L		12/09/21 07:20	12/09/21 16:27	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 16:27	1
Molybdenum	0.023		0.0050		mg/L		12/09/21 07:20	12/09/21 16:27	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 16:27	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 16:27	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:48	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1900		10		mg/L			11/23/21 08:24	1
Chloride	23		2.0		mg/L			11/22/21 16:41	1
Fluoride	0.36		0.10		mg/L			12/10/21 14:38	1
Sulfate	840		250		mg/L			11/22/21 18:09	50

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-07

Lab Sample ID: 500-208740-5

Date Collected: 11/19/21 12:45

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.023		0.010		mg/L		12/09/21 07:20	12/15/21 17:25	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:33	1
Arsenic	0.0065		0.0010		mg/L		12/09/21 07:20	12/09/21 17:33	1
Barium	0.048		0.0025		mg/L		12/09/21 07:20	12/09/21 17:33	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:33	1
Boron	3.9		0.50		mg/L		12/09/21 07:20	12/10/21 12:24	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:33	1
Calcium	170		0.20		mg/L		12/09/21 07:20	12/09/21 17:33	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:33	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:33	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:33	1
Molybdenum	0.033		0.0050		mg/L		12/09/21 07:20	12/09/21 17:33	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:33	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:33	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1800		10		mg/L			11/23/21 08:26	1
Chloride	190		10		mg/L			11/22/21 16:42	5
Fluoride	0.48		0.10		mg/L			12/10/21 14:52	1
Sulfate	680		100		mg/L			11/22/21 18:10	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-08

Lab Sample ID: 500-208740-6

Date Collected: 11/19/21 11:40

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.013		0.010		mg/L		12/09/21 07:20	12/15/21 17:28	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:36	1
Arsenic	0.0094		0.0010		mg/L		12/09/21 07:20	12/09/21 17:36	1
Barium	0.065		0.0025		mg/L		12/09/21 07:20	12/09/21 17:36	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:36	1
Boron	3.3		0.50		mg/L		12/09/21 07:20	12/10/21 12:27	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:36	1
Calcium	200		0.20		mg/L		12/09/21 07:20	12/09/21 17:36	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:36	1
Cobalt	0.0014		0.0010		mg/L		12/09/21 07:20	12/09/21 17:36	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:36	1
Molybdenum	0.043		0.0050		mg/L		12/09/21 07:20	12/09/21 17:36	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:36	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:36	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1900		10		mg/L			11/23/21 08:29	1
Chloride	310		20		mg/L			11/22/21 16:42	10
Fluoride	0.50		0.10		mg/L			12/10/21 14:55	1
Sulfate	630		100		mg/L			11/22/21 18:10	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-14

Lab Sample ID: 500-208740-7

Date Collected: 11/19/21 13:28

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.020		0.010		mg/L		12/09/21 07:20	12/15/21 17:31	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:39	1
Arsenic	0.0023		0.0010		mg/L		12/09/21 07:20	12/09/21 17:39	1
Barium	0.051		0.0025		mg/L		12/09/21 07:20	12/09/21 17:39	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:39	1
Boron	3.0		0.50		mg/L		12/09/21 07:20	12/10/21 12:31	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:39	1
Calcium	81		0.20		mg/L		12/09/21 07:20	12/09/21 17:39	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:39	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:39	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:39	1
Molybdenum	0.049		0.0050		mg/L		12/09/21 07:20	12/09/21 17:39	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:39	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:39	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:03	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1000		10		mg/L			11/23/21 08:31	1
Chloride	120		10		mg/L			11/22/21 16:42	5
Fluoride	0.60		0.10		mg/L			12/10/21 14:58	1
Sulfate	460		100		mg/L			11/22/21 18:10	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-15

Lab Sample ID: 500-208740-8

Date Collected: 11/19/21 12:15

Matrix: Water

Date Received: 11/19/21 15:30

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.015		0.010		mg/L		12/09/21 07:20	12/15/21 17:35	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:43	1
Arsenic	0.0036		0.0010		mg/L		12/09/21 07:20	12/09/21 17:43	1
Barium	0.084		0.0025		mg/L		12/09/21 07:20	12/09/21 17:43	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:43	1
Boron	2.9		0.50		mg/L		12/09/21 07:20	12/10/21 12:34	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:43	1
Calcium	140		0.20		mg/L		12/09/21 07:20	12/09/21 17:43	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:43	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:43	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:43	1
Molybdenum	0.021		0.0050		mg/L		12/09/21 07:20	12/09/21 17:43	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:43	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:43	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:14	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1300		10		mg/L			11/23/21 08:34	1
Chloride	120		10		mg/L			11/22/21 16:43	5
Fluoride	0.46		0.10		mg/L			12/10/21 15:01	1
Sulfate	570		100		mg/L			11/22/21 18:11	20

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-05

Lab Sample ID: 500-208740-9

Date Collected: 11/23/21 11:40

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.017		0.010		mg/L		12/09/21 07:20	12/15/21 17:38	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:46	1
Arsenic	0.0035		0.0010		mg/L		12/09/21 07:20	12/09/21 17:46	1
Barium	0.066		0.0025		mg/L		12/09/21 07:20	12/09/21 17:46	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:46	1
Boron	5.5		1.0		mg/L		12/09/21 07:20	12/10/21 12:38	20
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:46	1
Calcium	140		0.20		mg/L		12/09/21 07:20	12/09/21 17:46	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:46	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:46	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:46	1
Molybdenum	0.066		0.0050		mg/L		12/09/21 07:20	12/09/21 17:46	1
Selenium	0.012		0.0025		mg/L		12/09/21 07:20	12/09/21 17:46	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:46	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:16	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1100		10		mg/L			11/27/21 18:40	1
Chloride	22		2.0		mg/L			12/01/21 13:41	1
Fluoride	0.44		0.10		mg/L			12/10/21 15:16	1
Sulfate	370		50		mg/L			12/01/21 14:17	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-06

Lab Sample ID: 500-208740-10

Date Collected: 11/23/21 13:21

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.014		0.010		mg/L		12/09/21 07:20	12/15/21 17:41	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:50	1
Arsenic	0.0020		0.0010		mg/L		12/09/21 07:20	12/09/21 17:50	1
Barium	0.070		0.0025		mg/L		12/09/21 07:20	12/09/21 17:50	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:50	1
Boron	2.6		0.50		mg/L		12/09/21 07:20	12/10/21 12:41	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:50	1
Calcium	85		0.20		mg/L		12/09/21 07:20	12/09/21 17:50	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:50	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:50	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:50	1
Molybdenum	0.017		0.0050		mg/L		12/09/21 07:20	12/09/21 17:50	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:50	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:50	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	720		10		mg/L			11/27/21 18:42	1
Chloride	43		6.0		mg/L			12/01/21 12:47	3
Fluoride	0.37		0.10		mg/L			12/10/21 15:26	1
Sulfate	150		25		mg/L			12/01/21 14:18	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-09

Lab Sample ID: 500-208740-11

Date Collected: 11/23/21 12:30

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.010		0.010		mg/L		12/09/21 07:20	12/15/21 17:44	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:53	1
Arsenic	0.0046		0.0010		mg/L		12/09/21 07:20	12/09/21 17:53	1
Barium	0.024		0.0025		mg/L		12/09/21 07:20	12/09/21 17:53	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:53	1
Boron	1.1		0.25		mg/L		12/09/21 07:20	12/10/21 12:45	5
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:53	1
Calcium	30		0.20		mg/L		12/09/21 07:20	12/09/21 17:53	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:53	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:53	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:53	1
Molybdenum	0.037		0.0050		mg/L		12/09/21 07:20	12/09/21 17:53	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:53	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:53	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:39	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	900		10		mg/L			11/27/21 18:45	1
Chloride	290		20		mg/L			12/01/21 12:48	10
Fluoride	0.47		0.10		mg/L			12/10/21 15:39	1
Sulfate	210		25		mg/L			12/01/21 14:18	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-10
Date Collected: 11/23/21 13:26
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-12
Matrix: Water

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.013		0.010		mg/L		12/09/21 07:20	12/15/21 17:48	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 17:57	1
Arsenic	0.012		0.0010		mg/L		12/09/21 07:20	12/09/21 17:57	1
Barium	0.091		0.0025		mg/L		12/09/21 07:20	12/09/21 17:57	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 17:57	1
Boron	2.7		0.50		mg/L		12/09/21 07:20	12/10/21 12:48	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 17:57	1
Calcium	110		0.20		mg/L		12/09/21 07:20	12/09/21 17:57	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 17:57	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 17:57	1
Lead	0.0011		0.00050		mg/L		12/09/21 07:20	12/09/21 17:57	1
Molybdenum	0.048		0.0050		mg/L		12/09/21 07:20	12/09/21 17:57	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 17:57	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 17:57	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	990		10		mg/L			11/27/21 18:47	1
Chloride	130		10		mg/L			12/01/21 12:48	5
Fluoride	0.71		0.10		mg/L			12/10/21 15:43	1
Sulfate	230		50		mg/L			12/01/21 14:19	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-11

Lab Sample ID: 500-208740-13

Date Collected: 11/23/21 12:14

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.010		0.010		mg/L		12/09/21 07:20	12/15/21 17:51	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 18:00	1
Arsenic	0.0085		0.0010		mg/L		12/09/21 07:20	12/09/21 18:00	1
Barium	0.11		0.0025		mg/L		12/09/21 07:20	12/09/21 18:00	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 18:00	1
Boron	2.0		0.25		mg/L		12/09/21 07:20	12/10/21 12:52	5
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:00	1
Calcium	130		0.20		mg/L		12/09/21 07:20	12/09/21 18:00	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 18:00	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 18:00	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:00	1
Molybdenum	0.025		0.0050		mg/L		12/09/21 07:20	12/09/21 18:00	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 18:00	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 18:00	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:43	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	810		10		mg/L			11/27/21 18:50	1
Chloride	150		10		mg/L			12/01/21 12:49	5
Fluoride	0.48		0.10		mg/L			12/10/21 15:46	1
Sulfate	94		25		mg/L			12/01/21 14:19	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-12

Lab Sample ID: 500-208740-14

Date Collected: 11/23/21 14:20

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	0.014		0.010		mg/L		12/09/21 07:20	12/15/21 17:54	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 18:03	1
Arsenic	0.0020		0.0010		mg/L		12/09/21 07:20	12/09/21 18:03	1
Barium	0.15		0.0025		mg/L		12/09/21 07:20	12/09/21 18:03	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 18:03	1
Boron	2.3		0.50		mg/L		12/09/21 07:20	12/10/21 12:55	10
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:03	1
Calcium	180		0.20		mg/L		12/09/21 07:20	12/09/21 18:03	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 18:03	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 18:03	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:03	1
Molybdenum	0.022		0.0050		mg/L		12/09/21 07:20	12/09/21 18:03	1
Selenium	0.0055		0.0025		mg/L		12/09/21 07:20	12/09/21 18:03	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 18:03	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:45	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1200		10		mg/L			11/27/21 18:53	1
Chloride	210		10		mg/L			12/01/21 12:50	5
Fluoride	0.44		0.10		mg/L			12/10/21 15:49	1
Sulfate	180		25		mg/L			12/01/21 14:21	5

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-13

Lab Sample ID: 500-208740-15

Date Collected: 11/23/21 11:35

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.010		0.010		mg/L		12/09/21 07:20	12/15/21 18:04	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 18:14	1
Arsenic	0.0011		0.0010		mg/L		12/09/21 07:20	12/09/21 18:14	1
Barium	0.11		0.0025		mg/L		12/09/21 07:20	12/09/21 18:14	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 18:14	1
Boron	1.8		0.25		mg/L		12/09/21 07:20	12/10/21 13:05	5
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:14	1
Calcium	170		0.20		mg/L		12/09/21 07:20	12/09/21 18:14	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 18:14	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 18:14	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:14	1
Molybdenum	0.012		0.0050		mg/L		12/09/21 07:20	12/09/21 18:14	1
Selenium	0.0082		0.0025		mg/L		12/09/21 07:20	12/09/21 18:14	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 18:14	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1200		10		mg/L			11/27/21 18:55	1
Chloride	230		20		mg/L			12/01/21 12:50	10
Fluoride	0.33		0.10		mg/L			12/10/21 15:52	1
Sulfate	300		50		mg/L			12/01/21 14:21	10

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: DUPLICATE

Lab Sample ID: 500-208740-16

Date Collected: 11/23/21 00:00

Matrix: Water

Date Received: 11/24/21 13:40

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.010		0.010		mg/L		12/09/21 07:20	12/15/21 18:07	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 18:17	1
Arsenic	0.0081		0.0010		mg/L		12/09/21 07:20	12/09/21 18:17	1
Barium	0.043		0.0025		mg/L		12/09/21 07:20	12/09/21 18:17	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 18:17	1
Boron	2.1		0.25		mg/L		12/09/21 07:20	12/10/21 13:09	5
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:17	1
Calcium	52		0.20		mg/L		12/09/21 07:20	12/09/21 18:17	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 18:17	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 18:17	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 18:17	1
Molybdenum	0.068		0.0050		mg/L		12/09/21 07:20	12/09/21 18:17	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 18:17	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 18:17	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 08:49	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	930		10		mg/L			11/27/21 18:58	1
Chloride	290		20		mg/L			12/01/21 12:51	10
Fluoride	0.46		0.10		mg/L			12/10/21 15:55	1
Sulfate	210		50		mg/L			12/01/21 14:21	10

Definitions/Glossary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Qualifiers

Metals

Qualifier	Qualifier Description
^1+	Initial Calibration Verification (ICV) is outside acceptance limits, high biased.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

General Chemistry

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Metals

Prep Batch: 632002

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	7470A	
500-208740-2	MW-02	Total/NA	Water	7470A	
500-208740-3	MW-03	Total/NA	Water	7470A	
500-208740-4	MW-04	Total/NA	Water	7470A	
500-208740-5	MW-07	Total/NA	Water	7470A	
500-208740-6	MW-08	Total/NA	Water	7470A	
500-208740-7	MW-14	Total/NA	Water	7470A	
500-208740-8	MW-15	Total/NA	Water	7470A	
500-208740-9	MW-05	Total/NA	Water	7470A	
500-208740-10	MW-06	Total/NA	Water	7470A	
500-208740-11	MW-09	Total/NA	Water	7470A	
500-208740-12	MW-10	Total/NA	Water	7470A	
500-208740-13	MW-11	Total/NA	Water	7470A	
500-208740-14	MW-12	Total/NA	Water	7470A	
500-208740-15	MW-13	Total/NA	Water	7470A	
500-208740-16	DUPLICATE	Total/NA	Water	7470A	
MB 500-632002/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-632002/13-A	Lab Control Sample	Total/NA	Water	7470A	
500-208740-9 MS	MW-05	Total/NA	Water	7470A	
500-208740-9 MSD	MW-05	Total/NA	Water	7470A	
500-208740-9 DU	MW-05	Total/NA	Water	7470A	

Analysis Batch: 632273

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	7470A	632002
500-208740-2	MW-02	Total/NA	Water	7470A	632002
500-208740-3	MW-03	Total/NA	Water	7470A	632002
500-208740-4	MW-04	Total/NA	Water	7470A	632002
500-208740-5	MW-07	Total/NA	Water	7470A	632002
500-208740-6	MW-08	Total/NA	Water	7470A	632002
500-208740-7	MW-14	Total/NA	Water	7470A	632002
500-208740-8	MW-15	Total/NA	Water	7470A	632002
500-208740-9	MW-05	Total/NA	Water	7470A	632002
500-208740-10	MW-06	Total/NA	Water	7470A	632002
500-208740-11	MW-09	Total/NA	Water	7470A	632002
500-208740-12	MW-10	Total/NA	Water	7470A	632002
500-208740-13	MW-11	Total/NA	Water	7470A	632002
500-208740-14	MW-12	Total/NA	Water	7470A	632002
500-208740-15	MW-13	Total/NA	Water	7470A	632002
500-208740-16	DUPLICATE	Total/NA	Water	7470A	632002
MB 500-632002/12-A	Method Blank	Total/NA	Water	7470A	632002
LCS 500-632002/13-A	Lab Control Sample	Total/NA	Water	7470A	632002
500-208740-9 MS	MW-05	Total/NA	Water	7470A	632002
500-208740-9 MSD	MW-05	Total/NA	Water	7470A	632002
500-208740-9 DU	MW-05	Total/NA	Water	7470A	632002

Prep Batch: 632817

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total Recoverable	Water	3005A	
500-208740-2	MW-02	Total Recoverable	Water	3005A	
500-208740-3	MW-03	Total Recoverable	Water	3005A	

Eurofins TestAmerica, Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Metals (Continued)

Prep Batch: 632817 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-4	MW-04	Total Recoverable	Water	3005A	
500-208740-5	MW-07	Total Recoverable	Water	3005A	
500-208740-6	MW-08	Total Recoverable	Water	3005A	
500-208740-7	MW-14	Total Recoverable	Water	3005A	
500-208740-8	MW-15	Total Recoverable	Water	3005A	
500-208740-9	MW-05	Total Recoverable	Water	3005A	
500-208740-10	MW-06	Total Recoverable	Water	3005A	
500-208740-11	MW-09	Total Recoverable	Water	3005A	
500-208740-12	MW-10	Total Recoverable	Water	3005A	
500-208740-13	MW-11	Total Recoverable	Water	3005A	
500-208740-14	MW-12	Total Recoverable	Water	3005A	
500-208740-15	MW-13	Total Recoverable	Water	3005A	
500-208740-16	DUPLICATE	Total Recoverable	Water	3005A	
MB 500-632817/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-632817/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
500-208740-1 MS	MW-01	Total Recoverable	Water	3005A	
500-208740-1 MSD	MW-01	Total Recoverable	Water	3005A	
500-208740-1 DU	MW-01	Total Recoverable	Water	3005A	

Analysis Batch: 633145

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total Recoverable	Water	6020A	632817
500-208740-2	MW-02	Total Recoverable	Water	6020A	632817
500-208740-3	MW-03	Total Recoverable	Water	6020A	632817
500-208740-4	MW-04	Total Recoverable	Water	6020A	632817
500-208740-5	MW-07	Total Recoverable	Water	6020A	632817
500-208740-6	MW-08	Total Recoverable	Water	6020A	632817
500-208740-7	MW-14	Total Recoverable	Water	6020A	632817
500-208740-8	MW-15	Total Recoverable	Water	6020A	632817
500-208740-9	MW-05	Total Recoverable	Water	6020A	632817
500-208740-10	MW-06	Total Recoverable	Water	6020A	632817
500-208740-11	MW-09	Total Recoverable	Water	6020A	632817
500-208740-12	MW-10	Total Recoverable	Water	6020A	632817
500-208740-13	MW-11	Total Recoverable	Water	6020A	632817
500-208740-14	MW-12	Total Recoverable	Water	6020A	632817
500-208740-15	MW-13	Total Recoverable	Water	6020A	632817
500-208740-16	DUPLICATE	Total Recoverable	Water	6020A	632817
MB 500-632817/1-A	Method Blank	Total Recoverable	Water	6020A	632817
LCS 500-632817/2-A	Lab Control Sample	Total Recoverable	Water	6020A	632817
500-208740-1 MS	MW-01	Total Recoverable	Water	6020A	632817
500-208740-1 MSD	MW-01	Total Recoverable	Water	6020A	632817
500-208740-1 DU	MW-01	Total Recoverable	Water	6020A	632817

Analysis Batch: 633191

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total Recoverable	Water	6020A	632817
500-208740-2	MW-02	Total Recoverable	Water	6020A	632817
500-208740-3	MW-03	Total Recoverable	Water	6020A	632817
500-208740-4	MW-04	Total Recoverable	Water	6020A	632817
500-208740-5	MW-07	Total Recoverable	Water	6020A	632817
500-208740-6	MW-08	Total Recoverable	Water	6020A	632817

Eurofins TestAmerica, Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Metals (Continued)

Analysis Batch: 633191 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-7	MW-14	Total Recoverable	Water	6020A	632817
500-208740-8	MW-15	Total Recoverable	Water	6020A	632817
500-208740-9	MW-05	Total Recoverable	Water	6020A	632817
500-208740-10	MW-06	Total Recoverable	Water	6020A	632817
500-208740-11	MW-09	Total Recoverable	Water	6020A	632817
500-208740-12	MW-10	Total Recoverable	Water	6020A	632817
500-208740-13	MW-11	Total Recoverable	Water	6020A	632817
500-208740-14	MW-12	Total Recoverable	Water	6020A	632817
500-208740-15	MW-13	Total Recoverable	Water	6020A	632817
500-208740-16	DUPLICATE	Total Recoverable	Water	6020A	632817
MB 500-632817/1-A	Method Blank	Total Recoverable	Water	6020A	632817
LCS 500-632817/2-A	Lab Control Sample	Total Recoverable	Water	6020A	632817
500-208740-1 MS	MW-01	Total Recoverable	Water	6020A	632817
500-208740-1 MSD	MW-01	Total Recoverable	Water	6020A	632817
500-208740-1 DU	MW-01	Total Recoverable	Water	6020A	632817

Analysis Batch: 633995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total Recoverable	Water	6010C	632817
500-208740-2	MW-02	Total Recoverable	Water	6010C	632817
500-208740-3	MW-03	Total Recoverable	Water	6010C	632817
500-208740-4	MW-04	Total Recoverable	Water	6010C	632817
500-208740-5	MW-07	Total Recoverable	Water	6010C	632817
500-208740-6	MW-08	Total Recoverable	Water	6010C	632817
500-208740-7	MW-14	Total Recoverable	Water	6010C	632817
500-208740-8	MW-15	Total Recoverable	Water	6010C	632817
500-208740-9	MW-05	Total Recoverable	Water	6010C	632817
500-208740-10	MW-06	Total Recoverable	Water	6010C	632817
500-208740-11	MW-09	Total Recoverable	Water	6010C	632817
500-208740-12	MW-10	Total Recoverable	Water	6010C	632817
500-208740-13	MW-11	Total Recoverable	Water	6010C	632817
500-208740-14	MW-12	Total Recoverable	Water	6010C	632817
500-208740-15	MW-13	Total Recoverable	Water	6010C	632817
500-208740-16	DUPLICATE	Total Recoverable	Water	6010C	632817
MB 500-632817/1-A	Method Blank	Total Recoverable	Water	6010C	632817
LCS 500-632817/2-A	Lab Control Sample	Total Recoverable	Water	6010C	632817
500-208740-1 MS	MW-01	Total Recoverable	Water	6010C	632817
500-208740-1 MSD	MW-01	Total Recoverable	Water	6010C	632817
500-208740-1 DU	MW-01	Total Recoverable	Water	6010C	632817

General Chemistry

Analysis Batch: 630462

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	SM 2540C	
500-208740-2	MW-02	Total/NA	Water	SM 2540C	
500-208740-3	MW-03	Total/NA	Water	SM 2540C	
500-208740-4	MW-04	Total/NA	Water	SM 2540C	
500-208740-5	MW-07	Total/NA	Water	SM 2540C	
500-208740-6	MW-08	Total/NA	Water	SM 2540C	
500-208740-7	MW-14	Total/NA	Water	SM 2540C	

Eurofins TestAmerica, Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

General Chemistry (Continued)

Analysis Batch: 630462 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-8	MW-15	Total/NA	Water	SM 2540C	
MB 500-630462/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-630462/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 630527

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	SM 4500 CI- E	
500-208740-2	MW-02	Total/NA	Water	SM 4500 CI- E	
500-208740-3	MW-03	Total/NA	Water	SM 4500 CI- E	
500-208740-4	MW-04	Total/NA	Water	SM 4500 CI- E	
500-208740-5	MW-07	Total/NA	Water	SM 4500 CI- E	
500-208740-6	MW-08	Total/NA	Water	SM 4500 CI- E	
500-208740-7	MW-14	Total/NA	Water	SM 4500 CI- E	
500-208740-8	MW-15	Total/NA	Water	SM 4500 CI- E	
MB 500-630527/91	Method Blank	Total/NA	Water	SM 4500 CI- E	
LCS 500-630527/92	Lab Control Sample	Total/NA	Water	SM 4500 CI- E	
500-208740-1 MS	MW-01	Total/NA	Water	SM 4500 CI- E	
500-208740-1 MSD	MW-01	Total/NA	Water	SM 4500 CI- E	

Analysis Batch: 630528

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	SM 4500 SO4 E	
500-208740-2	MW-02	Total/NA	Water	SM 4500 SO4 E	
500-208740-3	MW-03	Total/NA	Water	SM 4500 SO4 E	
500-208740-4	MW-04	Total/NA	Water	SM 4500 SO4 E	
500-208740-5	MW-07	Total/NA	Water	SM 4500 SO4 E	
500-208740-6	MW-08	Total/NA	Water	SM 4500 SO4 E	
500-208740-7	MW-14	Total/NA	Water	SM 4500 SO4 E	
500-208740-8	MW-15	Total/NA	Water	SM 4500 SO4 E	
MB 500-630528/44	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-630528/45	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	
500-208740-1 MS	MW-01	Total/NA	Water	SM 4500 SO4 E	
500-208740-1 MSD	MW-01	Total/NA	Water	SM 4500 SO4 E	

Analysis Batch: 631038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-9	MW-05	Total/NA	Water	SM 2540C	
500-208740-10	MW-06	Total/NA	Water	SM 2540C	
500-208740-11	MW-09	Total/NA	Water	SM 2540C	
500-208740-12	MW-10	Total/NA	Water	SM 2540C	
500-208740-13	MW-11	Total/NA	Water	SM 2540C	
500-208740-14	MW-12	Total/NA	Water	SM 2540C	
500-208740-15	MW-13	Total/NA	Water	SM 2540C	
500-208740-16	DUPLICATE	Total/NA	Water	SM 2540C	
MB 500-631038/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-631038/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 631704

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-9	MW-05	Total/NA	Water	SM 4500 CI- E	
500-208740-10	MW-06	Total/NA	Water	SM 4500 CI- E	

Eurofins TestAmerica, Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

General Chemistry (Continued)

Analysis Batch: 631704 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-11	MW-09	Total/NA	Water	SM 4500 Cl- E	
500-208740-12	MW-10	Total/NA	Water	SM 4500 Cl- E	
500-208740-13	MW-11	Total/NA	Water	SM 4500 Cl- E	
500-208740-14	MW-12	Total/NA	Water	SM 4500 Cl- E	
500-208740-15	MW-13	Total/NA	Water	SM 4500 Cl- E	
500-208740-16	DUPLICATE	Total/NA	Water	SM 4500 Cl- E	
MB 500-631704/84	Method Blank	Total/NA	Water	SM 4500 Cl- E	
LCS 500-631704/85	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	
500-208740-13 MS	MW-11	Total/NA	Water	SM 4500 Cl- E	
500-208740-13 MSD	MW-11	Total/NA	Water	SM 4500 Cl- E	

Analysis Batch: 631705

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-9	MW-05	Total/NA	Water	SM 4500 SO4 E	
500-208740-10	MW-06	Total/NA	Water	SM 4500 SO4 E	
500-208740-11	MW-09	Total/NA	Water	SM 4500 SO4 E	
500-208740-12	MW-10	Total/NA	Water	SM 4500 SO4 E	
500-208740-13	MW-11	Total/NA	Water	SM 4500 SO4 E	
500-208740-14	MW-12	Total/NA	Water	SM 4500 SO4 E	
500-208740-15	MW-13	Total/NA	Water	SM 4500 SO4 E	
500-208740-16	DUPLICATE	Total/NA	Water	SM 4500 SO4 E	
MB 500-631705/38	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-631705/42	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	
500-208740-13 MS	MW-11	Total/NA	Water	SM 4500 SO4 E	
500-208740-13 MSD	MW-11	Total/NA	Water	SM 4500 SO4 E	

Analysis Batch: 633232

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	SM 4500 F C	
500-208740-2	MW-02	Total/NA	Water	SM 4500 F C	
500-208740-3	MW-03	Total/NA	Water	SM 4500 F C	
500-208740-4	MW-04	Total/NA	Water	SM 4500 F C	
500-208740-5	MW-07	Total/NA	Water	SM 4500 F C	
500-208740-6	MW-08	Total/NA	Water	SM 4500 F C	
500-208740-7	MW-14	Total/NA	Water	SM 4500 F C	
500-208740-8	MW-15	Total/NA	Water	SM 4500 F C	
500-208740-9	MW-05	Total/NA	Water	SM 4500 F C	
500-208740-10	MW-06	Total/NA	Water	SM 4500 F C	
500-208740-11	MW-09	Total/NA	Water	SM 4500 F C	
500-208740-12	MW-10	Total/NA	Water	SM 4500 F C	
500-208740-13	MW-11	Total/NA	Water	SM 4500 F C	
500-208740-14	MW-12	Total/NA	Water	SM 4500 F C	
500-208740-15	MW-13	Total/NA	Water	SM 4500 F C	
500-208740-16	DUPLICATE	Total/NA	Water	SM 4500 F C	
MB 500-633232/3	Method Blank	Total/NA	Water	SM 4500 F C	
MB 500-633232/31	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-633232/32	Lab Control Sample	Total/NA	Water	SM 4500 F C	
LCS 500-633232/4	Lab Control Sample	Total/NA	Water	SM 4500 F C	
500-208740-9 MS	MW-05	Total/NA	Water	SM 4500 F C	
500-208740-9 MSD	MW-05	Total/NA	Water	SM 4500 F C	

Eurofins TestAmerica, Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 500-632817/1-A
Matrix: Water
Analysis Batch: 633995

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium	<0.010		0.010		mg/L		12/09/21 07:20	12/15/21 16:46	1

Lab Sample ID: LCS 500-632817/2-A
Matrix: Water
Analysis Batch: 633995

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lithium	0.500	0.505		mg/L		101	80 - 120

Lab Sample ID: 500-208740-1 MS
Matrix: Water
Analysis Batch: 633995

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lithium	0.038		0.500	0.555		mg/L		103	75 - 125

Lab Sample ID: 500-208740-1 MSD
Matrix: Water
Analysis Batch: 633995

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Lithium	0.038		0.500	0.531		mg/L		99	75 - 125	4	20

Lab Sample ID: 500-208740-1 DU
Matrix: Water
Analysis Batch: 633995

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Lithium	0.038		0.0400		mg/L		5	20

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 500-632817/1-A
Matrix: Water
Analysis Batch: 633145

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<0.0030		0.0030		mg/L		12/09/21 07:20	12/09/21 15:56	1
Arsenic	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 15:56	1
Barium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 15:56	1
Beryllium	<0.0010	^1+	0.0010		mg/L		12/09/21 07:20	12/09/21 15:56	1
Cadmium	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 15:56	1
Calcium	<0.20		0.20		mg/L		12/09/21 07:20	12/09/21 15:56	1
Chromium	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 15:56	1
Cobalt	<0.0010		0.0010		mg/L		12/09/21 07:20	12/09/21 15:56	1
Lead	<0.00050		0.00050		mg/L		12/09/21 07:20	12/09/21 15:56	1
Molybdenum	<0.0050		0.0050		mg/L		12/09/21 07:20	12/09/21 15:56	1
Selenium	<0.0025		0.0025		mg/L		12/09/21 07:20	12/09/21 15:56	1
Thallium	<0.0020		0.0020		mg/L		12/09/21 07:20	12/09/21 15:56	1

Eurofins TestAmerica, Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 500-632817/1-A
Matrix: Water
Analysis Batch: 633191

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Boron	<0.050		0.050		mg/L		12/09/21 07:20	12/10/21 11:42	1

Lab Sample ID: LCS 500-632817/2-A
Matrix: Water
Analysis Batch: 633145

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	0.500	0.486		mg/L		97	80 - 120
Arsenic	0.100	0.0990		mg/L		99	80 - 120
Barium	2.00	1.93		mg/L		97	80 - 120
Beryllium	0.0500	0.0508	^1+	mg/L		102	80 - 120
Cadmium	0.0500	0.0488		mg/L		98	80 - 120
Calcium	10.0	9.84		mg/L		98	80 - 120
Chromium	0.200	0.203		mg/L		102	80 - 120
Cobalt	0.500	0.510		mg/L		102	80 - 120
Lead	0.100	0.106		mg/L		106	80 - 120
Molybdenum	1.00	0.964		mg/L		96	80 - 120
Selenium	0.100	0.0987		mg/L		99	80 - 120
Thallium	0.100	0.106		mg/L		106	80 - 120

Lab Sample ID: LCS 500-632817/2-A
Matrix: Water
Analysis Batch: 633191

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Boron	1.00	1.01		mg/L		101	80 - 120

Lab Sample ID: 500-208740-1 MS
Matrix: Water
Analysis Batch: 633145

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	<0.0030		0.500	0.497		mg/L		99	75 - 125
Arsenic	<0.0010		0.100	0.0984		mg/L		98	75 - 125
Barium	0.090		2.00	2.00		mg/L		95	75 - 125
Beryllium	<0.0010	^1+	0.0500	0.0478	^1+	mg/L		96	75 - 125
Cadmium	<0.00050		0.0500	0.0481		mg/L		96	75 - 125
Calcium	170		10.0	188	4	mg/L		160	75 - 125
Chromium	<0.0050		0.200	0.195		mg/L		98	75 - 125
Cobalt	<0.0010		0.500	0.481		mg/L		96	75 - 125
Lead	<0.00050		0.100	0.103		mg/L		103	75 - 125
Molybdenum	0.0098		1.00	1.00		mg/L		99	75 - 125
Selenium	0.017		0.100	0.118		mg/L		102	75 - 125
Thallium	<0.0020		0.100	0.102		mg/L		102	75 - 125

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-208740-1 MS
Matrix: Water
Analysis Batch: 633191

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Boron	2.0		1.00	3.11		mg/L		109	75 - 125

Lab Sample ID: 500-208740-1 MSD
Matrix: Water
Analysis Batch: 633145

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<0.0030		0.500	0.486		mg/L		97	75 - 125	2	20
Arsenic	<0.0010		0.100	0.0976		mg/L		97	75 - 125	1	20
Barium	0.090		2.00	1.98		mg/L		95	75 - 125	1	20
Beryllium	<0.0010	^1+	0.0500	0.0480	^1+	mg/L		96	75 - 125	1	20
Cadmium	<0.00050		0.0500	0.0475		mg/L		94	75 - 125	1	20
Calcium	170		10.0	188	4	mg/L		154	75 - 125	0	20
Chromium	<0.0050		0.200	0.194		mg/L		97	75 - 125	1	20
Cobalt	<0.0010		0.500	0.477		mg/L		95	75 - 125	1	20
Lead	<0.00050		0.100	0.102		mg/L		102	75 - 125	1	20
Molybdenum	0.0098		1.00	0.982		mg/L		97	75 - 125	2	20
Selenium	0.017		0.100	0.116		mg/L		99	75 - 125	2	20
Thallium	<0.0020		0.100	0.103		mg/L		103	75 - 125	0	20

Lab Sample ID: 500-208740-1 MSD
Matrix: Water
Analysis Batch: 633191

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Boron	2.0		1.00	3.15		mg/L		113	75 - 125	1	20

Lab Sample ID: 500-208740-1 DU
Matrix: Water
Analysis Batch: 633145

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Antimony	<0.0030		<0.0030		mg/L		NC	20
Arsenic	<0.0010		<0.0010		mg/L		NC	20
Barium	0.090		0.0911		mg/L		0.9	20
Beryllium	<0.0010	^1+	<0.0010	^1+	mg/L		NC	20
Cadmium	<0.00050		<0.00050		mg/L		NC	20
Calcium	170		174		mg/L		0.9	20
Chromium	<0.0050		<0.0050		mg/L		NC	20
Cobalt	<0.0010		<0.0010		mg/L		NC	20
Lead	<0.00050		<0.00050		mg/L		NC	20
Molybdenum	0.0098		0.00949		mg/L		3	20
Selenium	0.017		0.0168		mg/L		2	20
Thallium	<0.0020		<0.0020		mg/L		NC	20

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: 500-208740-1 DU
Matrix: Water
Analysis Batch: 633191

Client Sample ID: MW-01
Prep Type: Total Recoverable
Prep Batch: 632817

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Boron	2.0		2.11		mg/L		4	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-632002/12-A
Matrix: Water
Analysis Batch: 632273

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 632002

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		12/03/21 09:55	12/06/21 07:37	1

Lab Sample ID: LCS 500-632002/13-A
Matrix: Water
Analysis Batch: 632273

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 632002

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00200	0.00204		mg/L		102	80 - 120

Lab Sample ID: 500-208740-9 MS
Matrix: Water
Analysis Batch: 632273

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 632002

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	<0.00020		0.00100	0.00100		mg/L		100	75 - 125

Lab Sample ID: 500-208740-9 MSD
Matrix: Water
Analysis Batch: 632273

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 632002

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Mercury	<0.00020		0.00100	0.00103		mg/L		103	75 - 125	3	20

Lab Sample ID: 500-208740-9 DU
Matrix: Water
Analysis Batch: 632273

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 632002

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Mercury	<0.00020		<0.00020		mg/L		NC	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-630462/1
Matrix: Water
Analysis Batch: 630462

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			11/23/21 07:48	1

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 500-630462/2
Matrix: Water
Analysis Batch: 630462

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	250	244		mg/L		98	80 - 120

Lab Sample ID: MB 500-631038/1
Matrix: Water
Analysis Batch: 631038

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			11/27/21 18:04	1

Lab Sample ID: LCS 500-631038/2
Matrix: Water
Analysis Batch: 631038

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	250	248		mg/L		99	80 - 120

Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 500-630527/91
Matrix: Water
Analysis Batch: 630527

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			11/22/21 16:16	1

Lab Sample ID: LCS 500-630527/92
Matrix: Water
Analysis Batch: 630527

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	20.0	20.6		mg/L		103	85 - 115

Lab Sample ID: 500-208740-1 MS
Matrix: Water
Analysis Batch: 630527

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	29		20.0	52.4		mg/L		115	75 - 125

Lab Sample ID: 500-208740-1 MSD
Matrix: Water
Analysis Batch: 630527

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	29		20.0	52.4		mg/L		115	75 - 125	0	20

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: SM 4500 Cl- E - Chloride, Total (Continued)

Lab Sample ID: MB 500-631704/84
Matrix: Water
Analysis Batch: 631704

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			12/01/21 12:47	1

Lab Sample ID: LCS 500-631704/85
Matrix: Water
Analysis Batch: 631704

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	20.0	20.2		mg/L		101	85 - 115

Lab Sample ID: 500-208740-13 MS
Matrix: Water
Analysis Batch: 631704

Client Sample ID: MW-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	150		20.0	160	4	mg/L		67	75 - 125

Lab Sample ID: 500-208740-13 MSD
Matrix: Water
Analysis Batch: 631704

Client Sample ID: MW-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	150		20.0	160	4	mg/L		67	75 - 125	0	20

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-633232/3
Matrix: Water
Analysis Batch: 633232

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			12/10/21 13:29	1

Lab Sample ID: MB 500-633232/31
Matrix: Water
Analysis Batch: 633232

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			12/10/21 15:08	1

Lab Sample ID: LCS 500-633232/32
Matrix: Water
Analysis Batch: 633232

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	10.0	11.2		mg/L		112	90 - 119

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: SM 4500 F C - Fluoride (Continued)

Lab Sample ID: LCS 500-633232/4
Matrix: Water
Analysis Batch: 633232

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	10.0	10.8		mg/L		108	90 - 119

Lab Sample ID: 500-208740-9 MS
Matrix: Water
Analysis Batch: 633232

Client Sample ID: MW-05
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoride	0.44		5.00	5.84		mg/L		108	75 - 125

Lab Sample ID: 500-208740-9 MSD
Matrix: Water
Analysis Batch: 633232

Client Sample ID: MW-05
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Fluoride	0.44		5.00	5.84		mg/L		108	75 - 125	0	20

Method: SM 4500 SO4 E - Sulfate, Total

Lab Sample ID: MB 500-630528/44
Matrix: Water
Analysis Batch: 630528

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			11/22/21 17:43	1

Lab Sample ID: LCS 500-630528/45
Matrix: Water
Analysis Batch: 630528

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	21.1		mg/L		105	88 - 123

Lab Sample ID: 500-208740-1 MS
Matrix: Water
Analysis Batch: 630528

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	260		20.0	269	4	mg/L		51	75 - 125

Lab Sample ID: 500-208740-1 MSD
Matrix: Water
Analysis Batch: 630528

Client Sample ID: MW-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	260		20.0	270	4	mg/L		54	75 - 125	0	20

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Method: SM 4500 SO4 E - Sulfate, Total (Continued)

Lab Sample ID: MB 500-631705/38
Matrix: Water
Analysis Batch: 631705

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			12/01/21 14:16	1

Lab Sample ID: LCS 500-631705/42
Matrix: Water
Analysis Batch: 631705

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	21.7		mg/L		109	88 - 123

Lab Sample ID: 500-208740-13 MS
Matrix: Water
Analysis Batch: 631705

Client Sample ID: MW-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	94		20.0	111	4	mg/L		89	75 - 125

Lab Sample ID: 500-208740-13 MSD
Matrix: Water
Analysis Batch: 631705

Client Sample ID: MW-11
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	94		20.0	111	4	mg/L		87	75 - 125	0	20

Eurofins TestAmerica, Chicago

2417 Bond Street
University Park IL 60484
Phone 708-534-5200 Fax 708-534-5211

Chain of Custody Record




r e a t Te.

Client Information		Sampler		Lab PM		Carrier Tracking No(s)		500-208740 COC		33 1					
Client Contact: Richard Gnat		Phone		E-Mail		State of Origin				Page 1 of 1					
Company: KPRG and Associates Inc		PWSID		Analysis Requested								Job #: 580 - 208740			
Address: 14665 West Lisbon Road Suite 1A		Due Date Requested		Field Filtered Sample (Yes or No) Perform: MS/MSD (Yes or No) 903.0 904.0 6010C, 6020A 7470A 2540C 4500_F_C SM4500_C1_E; SM4500_S04_E		Total Number of Containers				Preservation Codes					
City: Brookfield		TAT Requested (days)								A HCL		M Hexane			
State/Zip: WI 53005		Compliance Project: Yes No								B NaOH		N None			
Phone: 779-279-2321		PO #: 4502041043								C Zn Acetate		O AsNaO2			
Email: richardg@kprginc.com		WO #								D Nitric Acid		P Na2O4S			
Project Name: Will County CCR Event Desc Quarterly GW Monitoring		Project #: 50011609		E NaHSO4		Q Na2SO3									
Site: Illinois		SSOW#		F MeOH		R Na2S2O3									
				G Amchlor		S H2SO4									
				H Ascorbic Acid		T TSP Dodecahydrate									
				I Ice		U Acetone									
				J DI Water		V MCAA									
				K EDTA		W pH 4-5									
				L EDA		Z other (specify)									
				Other											
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT-Tissue, A=Air)		Special Instructions/Note					
1 MW-01		11/19		1129		Water		D		D					
2 MW-02		11/19		1215		Water		D		N					
3 MW-03		11/19		1300		Water									
4 MW-04		11/19		1359		Water									
5 MW-07		11/19		1245		Water									
6 MW-08		11/19		1140		Water									
7 MW-13		11/19		1245		Water									
8 MW 14		11/19		1223		Water									
9 MW-15		11/19		1215		Water									
						Water									
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
Deliverable Requested I II III IV Other (specify)						Special Instructions/QC Requirements									
Empty Kit Relinquished by			Date			Time			Method of Shipment						
Relinquished by M. R. Res...			11/19 14:38			Company KPRG			Received by [Signature]						
Relinquished by [Signature]			11/19/21 1530			Company TA			Received by [Signature]						
Relinquished by [Signature]			Date/Time			Company			Received by [Signature]						
Custody Seals Intact. Yes No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks.											
				3.6, 4.8											

Eurofins TestAmerica, Chicago

2417 Bond Street
 University Park IL 60484
 Phone 708-534-5200 Fax 708-534-5211

Chain of Custody Record



Client Information		Sampler: <i>M. Riss</i>		Lab PM: Mockler Diana J		Carrier Tracking No(s)		COC No: 500 96644-42645 1					
Client Contact: Richard Gnat		Phone: <i>630.602.7240</i>		E Mail: Diana Mockler@Eurofinset.com		State of Origin		Page: Page 1 of 1					
Company: KPRG and Associates Inc		PWSID:		Analysis Requested						Job #: <i>500-208740</i>			
Address: 14665 West Lisbon Road Suite 1A		Due Date Requested		Field Filtered Sample (Yes or No) / Perform MS/MSD (Yes or No) 903.0 904.0 6010C 6020A 7470A 2540C 4500_F_C SM4500_C1_E SM4500_S04_E						Total Number of containers		Preservation Codes A HCL M Hexane B NaOH N None C Zn Acetate O AsNaO2 D Nitric Acid P Na2O4S E NaHSO4 Q Na2SO3 F MeOH R Na2S2O3 G Amchlor S H2SO4 H Ascorbic Acid T TSP Dodecahydrate I Ice U Acetone J DI Water V MCAA K EDTA W pH 4-5 L EDA Z other (specify) Other:	
City: Brookfield		TAT Requested (days)											
State, Zip: WI 53005		Compliance Project. <input type="checkbox"/> Yes <input type="checkbox"/> No											
Phone: 779-279-2321(Tel) 500-208740 COC		PO #: 4502041043											
Email: richardg@kprginc.com		WO #:											
Project Name: Will County CCR Event Desc Quarterly GW Monitoring		Project #: 50011609											
Site: Illinois		SSOW#:											
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Preservation Code						Special Instructions/Note	
						X	X	X					
<i>MW-05</i>		<i>11/23</i>	<i>11:40</i>		<i>Water</i>								
<i>MW-06</i>			<i>13:21</i>		<i>Water</i>								
<i>MW-09</i>			<i>12:30</i>		<i>Water</i>								
<i>MW-10</i>			<i>13:26</i>		<i>Water</i>								
<i>MW-11</i>			<i>12:14</i>		<i>Water</i>								
<i>MW-12</i>			<i>14:20</i>		<i>Water</i>								
<i>MW-13</i>			<i>11:35</i>		<i>Water</i>								
<i>Duplicate</i>			<i>-</i>										
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months							
Deliverable Requested I II III IV Other (specify)						Special Instructions/QC Requirements							
Empty Kit Relinquished by		Date		Time		Method of Shipment							
Relinquished by: <i>M. Riss</i>		Date/Time: <i>11/23/24 12:00</i>		Company: <i>KPRG</i>		Received by: <i>[Signature]</i>		Date/Time: <i>11/24/24 12:40</i>		Company: <i>TA</i>			
Relinquished by: <i>[Signature]</i>		Date/Time: <i>11/24/24 13:10</i>		Company: <i>A</i>		Received by: <i>[Signature]</i>		Date/Time: <i>11/24/24 13:40</i>		Company: <i>ETA</i>			
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		Company:			
Custody Seals Intact. <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) C and Other Remarks		<i>5.4, 3.4, 1.5, 1.8, 1.9</i>							

9
10
11
12
13
14
15
16



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-208740-1

Login Number: 208740

List Source: Eurofins TestAmerica, Chicago

List Number: 1

Creator: James, Jeff A

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.6,4.8,5.4,3.4,1.5,1.8,1.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	Note: sample 8 only has 2L for Rad work
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-01
Date Collected: 11/19/21 11:28
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 16:52	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 16:03	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		5	633191	12/10/21 11:49	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:42	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:16	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		1	630527	11/22/21 16:40	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:29	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	630528	11/22/21 18:07	RES	TAL CHI

Client Sample ID: MW-02
Date Collected: 11/19/21 12:15
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:08	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 16:20	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		20	633191	12/10/21 12:07	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:44	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:19	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		1	630527	11/22/21 16:41	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:32	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		20	630528	11/22/21 18:09	RES	TAL CHI

Client Sample ID: MW-03
Date Collected: 11/19/21 13:06
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:12	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 16:23	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:10	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:46	MJG	TAL CHI

Eurofins TestAmerica, Chicago

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-03
Date Collected: 11/19/21 13:06
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:21	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		1	630527	11/22/21 16:41	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:35	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	630528	11/22/21 18:09	RES	TAL CHI

Client Sample ID: MW-04
Date Collected: 11/19/21 13:58
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:15	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 16:27	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		20	633191	12/10/21 12:14	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:48	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:24	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		1	630527	11/22/21 16:41	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:38	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		50	630528	11/22/21 18:09	RES	TAL CHI

Client Sample ID: MW-07
Date Collected: 11/19/21 12:45
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:25	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:33	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:24	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:50	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:26	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	630527	11/22/21 16:42	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:52	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		20	630528	11/22/21 18:10	RES	TAL CHI

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-08
Date Collected: 11/19/21 11:40
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:28	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:36	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:27	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 07:52	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:29	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	630527	11/22/21 16:42	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:55	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		20	630528	11/22/21 18:10	RES	TAL CHI

Client Sample ID: MW-14
Date Collected: 11/19/21 13:28
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-7
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:31	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:39	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:31	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:03	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:31	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	630527	11/22/21 16:42	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 14:58	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		20	630528	11/22/21 18:10	RES	TAL CHI

Client Sample ID: MW-15
Date Collected: 11/19/21 12:15
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:35	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:43	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:34	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:14	MJG	TAL CHI

Eurofins TestAmerica, Chicago

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-15
Date Collected: 11/19/21 12:15
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-8
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	630462	11/23/21 08:34	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	630527	11/22/21 16:43	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:01	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		20	630528	11/22/21 18:11	RES	TAL CHI

Client Sample ID: MW-05
Date Collected: 11/23/21 11:40
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-9
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:38	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:46	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		20	633191	12/10/21 12:38	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:16	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:40	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		1	631704	12/01/21 13:41	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:16	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	631705	12/01/21 14:17	RES	TAL CHI

Client Sample ID: MW-06
Date Collected: 11/23/21 13:21
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-10
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:41	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:50	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:41	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:37	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:42	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		3	631704	12/01/21 12:47	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:26	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		5	631705	12/01/21 14:18	RES	TAL CHI

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-09
Date Collected: 11/23/21 12:30
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-11
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:44	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:53	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		5	633191	12/10/21 12:45	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:39	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:45	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	631704	12/01/21 12:48	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:39	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		5	631705	12/01/21 14:18	RES	TAL CHI

Client Sample ID: MW-10
Date Collected: 11/23/21 13:26
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-12
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:48	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 17:57	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:48	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:41	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:47	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	631704	12/01/21 12:48	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:43	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	631705	12/01/21 14:19	RES	TAL CHI

Client Sample ID: MW-11
Date Collected: 11/23/21 12:14
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:51	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 18:00	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		5	633191	12/10/21 12:52	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:43	MJG	TAL CHI

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: MW-11

Lab Sample ID: 500-208740-13

Date Collected: 11/23/21 12:14

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:50	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	631704	12/01/21 12:49	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:46	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		5	631705	12/01/21 14:19	RES	TAL CHI

Client Sample ID: MW-12

Lab Sample ID: 500-208740-14

Date Collected: 11/23/21 14:20

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 17:54	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 18:03	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		10	633191	12/10/21 12:55	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:45	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:53	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		5	631704	12/01/21 12:50	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:49	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		5	631705	12/01/21 14:21	RES	TAL CHI

Client Sample ID: MW-13

Lab Sample ID: 500-208740-15

Date Collected: 11/23/21 11:35

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 18:04	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 18:14	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		5	633191	12/10/21 13:05	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:47	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:55	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	631704	12/01/21 12:50	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:52	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	631705	12/01/21 14:21	RES	TAL CHI

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-1

Client Sample ID: DUPLICATE

Lab Sample ID: 500-208740-16

Date Collected: 11/23/21 00:00

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6010C		1	633995	12/15/21 18:07	JJB	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		1	633145	12/09/21 18:17	FXG	TAL CHI
Total Recoverable	Prep	3005A			632817	12/09/21 07:20	DAJ	TAL CHI
Total Recoverable	Analysis	6020A		5	633191	12/10/21 13:09	FXG	TAL CHI
Total/NA	Prep	7470A			632002	12/03/21 09:55	MJG	TAL CHI
Total/NA	Analysis	7470A		1	632273	12/06/21 08:49	MJG	TAL CHI
Total/NA	Analysis	SM 2540C		1	631038	11/27/21 18:58	CLB	TAL CHI
Total/NA	Analysis	SM 4500 CI- E		10	631704	12/01/21 12:51	RES	TAL CHI
Total/NA	Analysis	SM 4500 F C		1	633232	12/10/21 15:55	EAT	TAL CHI
Total/NA	Analysis	SM 4500 SO4 E		10	631705	12/01/21 14:21	RES	TAL CHI

Laboratory References:

TAL CHI = Eurofins TestAmerica, Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200




ANALYTICAL REPORT

Eurofins TestAmerica, Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

Laboratory Job ID: 500-208740-2
Client Project/Site: Will County CCR

For:
KPRG and Associates, Inc.
14665 West Lisbon Road,
Suite 1A
Brookfield, Wisconsin 53005

Attn: Richard Gnat



Authorized for release by:
12/30/2021 8:29:57 AM

Diana Mockler, Project Manager I
(219)252-7570
Diana.Mockler@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Method Summary	5
Sample Summary	6
Client Sample Results	7
Definitions	23
QC Association	24
QC Sample Results	26
Chain of Custody	29
Receipt Checklists	33
Chronicle	37
Tracer Carrier Summary	41

Case Narrative

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Job ID: 500-208740-2

Laboratory: Eurofins TestAmerica, Chicago

Narrative

Job Narrative 500-208740-2

Comments

No additional comments.

Receipt

The samples were received on 11/19/2021 3:30 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 7 coolers at receipt time were 1.5° C, 1.8° C, 1.9° C, 3.4° C, 3.6° C, 4.8° C and 5.4° C.

RAD

Methods 903.0, 9315: Radium 226 batch 538650

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

MW-01 (500-208740-1), MW-02 (500-208740-2), MW-03 (500-208740-3), MW-04 (500-208740-4), MW-07 (500-208740-5), MW-08 (500-208740-6), MW-14 (500-208740-7), MW-15 (500-208740-8), (LCS 160-538650/1-A), (MB 160-538650/23-A) and (500-208740-E-1-A DU)

Methods 903.0, 9315: Radium 226 batch 539537

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

MW-05 (500-208740-9), MW-06 (500-208740-10), MW-09 (500-208740-11), MW-10 (500-208740-12), MW-11 (500-208740-13), MW-12 (500-208740-14), MW-13 (500-208740-15), DUPLICATE (500-208740-16), (LCS 160-539537/1-A), (MB 160-539537/20-A) and (500-208740-C-9-A DU)

Methods 904.0, 9320: Radium 228 batch 539542

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

MW-05 (500-208740-9), MW-06 (500-208740-10), MW-09 (500-208740-11), MW-10 (500-208740-12), MW-11 (500-208740-13), MW-12 (500-208740-14), MW-13 (500-208740-15), DUPLICATE (500-208740-16), (LCS 160-539542/1-A), (MB 160-539542/20-A) and (500-208740-C-9-B DU)

Methods 904.0, 9320: Radium 228 batch 542866

Any minimum detectable concentration (MDC), critical value (DLC), or Safe Drinking Water Act detection limit (SDWA DL) is sample-specific unless otherwise stated elsewhere in this narrative. Radiochemistry sample results are reported with the count date/time applied as the Activity Reference Date.

MW-01 (500-208740-1), MW-02 (500-208740-2), MW-03 (500-208740-3), MW-04 (500-208740-4), MW-07 (500-208740-5), MW-08 (500-208740-6), MW-14 (500-208740-7), MW-15 (500-208740-8), (LCS 160-542866/1-A), (MB 160-542866/23-A) and (500-208740-F-2-A DU)

Method PrecSep_0:

Method PrecSep_0:

Method PrecSep_0:

Method PrecSep-21:

Case Narrative

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Job ID: 500-208740-2 (Continued)

Laboratory: Eurofins TestAmerica, Chicago (Continued)

Method PrecSep-21:

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

Method Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	TAL SL
904.0	Radium-228 (GFPC)	EPA	TAL SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	TAL SL
PrecSep_0	Preparation, Precipitate Separation	None	TAL SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	TAL SL

Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

Laboratory References:

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



Sample Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-208740-1	MW-01	Water	11/19/21 11:28	11/19/21 15:30
500-208740-2	MW-02	Water	11/19/21 12:15	11/19/21 15:30
500-208740-3	MW-03	Water	11/19/21 13:06	11/19/21 15:30
500-208740-4	MW-04	Water	11/19/21 13:58	11/19/21 15:30
500-208740-5	MW-07	Water	11/19/21 12:45	11/19/21 15:30
500-208740-6	MW-08	Water	11/19/21 11:40	11/19/21 15:30
500-208740-7	MW-14	Water	11/19/21 13:28	11/19/21 15:30
500-208740-8	MW-15	Water	11/19/21 12:15	11/19/21 15:30
500-208740-9	MW-05	Water	11/23/21 11:40	11/24/21 13:40
500-208740-10	MW-06	Water	11/23/21 13:21	11/24/21 13:40
500-208740-11	MW-09	Water	11/23/21 12:30	11/24/21 13:40
500-208740-12	MW-10	Water	11/23/21 13:26	11/24/21 13:40
500-208740-13	MW-11	Water	11/23/21 12:14	11/24/21 13:40
500-208740-14	MW-12	Water	11/23/21 14:20	11/24/21 13:40
500-208740-15	MW-13	Water	11/23/21 11:35	11/24/21 13:40
500-208740-16	DUPLICATE	Water	11/23/21 00:00	11/24/21 13:40



Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-01
Date Collected: 11/19/21 11:28
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-1
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.120	U	0.0976	0.0982	1.00	0.146	pCi/L	11/26/21 08:23	12/20/21 18:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	83.8		40 - 110					11/26/21 08:23	12/20/21 18:18	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.04		0.308	0.323	1.00	0.384	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.6		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	81.5		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.16		0.323	0.338	5.00	0.384	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-02
Date Collected: 11/19/21 12:15
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-2
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.336		0.145	0.149	1.00	0.175	pCi/L	11/26/21 08:23	12/20/21 18:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.6		40 - 110					11/26/21 08:23	12/20/21 18:18	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.09		0.303	0.319	1.00	0.370	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	83.7		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.43		0.336	0.352	5.00	0.370	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-03
Date Collected: 11/19/21 13:06
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-3
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.509		0.165	0.172	1.00	0.176	pCi/L	11/26/21 08:23	12/20/21 18:19	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		40 - 110					11/26/21 08:23	12/20/21 18:19	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.97		0.359	0.402	1.00	0.362	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	83.7		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.47		0.395	0.437	5.00	0.362	pCi/L		12/29/21 17:20	1



Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-04
Date Collected: 11/19/21 13:58
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-4
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.390		0.171	0.175	1.00	0.207	pCi/L	11/26/21 08:23	12/20/21 18:19	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	82.1		40 - 110					11/26/21 08:23	12/20/21 18:19	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.32		0.338	0.359	1.00	0.398	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	79.6		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	87.1		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.71		0.379	0.399	5.00	0.398	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-07

Lab Sample ID: 500-208740-5

Date Collected: 11/19/21 12:45

Matrix: Water

Date Received: 11/19/21 15:30

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.467		0.204	0.209	1.00	0.247	pCi/L	11/26/21 08:23	12/20/21 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	66.9		40 - 110					11/26/21 08:23	12/20/21 18:20	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.93		0.442	0.476	1.00	0.508	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.1		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	86.7		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.40		0.487	0.520	5.00	0.508	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-08

Lab Sample ID: 500-208740-6

Date Collected: 11/19/21 11:40

Matrix: Water

Date Received: 11/19/21 15:30

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.237		0.113	0.115	1.00	0.142	pCi/L	11/26/21 08:23	12/20/21 18:20	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.0		40 - 110					11/26/21 08:23	12/20/21 18:20	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.45		0.422	0.442	1.00	0.540	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.3		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	85.6		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.69		0.437	0.457	5.00	0.540	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-14
Date Collected: 11/19/21 13:28
Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-7
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.539		0.172	0.179	1.00	0.181	pCi/L	11/26/21 08:23	12/20/21 20:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	74.4		40 - 110					11/26/21 08:23	12/20/21 20:28	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.674		0.266	0.273	1.00	0.366	pCi/L	12/20/21 09:01	12/28/21 13:18	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.8		40 - 110					12/20/21 09:01	12/28/21 13:18	1
Y Carrier	87.1		40 - 110					12/20/21 09:01	12/28/21 13:18	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.21		0.317	0.326	5.00	0.366	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-15

Lab Sample ID: 500-208740-8

Date Collected: 11/19/21 12:15

Matrix: Water

Date Received: 11/19/21 15:30

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.480		0.195	0.200	1.00	0.224	pCi/L	11/26/21 08:23	12/20/21 20:28	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	71.4		40 - 110					11/26/21 08:23	12/20/21 20:28	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.09		0.280	0.297	1.00	0.320	pCi/L	12/20/21 09:01	12/28/21 13:19	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.3		40 - 110					12/20/21 09:01	12/28/21 13:19	1
Y Carrier	89.0		40 - 110					12/20/21 09:01	12/28/21 13:19	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.57		0.341	0.358	5.00	0.320	pCi/L		12/29/21 17:20	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-05

Lab Sample ID: 500-208740-9

Date Collected: 11/23/21 11:40

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.117	U	0.0902	0.0908	1.00	0.133	pCi/L	11/30/21 13:26	12/22/21 08:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.1		40 - 110					11/30/21 13:26	12/22/21 08:01	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.667		0.298	0.304	1.00	0.413	pCi/L	11/30/21 14:08	12/15/21 13:23	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	87.1		40 - 110					11/30/21 14:08	12/15/21 13:23	1
Y Carrier	74.0		40 - 110					11/30/21 14:08	12/15/21 13:23	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.784		0.311	0.317	5.00	0.413	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-06

Lab Sample ID: 500-208740-10

Date Collected: 11/23/21 13:21

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.203		0.111	0.112	1.00	0.146	pCi/L	11/30/21 13:26	12/22/21 08:01	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.6		40 - 110					11/30/21 13:26	12/22/21 08:01	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.814		0.363	0.370	1.00	0.521	pCi/L	11/30/21 14:08	12/15/21 13:24	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.6		40 - 110					11/30/21 14:08	12/15/21 13:24	1
Y Carrier	73.6		40 - 110					11/30/21 14:08	12/15/21 13:24	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.02		0.380	0.387	5.00	0.521	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-09

Lab Sample ID: 500-208740-11

Date Collected: 11/23/21 12:30

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.109	U	0.0899	0.0904	1.00	0.136	pCi/L	11/30/21 13:26	12/22/21 08:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		40 - 110					11/30/21 13:26	12/22/21 08:02	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.680		0.342	0.347	1.00	0.502	pCi/L	11/30/21 14:08	12/15/21 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		40 - 110					11/30/21 14:08	12/15/21 13:25	1
Y Carrier	75.1		40 - 110					11/30/21 14:08	12/15/21 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.789		0.354	0.359	5.00	0.502	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-10

Lab Sample ID: 500-208740-12

Date Collected: 11/23/21 13:26

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.341		0.153	0.156	1.00	0.188	pCi/L	11/30/21 13:26	12/22/21 08:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.6		40 - 110					11/30/21 13:26	12/22/21 08:02	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.88		0.543	0.570	1.00	0.707	pCi/L	11/30/21 14:08	12/15/21 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.6		40 - 110					11/30/21 14:08	12/15/21 13:25	1
Y Carrier	75.1		40 - 110					11/30/21 14:08	12/15/21 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.22		0.564	0.591	5.00	0.707	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-11
Date Collected: 11/23/21 12:14
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-13
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.599		0.163	0.172	1.00	0.153	pCi/L	11/30/21 13:26	12/22/21 08:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		40 - 110					11/30/21 13:26	12/22/21 08:02	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.75		0.430	0.459	1.00	0.509	pCi/L	11/30/21 14:08	12/15/21 13:25	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	85.1		40 - 110					11/30/21 14:08	12/15/21 13:25	1
Y Carrier	72.5		40 - 110					11/30/21 14:08	12/15/21 13:25	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	2.35		0.460	0.490	5.00	0.509	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-12

Lab Sample ID: 500-208740-14

Date Collected: 11/23/21 14:20

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.184		0.0994	0.101	1.00	0.127	pCi/L	11/30/21 13:26	12/22/21 08:02	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					11/30/21 13:26	12/22/21 08:02	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.396	U	0.275	0.278	1.00	0.424	pCi/L	11/30/21 14:08	12/15/21 13:26	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					11/30/21 14:08	12/15/21 13:26	1
Y Carrier	75.5		40 - 110					11/30/21 14:08	12/15/21 13:26	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.580		0.292	0.296	5.00	0.424	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-13
Date Collected: 11/23/21 11:35
Date Received: 11/24/21 13:40

Lab Sample ID: 500-208740-15
Matrix: Water

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.431		0.160	0.165	1.00	0.171	pCi/L	11/30/21 13:26	12/22/21 08:03	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					11/30/21 13:26	12/22/21 08:03	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	1.05		0.417	0.428	1.00	0.569	pCi/L	11/30/21 14:08	12/15/21 13:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	91.5		40 - 110					11/30/21 14:08	12/15/21 13:27	1
Y Carrier	75.9		40 - 110					11/30/21 14:08	12/15/21 13:27	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	1.49		0.447	0.459	5.00	0.569	pCi/L		12/27/21 16:55	1

Client Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: DUPLICATE

Lab Sample ID: 500-208740-16

Date Collected: 11/23/21 00:00

Matrix: Water

Date Received: 11/24/21 13:40

Method: 903.0 - Radium-226 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0910	U	0.0950	0.0954	1.00	0.152	pCi/L	11/30/21 13:26	12/22/21 08:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.3		40 - 110					11/30/21 13:26	12/22/21 08:05	1

Method: 904.0 - Radium-228 (GFPC)

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.222	U	0.272	0.273	1.00	0.450	pCi/L	11/30/21 14:08	12/15/21 13:27	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	89.3		40 - 110					11/30/21 14:08	12/15/21 13:27	1
Y Carrier	72.1		40 - 110					11/30/21 14:08	12/15/21 13:27	1

Method: Ra226_Ra228 - Combined Radium-226 and Radium-228

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.313	U	0.288	0.289	5.00	0.450	pCi/L		12/27/21 16:55	1

Definitions/Glossary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Qualifiers

Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Rad

Prep Batch: 538650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	PrecSep-21	
500-208740-2	MW-02	Total/NA	Water	PrecSep-21	
500-208740-3	MW-03	Total/NA	Water	PrecSep-21	
500-208740-4	MW-04	Total/NA	Water	PrecSep-21	
500-208740-5	MW-07	Total/NA	Water	PrecSep-21	
500-208740-6	MW-08	Total/NA	Water	PrecSep-21	
500-208740-7	MW-14	Total/NA	Water	PrecSep-21	
500-208740-8	MW-15	Total/NA	Water	PrecSep-21	
MB 160-538650/23-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-538650/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-208740-1 DU	MW-01	Total/NA	Water	PrecSep-21	

Prep Batch: 539537

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-9	MW-05	Total/NA	Water	PrecSep-21	
500-208740-10	MW-06	Total/NA	Water	PrecSep-21	
500-208740-11	MW-09	Total/NA	Water	PrecSep-21	
500-208740-12	MW-10	Total/NA	Water	PrecSep-21	
500-208740-13	MW-11	Total/NA	Water	PrecSep-21	
500-208740-14	MW-12	Total/NA	Water	PrecSep-21	
500-208740-15	MW-13	Total/NA	Water	PrecSep-21	
500-208740-16	DUPLICATE	Total/NA	Water	PrecSep-21	
MB 160-539537/20-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-539537/1-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-208740-9 DU	MW-05	Total/NA	Water	PrecSep-21	

Prep Batch: 539542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-9	MW-05	Total/NA	Water	PrecSep_0	
500-208740-10	MW-06	Total/NA	Water	PrecSep_0	
500-208740-11	MW-09	Total/NA	Water	PrecSep_0	
500-208740-12	MW-10	Total/NA	Water	PrecSep_0	
500-208740-13	MW-11	Total/NA	Water	PrecSep_0	
500-208740-14	MW-12	Total/NA	Water	PrecSep_0	
500-208740-15	MW-13	Total/NA	Water	PrecSep_0	
500-208740-16	DUPLICATE	Total/NA	Water	PrecSep_0	
MB 160-539542/20-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-539542/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-208740-9 DU	MW-05	Total/NA	Water	PrecSep_0	

Prep Batch: 542866

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-208740-1	MW-01	Total/NA	Water	PrecSep_0	
500-208740-2	MW-02	Total/NA	Water	PrecSep_0	
500-208740-3	MW-03	Total/NA	Water	PrecSep_0	
500-208740-4	MW-04	Total/NA	Water	PrecSep_0	
500-208740-5	MW-07	Total/NA	Water	PrecSep_0	
500-208740-6	MW-08	Total/NA	Water	PrecSep_0	
500-208740-7	MW-14	Total/NA	Water	PrecSep_0	
500-208740-8	MW-15	Total/NA	Water	PrecSep_0	
MB 160-542866/23-A	Method Blank	Total/NA	Water	PrecSep_0	

Eurofins TestAmerica, Chicago

QC Association Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Rad (Continued)

Prep Batch: 542866 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 160-542866/1-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-208740-2 DU	MW-02	Total/NA	Water	PrecSep_0	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method: 903.0 - Radium-226 (GFPC)

Lab Sample ID: MB 160-538650/23-A
Matrix: Water
Analysis Batch: 543038

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 538650

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.1352	U	0.102	0.102	1.00	0.140	pCi/L	11/26/21 08:23	12/20/21 20:29	1
Carrier	MB	MB	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	%Yield	Qualifier	40 - 110				11/26/21 08:23		12/20/21 20:29	1
	86.1									

Lab Sample ID: LCS 160-538650/1-A
Matrix: Water
Analysis Batch: 543041

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 538650

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Radium-226	15.1	15.23		1.61	1.00	0.179	pCi/L	101	75 - 125
Carrier	LCS	LCS	Limits						
Ba Carrier	%Yield	Qualifier	40 - 110						
	87.3								

Lab Sample ID: 500-208740-1 DU
Matrix: Water
Analysis Batch: 543041

Client Sample ID: MW-01
Prep Type: Total/NA
Prep Batch: 538650

Analyte	Sample	Sample	DU	DU	Total	RL	MDC	Unit	RER	RER Limit
	Result	Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.120	U	0.1185	U	0.111	1.00	0.174	pCi/L	0.01	1
Carrier	DU	DU	Limits							
Ba Carrier	%Yield	Qualifier	40 - 110							
	89.8									

Lab Sample ID: MB 160-539537/20-A
Matrix: Water
Analysis Batch: 543296

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 539537

Analyte	MB	MB	Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.03122	U	0.0781	0.0782	1.00	0.142	pCi/L	11/30/21 13:26	12/22/21 08:10	1
Carrier	MB	MB	Limits				Prepared		Analyzed	Dil Fac
Ba Carrier	%Yield	Qualifier	40 - 110				11/30/21 13:26		12/22/21 08:10	1
	101									

Lab Sample ID: LCS 160-539537/1-A
Matrix: Water
Analysis Batch: 543294

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 539537

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec. Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	10.51		1.11	1.00	0.138	pCi/L	93	75 - 125

Eurofins TestAmerica, Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method: 903.0 - Radium-226 (GFPC) (Continued)

Lab Sample ID: LCS 160-539537/1-A
Matrix: Water
Analysis Batch: 543294

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 539537

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	92.0		40 - 110

Lab Sample ID: 500-208740-9 DU
Matrix: Water
Analysis Batch: 543294

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 539537

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER
										Limit
Radium-226	0.117	U	0.2237		0.136	1.00	0.185	pCi/L	0.47	1

Carrier	DU %Yield	DU Qualifier	Limits
Ba Carrier	64.9		40 - 110

Method: 904.0 - Radium-228 (GFPC)

Lab Sample ID: MB 160-539542/20-A
Matrix: Water
Analysis Batch: 542191

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 539542

Analyte	MB Result	MB Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac

Carrier	MB %Yield	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Ba Carrier	101		40 - 110	11/30/21 14:08	12/15/21 13:34	1
Y Carrier	87.9		40 - 110	11/30/21 14:08	12/15/21 13:34	1

Lab Sample ID: LCS 160-539542/1-A
Matrix: Water
Analysis Batch: 542175

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 539542

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec.
									Limits
Radium-228	9.05	10.98		1.31	1.00	0.471	pCi/L	121	75 - 125

Carrier	LCS %Yield	LCS Qualifier	Limits
Ba Carrier	92.0		40 - 110
Y Carrier	69.9		40 - 110

Lab Sample ID: 500-208740-9 DU
Matrix: Water
Analysis Batch: 542175

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 539542

Analyte	Sample Result	Sample Qual	DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER
										Limit
Radium-228	0.667		0.5297	U	0.448	1.00	0.712	pCi/L	0.18	1

Eurofins TestAmerica, Chicago

QC Sample Results

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Lab Sample ID: 500-208740-9 DU
Matrix: Water
Analysis Batch: 542175

Client Sample ID: MW-05
Prep Type: Total/NA
Prep Batch: 539542

	DU	DU	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	64.9		40 - 110
Y Carrier	74.0		40 - 110

Lab Sample ID: MB 160-542866/23-A
Matrix: Water
Analysis Batch: 543786

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 542866

Analyte	MB MB		Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.7219		0.343	0.350	1.00	0.492	pCi/L	12/20/21 09:01	12/28/21 13:19	1

	MB	MB		Prepared	Analyzed	Dil Fac
Carrier	%Yield	Qualifier	Limits			
Ba Carrier	87.6		40 - 110	12/20/21 09:01	12/28/21 13:19	1
Y Carrier	86.0		40 - 110	12/20/21 09:01	12/28/21 13:19	1

Lab Sample ID: LCS 160-542866/1-A
Matrix: Water
Analysis Batch: 543883

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 542866

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec. Limits

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	93.0		40 - 110
Y Carrier	82.6		40 - 110

Lab Sample ID: 500-208740-2 DU
Matrix: Water
Analysis Batch: 543786

Client Sample ID: MW-02
Prep Type: Total/NA
Prep Batch: 542866

Analyte	Sample Sample		DU Result	DU Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	RER	RER Limit
	Result	Qual								
Radium-228	1.09		1.154		0.417	1.00	0.537	pCi/L	0.09	1

	DU	DU	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	63.4		40 - 110
Y Carrier	85.2		40 - 110

Eurofins TestAmerica, Chicago

2417 Bond Street
University Park IL 60484
Phone 708-534-5200 Fax 708-534-5211

Chain of Custody Record



r e a t Te.


Client Information		Sampler		Lab PM Mockler Diana J		Carrier Tracking No(s).		500-208740 COC					
Client Contact: Richard Gnat		Phone		E-Mail Diana Mockler@Eurofinset.com		State of Origin		33 1					
Company KPRG and Associates Inc		PWSID		Analysis Requested						Job #: 500-208740			
Address 14665 West Lisbon Road Suite 1A		Due Date Requested		Field Filtered Sample (Yes or No) Perform: MS/MSD (Yes or No) 903.0 904.0 6010C, 6020A, 7470A 2540C 4500_F_C, SM4500_CL_E, SM4500_SO4_E						Preservation Codes			
City Brookfield		TAT Requested (days)								A HCL		M Hexane	
State/Zip WI 53005		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No								B NaOH		N None	
Phone 779-279-2321(Tel)		PO # 4502041043								C Zn Acetate		O AsNaO2	
Email richardg@kprginc.com		WO #								D Nitric Acid		P Na2O4S	
Project Name Will County CCR Event Desc Quarterly GW Monitoring		Project # 50011609		E NaHSO4		Q Na2SO3		F MeOH		R Na2S2O3			
Site Illinois		SSOW#		G Amchlor		S H2SO4		H Ascorbic Acid		T TSP Dodecahydrate			
Sample Identification		Sample Date		Sample Time		Sample Type (C=comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT-Tissue, A=Air)		Total Number of Containers		Special Instructions/Note	
						Preservation Code.							
1 MW-01		11/19		1129				Water		5			
2 MW-02		11/19		1215				Water		5			
3 MW-03		11/19		1300				Water		5			
4 MW-04		11/19		1350				Water		5			
5 MW-07		11/19		1245				Water		5			
6 MW-08		11/19		1140				Water		5			
7 MW-13		11/19		1140				Water		5			
8 MW-14		11/19		1323				Water		5			
9 MW-15		11/19		1215				Water		4			
10								Water					
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)							
<input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological						<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months							
Deliverable Requested I II III IV Other (specify)						Special Instructions/QC Requirements							
Empty Kit Relinquished by				Date		Time		Method of Shipment.					
Relinquished by <i>M. K. R.</i>				Date/Time 11/19 14:38		Company KPRG		Received by <i>[Signature]</i>		Date/Time 11/19/21 1438		Company TA	
Relinquished by <i>[Signature]</i>				Date/Time 11/19/21 1536		Company TA		Received by <i>[Signature]</i>		Date/Time 11-19-21 1530		Company EMA	
Relinquished by				Date/Time		Company		Received by		Date/Time		Company	
Custody Seals Intact.		Custody Seal No		Cooler Temperature(s) °C and Other Remarks.									
<input type="checkbox"/> Yes <input type="checkbox"/> No				3.6, 4.8									



Eurofins TestAmerica, Chicago

2417 Bond Street
 University Park IL 60484
 Phone 708-534-5200 Fax 708-534-5211

Chain of Custody Record



Client Information		Sampler: <i>M. Riss</i>		Lab PM: Mockler Diana J		Carrier Tracking No(s)		COC No: 500 96644-42645 1																	
Client Contact: Richard Gnat		Phone: <i>630.602.7240</i>		E Mail: Diana Mockler@Eurofinset.com		State of Origin		Page 1 of 1																	
Company: KPRG and Associates Inc		PWSID:		Analysis Requested						Job #: <i>500-208740</i>															
Address: 14665 West Lisbon Road Suite 1A		Due Date Requested		<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>Perform MS/MSD (Yes or No)</td> <td>903.0 904.0</td> <td>6010C 6020A 7470A</td> <td>2540C 4500_F_C SM4500_C1_E SM4500_S04_E</td> <td colspan="2">Total Number of containers</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0 904.0	6010C 6020A 7470A	2540C 4500_F_C SM4500_C1_E SM4500_S04_E	Total Number of containers									Preservation Codes	
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0 904.0	6010C 6020A 7470A							2540C 4500_F_C SM4500_C1_E SM4500_S04_E	Total Number of containers														
City: Brookfield		TAT Requested (days)								A HCL M Hexane		B NaOH N None													
State, Zip: WI 53005		Compliance Project. <input type="checkbox"/> Yes <input type="checkbox"/> No								C Zn Acetate O AsNaO2		D Nitric Acid P Na2O4S													
Phone: 779-279-2321(Tel) 500-208740 COC		PO #: 4502041043		E NaHSO4 Q Na2SO3		F MeOH R Na2S2O3																			
Email: richardg@kprginc.com		WO #		G Amchlor S H2SO4		H Ascorbic Acid T TSP Dodecahydrate																			
Project Name: Will County CCR Event Desc Quarterly GW Monitoring		Project #: 50011609		I Ice U Acetone		J DI Water V MCAA																			
Site: Illinois		SSOW#		K EDTA W pH 4-5		L EDA Z other (specify)																			
				Other:																					

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0 904.0	6010C 6020A 7470A	2540C 4500_F_C SM4500_C1_E SM4500_S04_E	Total Number of containers	Special Instructions/Note
				Preservation Code	X	X	D	D	N		
<i>9 MW-05</i>	<i>11/23</i>	<i>11:40</i>		Water			X	X	X		
<i>10 MW-06</i>		<i>13:21</i>		Water							
<i>11 MW-09</i>		<i>12:30</i>		Water							
<i>12 MW-10</i>		<i>13:26</i>		Water							
<i>13 MW-11</i>		<i>12:14</i>		Water							
<i>14 MW-12</i>		<i>14:20</i>		Water							
<i>15 MW-13</i>		<i>11:35</i>		Water							
<i>16 Duplicate</i>											


9
10
11
12
13
14
15
16

1
2
3
4
5
6
7
8
9
10
11
12
13

Possible Hazard Identification				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab
Deliverable Requested I II III IV Other (specify)				Archive For _____ Months			
Empty Kit Relinquished by				Special Instructions/QC Requirements			

Empty Kit Relinquished by		Date		Time		Method of Shipment	
Relinquished by: <i>M. Riss</i>	Date/Time: <i>11/23/24 12:00</i>	Company: <i>KPRG</i>	Received by: <i>[Signature]</i>	Date/Time: <i>11/24/21 12:40</i>	Company: <i>TA</i>		
Relinquished by: <i>[Signature]</i>	Date/Time: <i>11/24/21 13:10</i>	Company: <i>A</i>	Received by: <i>[Signature]</i>	Date/Time: <i>11/24/21 13:40</i>	Company: <i>ETA</i>		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
Custody Seals Intact. <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No	Cooler Temperature(s) C and Other Remarks		<i>5.4, 3.4, 1.5, 1.8, 1.9</i>			

Chain of Custody Record



Client Information (Sub Contract Lab)		Lab PM: Mockler, Diana J		Carrier Tracking No(s):		COC No: 500-154683.1				
Client Contact: Shipping/Receiving		E-Mail: Diana.Mockler@Eurofinset.com		State of Origin: Illinois		Page: Page 1 of 1				
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Illinois		Job #:		500-208740-2				
Address: 13715 Rider Trail North, Earth City, MO, 63045		Due Date Requested: 12/27/2021		Analysis Requested		Preservation Codes:				
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		TAT Requested (days):		Field Filtered Sample (Yes or No)		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:				
Email:		PO #:		903.0/Precep_21 Standard Target List		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)				
Project Name: Will County CCR		WO #:		904.0/Precep_0 Standard Target List		Total Number of Containers				
Site: NRG Midwest Generation Will County		Project #: 50011609		R226Ra228_GPC		Special Instructions/Note:				
		SSOW#:								
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=soil, BT=issue, A=air)	Preservation Code:	Field Filtered Sample (Yes or No)	Form MS/MSD (Yes or No)	903.0/Precep_21 Standard Target List	904.0/Precep_0 Standard Target List	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-01 (500-208740-1)	11/19/21	11:28 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-02 (500-208740-2)	11/19/21	12:15 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-03 (500-208740-3)	11/19/21	13:06 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-04 (500-208740-4)	11/19/21	13:58 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-07 (500-208740-5)	11/19/21	12:45 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-08 (500-208740-6)	11/19/21	11:40 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-14 (500-208740-7)	11/19/21	13:28 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
MW-15 (500-208740-8)	11/19/21	12:15 Central	Water	Water	X	X	X	X	X	Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume;
<p>Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.</p>										
Possible Hazard Identification										
Unconfirmed										
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2										
Empty Kit Relinquished by:										
Relinquished by: <i>Mimi Swartz</i> Date/Time: 11/22/21 12:00										
Relinquished by: <i>Mimi Swartz</i> Date/Time: 11/22/21 12:00										
Relinquished by: <i>Mimi Swartz</i> Date/Time: 11/22/21 12:00										
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No										
Custody Seal No.:										
Cooler Temperature(s) °C and Other Remarks:										
Received by: <i>FED EX</i> Date/Time: <i>NOV 23 2021 09:50</i>										
Received by: <i>Autumn R. Johnson</i> Date/Time: <i>NOV 23 2021 09:50</i>										
Received by: <i>Autumn R. Johnson</i> Date/Time: <i>NOV 23 2021 09:50</i>										
Special Instructions/QC Requirements:										
Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months										
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)										



Chain of Custody Record



Environment Testing
 America



Client Information (Sub Contract Lab)		Lab PM: Mockler, Diana J	Carrier Tracking No(s): 500-154782-1								
Client Contact: Shipping/Receiving		E-Mail: Diana.Mockler@Eurofins.com	State of Origin: Illinois								
Company: TestAmerica Laboratories, Inc.		Page: Page 1 of 1									
Address: 13715 Rider Trail North,		Job #: 500-208740-2									
City: Earth City	Due Date Requested: 12/27/2021	Preservation Codes:									
State, Zip: MO, 63045	TAT Requested (days):	A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2OAS E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2SO3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Z - other (specify)									
PO #:	Other:										
WO #:											
Project #: 50011609											
SSOW#:											
City: NRG Midwest Generation Will County											
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (Water, Solid, Other)	Field Filtered Sample (Yes or No)	Form MS/MSD (Yes or No)	903.0/PreSep_21 Standard Target List	904.0/PreSep_0 Standard Target List	Ra226Ra228 GFPC	Total Number of Containers	Special Instructions/Note:
MMW-05 (500-208740-9)	11/23/21	11:40 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-06 (500-208740-10)	11/23/21	13:21 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-09 (500-208740-11)	11/23/21	12:30 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-10 (500-208740-12)	11/23/21	13:26 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-11 (500-208740-13)	11/23/21	12:14 Central		Water	X	X	X	X		4	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-12 (500-208740-14)	11/23/21	14:20 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
MMW-13 (500-208740-15)	11/23/21	11:35 Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
DUPLICATE (500-208740-16)	11/23/21	Central		Water	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMS concerning limited volume;
<p>Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/testmatrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins TestAmerica.</p>											
Possible Hazard Identification											
Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2 Date: _____ Time: _____ Method of Shipment: _____											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months											
Empty Kit Relinquished by: _____ Date: _____ Relinquished by: <i>Stephanie Hernandez</i> Date/Time: 11/26/21 14:00 Relinquished by: <i>FED EX</i> Date/Time: _____ Relinquished by: _____ Date/Time: _____ Custody Seals Intact: _____ Custody Seal No.: _____											
Received by: <i>FED EX</i> Date/Time: _____ Received by: <i>Autumn R. Johnson</i> Date/Time: NOV 20 2021 09:40 Received by: _____ Date/Time: _____ Cooler Temperature(s) °C and Other Remarks: _____											



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-208740-2

Login Number: 208740

List Source: Eurofins TestAmerica, Chicago

List Number: 1

Creator: James, Jeff A

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.6,4.8,5.4,3.4,1.5,1.8,1.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	Note: sample 8 only has 2L for Rad work
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-208740-2

Login Number: 208740

List Number: 2

Creator: Johnson, Autumn R

List Source: Eurofins TestAmerica, St. Louis

List Creation: 11/23/21 01:04 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-208740-2

Login Number: 208740

List Number: 3

Creator: Johnson, Autumn R

List Source: Eurofins TestAmerica, St. Louis

List Creation: 11/24/21 01:24 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: KPRG and Associates, Inc.

Job Number: 500-208740-2

Login Number: 208740

List Number: 4

Creator: Johnson, Autumn R

List Source: Eurofins TestAmerica, St. Louis

List Creation: 11/29/21 01:48 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-01

Lab Sample ID: 500-208740-1

Date Collected: 11/19/21 11:28

Matrix: Water

Date Received: 11/19/21 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543041	12/20/21 18:18	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-02

Lab Sample ID: 500-208740-2

Date Collected: 11/19/21 12:15

Matrix: Water

Date Received: 11/19/21 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543041	12/20/21 18:18	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-03

Lab Sample ID: 500-208740-3

Date Collected: 11/19/21 13:06

Matrix: Water

Date Received: 11/19/21 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543041	12/20/21 18:19	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-04

Lab Sample ID: 500-208740-4

Date Collected: 11/19/21 13:58

Matrix: Water

Date Received: 11/19/21 15:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543040	12/20/21 18:19	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-07

Date Collected: 11/19/21 12:45

Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543040	12/20/21 18:20	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-08

Date Collected: 11/19/21 11:40

Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543040	12/20/21 18:20	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-14

Date Collected: 11/19/21 13:28

Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543038	12/20/21 20:28	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:18	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Client Sample ID: MW-15

Date Collected: 11/19/21 12:15

Date Received: 11/19/21 15:30

Lab Sample ID: 500-208740-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			538650	11/26/21 08:23	BMP	TAL SL
Total/NA	Analysis	903.0		1	543038	12/20/21 20:28	MLK	TAL SL
Total/NA	Prep	PrecSep_0			542866	12/20/21 09:01	LPS	TAL SL
Total/NA	Analysis	904.0		1	543786	12/28/21 13:19	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	544137	12/29/21 17:20	EMH	TAL SL

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-05

Lab Sample ID: 500-208740-9

Date Collected: 11/23/21 11:40

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:01	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:23	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: MW-06

Lab Sample ID: 500-208740-10

Date Collected: 11/23/21 13:21

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:01	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:24	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: MW-09

Lab Sample ID: 500-208740-11

Date Collected: 11/23/21 12:30

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:02	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:25	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: MW-10

Lab Sample ID: 500-208740-12

Date Collected: 11/23/21 13:26

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:02	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:25	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Lab Chronicle

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Client Sample ID: MW-11

Lab Sample ID: 500-208740-13

Date Collected: 11/23/21 12:14

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:02	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:25	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: MW-12

Lab Sample ID: 500-208740-14

Date Collected: 11/23/21 14:20

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:02	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:26	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: MW-13

Lab Sample ID: 500-208740-15

Date Collected: 11/23/21 11:35

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543294	12/22/21 08:03	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:27	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Client Sample ID: DUPLICATE

Lab Sample ID: 500-208740-16

Date Collected: 11/23/21 00:00

Matrix: Water

Date Received: 11/24/21 13:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	PrecSep-21			539537	11/30/21 13:26	LPS	TAL SL
Total/NA	Analysis	903.0		1	543295	12/22/21 08:05	FLC	TAL SL
Total/NA	Prep	PrecSep_0			539542	11/30/21 14:08	LPS	TAL SL
Total/NA	Analysis	904.0		1	542175	12/15/21 13:27	FLC	TAL SL
Total/NA	Analysis	Ra226_Ra228		1	543622	12/27/21 16:55	EMH	TAL SL

Laboratory References:

TAL SL = Eurofins TestAmerica, St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

Tracer/Carrier Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
500-208740-1	MW-01	83.8	
500-208740-1 DU	MW-01	89.8	
500-208740-2	MW-02	79.6	
500-208740-3	MW-03	85.1	
500-208740-4	MW-04	82.1	
500-208740-5	MW-07	66.9	
500-208740-6	MW-08	92.0	
500-208740-7	MW-14	74.4	
500-208740-8	MW-15	71.4	
500-208740-9	MW-05	87.1	
500-208740-9 DU	MW-05	64.9	
500-208740-10	MW-06	85.6	
500-208740-11	MW-09	85.1	
500-208740-12	MW-10	89.6	
500-208740-13	MW-11	85.1	
500-208740-14	MW-12	91.5	
500-208740-15	MW-13	91.5	
500-208740-16	DUPLICATE	89.3	
LCS 160-538650/1-A	Lab Control Sample	87.3	
LCS 160-539537/1-A	Lab Control Sample	92.0	
MB 160-538650/23-A	Method Blank	86.1	
MB 160-539537/20-A	Method Blank	101	

Tracer/Carrier Legend

Ba = Ba Carrier

Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

		Percent Yield (Acceptance Limits)	
Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
500-208740-1	MW-01	87.6	81.5
500-208740-2	MW-02	91.3	83.7
500-208740-2 DU	MW-02	63.4	85.2
500-208740-3	MW-03	90.8	83.7
500-208740-4	MW-04	79.6	87.1
500-208740-5	MW-07	89.1	86.7
500-208740-6	MW-08	91.3	85.6
500-208740-7	MW-14	90.8	87.1
500-208740-8	MW-15	89.3	89.0
500-208740-9	MW-05	87.1	74.0
500-208740-9 DU	MW-05	64.9	74.0
500-208740-10	MW-06	85.6	73.6
500-208740-11	MW-09	85.1	75.1
500-208740-12	MW-10	89.6	75.1
500-208740-13	MW-11	85.1	72.5
500-208740-14	MW-12	91.5	75.5
500-208740-15	MW-13	91.5	75.9
500-208740-16	DUPLICATE	89.3	72.1

Tracer/Carrier Summary

Client: KPRG and Associates, Inc.
Project/Site: Will County CCR

Job ID: 500-208740-2

Method: 904.0 - Radium-228 (GFPC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (40-110)	Y (40-110)
LCS 160-539542/1-A	Lab Control Sample	92.0	69.9
LCS 160-542866/1-A	Lab Control Sample	93.0	82.6
MB 160-539542/20-A	Method Blank	101	87.9
MB 160-542866/23-A	Method Blank	87.6	86.0

Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

