TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&35) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

PONDS 25 AND 35: GENERAL INFORMATION:		POND 2S		POND 3S		
	ACCOUNT OF THE PARTY OF THE PAR					
1)	General Condition	EMPTY	FULL	EMPTY 🗆	FULL	
		PARTIALLY FULL		PARTIALLY FULL		
2)	Water Level in Pond		NORMAL 🗷		NORMAL	
		HIGH		HIGH		
_		LOW		LOW		
3)	Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO B	
4)	In Service?	YES 🗷	NO 🗆	YES 🗆	NO 🗗	
PH	YSICAL INSPECTION:					
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO B	YES 🗆	NO 🗗	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO E	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO Ø	
4)	Cracking on Embankments/Berms?	YES 🗆	NO E	YES 🗆	NO Ø	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗗	
he rec	3 descriptions (#6-8) below refer to areas to East, Sout 3.	h, and West o	f ponds incl	uding outside	the fence	
5)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 1	YES 🗆	NO 🗷	
7}	Slope Erosion on berms or embankments?	YES 🗆	NO E	YES 🗆	NO 🗗	
1)	Debris on embankments/berms?	YES 🗆	NO C	YES 🗆	NO 2	
)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO Ø	
.01	Visible Releases	YES 🗆	NO Z	YES 🗆	NO 🖵	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A N/A
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO 2 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO 2 If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking 1.8 Elevation (FT/MSL) 589.6 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.8 Elevation (FT/MSL) 583.8 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

<u>Dat</u>	4) Inactive ponds are required to be maintained with 5) CCR Unit Instrumentation should be inspected once: 11/14/22_Time: 9:37 Type of Inspected Oncome: 11/14/22_Time: 11/	water levels	ypically on S	t. Sunday). Storm Event			
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 25		POND 35			
1)	General Condition	EMPTY PARTIALLY	FULL □	EMPTY PARTIALLY I	FULL 🖾		
2)	Water Level in Pond	NORM HIGH LOW	AL Z	NORM HIGH LOW	AL 🗆		
3)	Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO ⋉		
4)	In Service?	YES 🍂	NO 🕱	YES 🗆	ио 🛛		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO ⊠.	YES 🗆	NO 🗵		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🗷		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🏻	YES 🗆	NO ☎		
4)	Cracking on Embankments/Berms?	YES 🗆	NO ,⊠	YES 🗆	NO Ø-		
5)	Animal Burrows on embankments?	YES 🗆	NO ⊠	YES 🗆	NO 🛭		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🖾		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🕾	YES 🗆	NO 🔀		
8)	Debris on embankments/berms?	YES 🗆	NO ⊠-	YES 🗆	NO 🗵		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO X	YES 🗆	NO 🗷		
10)	Visible Releases	YES 🗆	NO 🔀	YES 🗆	NO 🔀		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES IND M. 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
<u>PONDS 1N, 1S:</u>
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 🎞
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES □ NO ☒
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking / D Elevation (FT/MSL) 589.5 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking / C Elevation (FT/MSL) 583. (Use 3S EL Gauging Chart App B)
3S Level (ft) Gauge Marking 1/1 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO NO
Qualified Person's Name:

r